

DRC Ebola (BVD) outbreak

Integrated Epidemiology, Mobility, Mining & Security Briefing Note

Published: 2026-09-08 · Reporting cut-off: 2026-09-08
Epidemiology: 2026-09-08 · Mobility: 2026-08-01–2026-08-31 · Security: 2026-08-05–2026-09-01

Reviewed by user · Prepared by Example response team — synthetic demonstration

Key message

Example report for layout verification. All values in this preview are synthetic.
Coordinator message

Key messages

- **Reported burden:** Example South (Example province): 522; Example Central (Example province): 348; Example North (Example province): 174 cumulative cases, 2026-09-08.
- **Recent increases:** Example South: +63; Example Central: +42; Example North: +21 in reported cumulative totals, 2026-09-01–2026-09-08.
- **Access review:** Example North Recent security events overlap areas reporting cases; access effects require field confirmation.

1. Epidemiological situation & weekly trend

Confirm staffing with the area teams.

Example national cases 174 Reported 2026-09-08	Example national deaths 58 Reported 2026-09-08	Areas reporting cases 3 2026-09-08 · not currently active areas
---	---	--


Seven-day reports ending 2026-09-01 and 2026-09-08. Cumulative sources show changes in reported totals; daily sources show complete seven-day sums.

Province / scope	Previous period	Current period	Change	Cumulative at cut-off
Example country (national)	21	21	0	174
Cumulative changes				
Example province (matched areas)	126	126	0	1,044
Cumulative changes				

Province groupings sum only the consistently mapped reporting areas. They are partial area totals, not official province totals; any missing constituent observation makes a period unavailable.


Source: Synthetic browser-test fixture

Seven-day changes in reported totals — Example country



Seven-day periods ending on each date; exact cumulative observations seven days apart are required. Negative bars are downward revisions, not negative incidence. These periods are anchored to the reporting cut-off, not calendar epidemiological weeks.

Source: Synthetic browser-test fixture



Reported case distribution. Missing observations remain separate from zero.

2. Population mobility

Population connections help identify locations for surveillance and receiving-area readiness. They do not establish transmission or infected travellers.


Movement connections

Mobility observation period: 2026-08-01-2026-08-31 · estimated relocations. Source: Synthetic mobility fixture

These connections describe the mobility observation period, not necessarily current movement. Imported infections cannot be classified without case investigation or travel-history evidence. Outbound connections indicate places to assess for surveillance readiness, not infected travellers.

Destinations from Example North

1 of 1 positive connections shown; 0 missing/redacted and 0 zero observations. Unlisted pairs have unknown coverage. 0 shown connections cannot be mapped because an endpoint is unmatched.



Teal arrows show destinations from this area — places to assess for onward surveillance. Arrowheads point from origin to destination. Curves connect representative area centres; they do not show actual travel paths. Internal movements are excluded.

Origin	Destination	estimated relocations	Outbreak context (2026-09-08)
Example North	Example Central	100	348 cumulative cases; seven-day change 42


Movement connections

Mobility observation period: 2026-08-01-2026-08-31 · estimated relocations. Source: Synthetic mobility fixture

These connections describe the mobility observation period, not necessarily current movement. Imported infections cannot be classified without case investigation or travel-history evidence. Outbound connections indicate places to assess for surveillance readiness, not infected travellers.

Destinations from Example Central

1 of 1 positive connections shown; 0 missing/redacted and 0 zero observations. Unlisted pairs have unknown coverage. 0 shown connections cannot be mapped because an endpoint is unmatched.




Teal arrows show destinations from this area — places to assess for onward surveillance.

Arrowheads point from origin to destination. Curves connect representative area centres; they do not show actual travel paths. Internal movements are excluded.

Origin	Destination	estimated relocations	Outbreak context (2026-09-08)
Example Central	Example South	50	522 cumulative cases; seven-day change 63

3. Mining and operational geography

1 historical mining sites matched uniquely to the loaded boundaries. 0 points could not be assigned uniquely. Site visits do not confirm current mining activity.




Up to ten areas with the most mapped sites. Case figures use 2026-09-08.

Health zone / area	Reported cumulative cases	Unique mapped sites
Example North	174	1

Source: Synthetic mine fixture

4. Security and access

During 2026-08-05–2026-09-01, the loaded data contains 1 valid events and 2 reported fatalities; 0 events have missing fatality estimates. This describes loaded coverage, not a complete national assessment.



Up to ten areas with the most matched events. Fatalities are reported estimates.

Health zone / area	Cumulative cases	Security events	Reported fatalities
Example North	174	1	2

0 events have no unique boundary match; 0 validation issues. Spatial overlap identifies areas for access review, not a confirmed disruption or causal relationship.

5. Operational implications & immediate actions

Response plan

No coordinator actions recorded.

Additional actions to consider

1. Review areas with rising reports — Example South, Example Central, Example North

Check recent case investigations and surveillance workload with the area teams. Reported increases can include backlogs and revisions.

Basis: Example South: +63; Example Central: +42; Example North: +21 between 2026-09-01 and 2026-09-08.

2. Check response capacity — Example South, Example Central, Example North

Confirm current caseloads, team availability and supplies before deciding where to add resources. Cumulative totals do not measure current workload.

Basis: Example South: 522 cumulative cases; Example Central: 348 cumulative cases; Example North: 174 cumulative cases as of 2026-09-08.

3. Check access constraints — Example North

Ask field teams whether access is affecting alert investigation, referrals or follow-up. Event overlap alone does not establish an operational disruption.

Basis: Example North: 1 recorded security events during 2026-08-05–2026-09-01.

Response status

No dated response indicators loaded. Capacity and unmet needs cannot be inferred from case totals.

Data notes and sources

Missing observations are not zero. Reporting cut-offs and observation dates can differ. National series remain separate from sums of local reports. Seven-day changes in cumulative totals can include corrections and catch-up reporting; they are not onset-based incidence. No missing dates are carried forward. Historical mobility and mining observations do not establish current movement, activity or transmission. Security fatalities are reported estimates.

Example health_zone cases: 2026-09-08–2026-09-08 · 3 reported; 0 missing; 0 validation issues

Source: Synthetic browser-test fixture

Example national cases: 2026-09-08–2026-09-08 · 1 reported; 0 missing; 0 validation issues

Source: Synthetic browser-test fixture

Example national deaths: 2026-09-08–2026-09-08 · 1 reported; 0 missing; 0 validation issues

Source: Synthetic browser-test fixture

Boundaries: Main app uploaded boundaries · health_zone · 0 unmatched case locations.

Mining source: Synthetic mine fixture · retrieved date unavailable. The latest eligible visit per unique site is used at the cut-off.

Mobility: Synthetic mobility fixture · 2026-08-01–2026-08-31 · estimated relocations.

ACLED: uploaded records · 2026-08-05–2026-09-01. Source records are retained in the evidence snapshot.

Prepared by Example response team — synthetic demonstration · 2026-W37 · Cut-off 2026-09-08