Cursor Commands

Quick reference for custom commands in this project.

`/debate` Panel Debate

Launches a panel debate among four expert agents — product manager, UX designer, engineering manager, and AI analyst. Each provides a concise bullet-point POV from their perspective.

USAGE

```
/debate [your question]
```

EXAMPLE

```
/debate Should we build this feature in-house or use a third-party API?
```

Output: Each agent responds with 3–5 bullets. Results are compiled into a single formatted debate.

`/pid` Product Intent Document

Generates a 1-page Product Intent Document (PID) at FAANG / Anthropic / OpenAI quality.

Sections: Executive summary, problem statement, hypothesis, opportunity, high-level use case, KPIs, open questions.

USAGE

```
/pid [product or feature idea]
```

EXAMPLE

```
/pid In-app subscription management for power users
```

Output: A crisp, hypothesis-led, decision-ready 1-page document (~500–700 words).

WEBSITE WORKFLOW COMMANDS

The three commands below form a complete **edit → review → deploy** pipeline for any static site hosted on GitHub Pages.

`/commit` → `/pr` → `/deploy`

`/commit` Commit & Push

Stages all changes, creates a conventional commit, and pushes to a feature branch (e.g. `feature/add-featured-talk`). If you're on `main`, it automatically creates a new feature branch first. Never pushes directly to `main`.

USAGE

```
/commit [optional: commit message or description of changes]
```

EXAMPLES

```
/commit
/commit Update hero section and fix mobile nav
```

WHAT IT DOES

1. Runs `git status` to detect changes.
2. Stages all modified / untracked files.
3. Generates a conventional commit message (e.g. `feat:`, `fix:`, `docs:`) — or uses your message if provided.
4. Commits and pushes to the current branch.

`/pr` Pull Request

Creates a pull request from your feature branch to `main`. You can review everything from Cursor.

USAGE

```
/pr [optional: PR title or description]
```

EXAMPLES

```
/pr
/pr Add projects section and update styling
```

WHAT IT DOES

1. Ensures all changes are committed and pushed.
2. Checks if a PR already exists for this branch.
3. Creates a PR via `gh pr create` targeting `main`.
4. Returns the PR URL.

REVIEW FROM CURSOR

- View the diff with `gh pr diff`
- Add comments with `gh pr comment` — e.g. *"Add a comment: Looks good, approved."* or *"Comment on the PR: Can we change the wording slightly?"*
- Check status with `gh pr checks`

> If you're on `main`, it will suggest creating a feature branch first.

`/deploy` Deploy to Production

Merges the PR into `main` (with `--delete-branch` to clean up), switches you back to `main` locally, and reports the GitHub Pages live URL.

USAGE

```
/deploy
```

WHAT IT DOES

1. Detects that the project uses GitHub Pages (static HTML/CSS/JS).
2. Commits any uncommitted changes.
3. Merges the PR into `main` (with `--delete-branch` to clean up the feature branch).
4. Switches you back to `main` locally.
5. Reports the GitHub Pages live URL — takes ~1–3 minutes to go live.

Typical Workflow

```
# Make edits in Cursor, then:
/commit        ← stage, commit, push to feature branch
/pr            ← open a PR for review
/deploy        ← merge to main, site goes live
```

© 2026 Jon Metz