Office Performance Commitment and Review (OPCR)

I, Thomas W. Seay of the Department of Mathematics, Physics and Computer Science commit to deliver and agree to be rated on the attainment of the following targets in accordance with the indicated measures for the period January 2015 to April 2015.

> Thomas W. Seay Unit Head, DMPCS Date: March 14, 2015

ErrorException [Warning]: array sum() expects parameter 1 to be array, null given

APPPATH/views/mpdf/opcr/basic.php [97]

```
',
92</span>
$target['r_efficiency'], '
</span> 93</span>
                           ',
$target['r_timeliness'], '
</span> 94</span>
                           ';
</span> 95</span>
</span> 96</span>
                         if ($target['r quantity'] AND
$target['r efficiency'] AND $target['r timeliness'])
</span> 97</span>
                           echo
array sum($rating)/count($rating);
</span> 98</span>
</span> 99</span>
                         echo '
</span>100</span>
                           ',
$target['r_timeliness'], '
</span>101</span>
                           ';
</span>102</span>
</span></code>
```

{PHP internal call} » Kohana Core::error handler(arguments) integer</small> 2 string</small>(55) "array sum() expects parameter 1 to be array, null given" string</small>(64) "/Users/jenny/Sites/up-oams/application/views/mpdf/opcr/basic.php" 2 3 integer</small> 97 array</small>(17) ("kohana view filename" => string</small>(64) "/Users/jenny/Sites/up-oams/application/views/mpdf/opcr/basic.php" "kohana view data" => array</small>(5) (| Categories" => array</small>(3) (0 => array</small>(3) ("category |D" => string</small>(1) "1" "category" => string</small>(1) "5rategic Priority" (deleted" -> string</small>(1) "5rategic Priority"

APPPATH/views/mpdf/opcr/basic.php [97] » array sum(arguments)

NULL</small> SYSPATH/classes/Kohana/View.php [61] » include(arguments) string</small>(64) "/Users/jenny/Sites/up-oams/application/views/mpdf/opcr/basic.php" SYSPATH/classes/Kohana/View.php [348] » Kohana_View::capture(arguments) string</small>(64) "/Users/jenny/Sites/up-oams/application/views/mpdf/opcr/basic.php"

```
1
            array</small>(5)</span> (
                 "categories" => array</small>(3)</span> (
                    0 = > \operatorname{array} < |\operatorname{small}| > (3) < |\operatorname{span}| > ( "category |D" = > string < |small| > (1) < |span> "1" "category" = > string < |small| > (1) < |span> "Strategic Priority" deleted" = > string < |small| > (1) < |span> "0" "deleted" = > string < |small| > (1) < |span> "0" |
    0
                string</small>(1)</span> "2"
  1
                string</small>(4)</span> "opcr"
  2
                string</small>(6)</span> "submit"
  3
                array</small>(3)</span> (
                     "university" => string</small>(38)</span> "University of the Philippines Mindanao"
                    "college" => string</smail>(34)</span> "College of Science and Mathematics" 
"department" => string</smail>(55)</span> "Department of Mathematics, Physics and Computer Science"
      {\tt SYSPATH/classes/Kohana/Request/Client/Internal.php~[~97~]~~* ReflectionMethod->invoke(arguments)}
                object</small> Controller_Faculty_Mpdf(5)</span> {
                      protected</small> oams => object</small> Model_Oams(0)</span> {
}</code>
protected</small> session => object</small> Session_Native(5)</span> {
protected</small> name on protected/small> session | section |
       SYSPATH/classes/Kohana/Request/Client.php [ 114 ] » Kohana_Request_Client_Internal-
>execute_request(arguments)
                  object</small> Request(19)</span> ₹
                         protected</small> _requested_with => NULL</small>
protected</small> _method => string</small>(3)</span> "GET"
rotected</small> _protocol => string</small>(8)</span> "HTTP/I.1"
  1
                  object</small> Response(5)</span> ₹
                         protected</small> _status => integer</small> 200
protected</small> _header => object</small> HTTP_Header(0)</span> {
       SYSPATH/classes/Kohana/Request.php [ 986 ] » Kohana_Request_Client->execute(arguments)
  0
                  object</small> Request(19)</span> {
                         protected</small> _requested_with => NULL</small> protected</small> _method => string</small>(3)/protected</small> _protocol => string</small>(8)/protected/protected/protected/protected
                                                                                                                                                                                                                                                          1.
   92</span>
                                                                      ', $target['r_efficiency'], '
                                                                                                                                                                                                                                                          2.
                                                                                     ', $target['r_timeliness'], '
</span> 93</span>
</span> 94</span>
                                                                                     ';
</span> 95</span>
</span> 96</span>
                                                                                if ($target['r_quantity'] AND $target['r_efficiency'] AND
$target['r_timeliness'])
</span> 97</span>
                                                                                     echo array sum($rating)/count($rating);
</span> 98</span>
</span> 99</span>
                                                                                echo '
</span>100</span>
                                                                                   ', $target['r timeliness'], '
</span>101</span>
                                                                                     ':
</span>102</span>
</span></code></innerpre></code>
  56</span>
                                                               ob start();
                                                                                                                                                                                                                                                          3.
</span>57</span>
</span>58</span>
                                                                 try
</span>59</span>
                                                                 {
</span>60</span>
                                                                                     // Load the view within the current scope
                                                                                                    include $kohana_view_filename;
</span>61</span>
</span>62</span>
</span>63</span>
                                                                 catch (Exception $e)
</span>64</span>
                                                                 {
```

```
// Delete the output buffer
</span>65</span>
</span>66</span>
                                         ob_end_clean();
</span></code></innerpre></code>
343</span>
</span>344</span>
                                                  throw new View Exception('You must set the file to use
within your view before rendering');
</span>345</span>
</span>346</span>
</span>347</span>
                                         // Combine local and global data and capture the output
</span>348</span>
                                      return View::capture($this-> file, $this-> data);
</span>349</span>
                               }
</span>350</span>
</span>351</span> }
</span></code></innerpre></code>
   SYSPATH/classes/Kohana/View.php [ 228 ] » Kohana_View->render() 223</span>
</span>224</span>
                         public function __toString()
</span>225</span>
</span>226</span>
                                 try
</span>227</span>
                                 {
</span>228</span>
                                       return $this->render();
</span>229</span>
</span>230</span>
                                 catch (Exception $e)
</span>231</span>
                                 {
</span>232</span>
                                          * Display the exception message.
</span>233</span>
</span></code></innerpre></code>
  APPPATH/classes/Controller/Faculty/Mpdf.php [ 384 ] » Kohana_View->__toString() 379</span>
                                                                                                                  echo
View::factory('mpdf/opcr/basic')
                                              ->bind('categories', $categories)
->bind('outputs', $outputs)
</span>380</span>
</span>381</span>
                                            ->bind('ipcr_forms', $ipcr_forms)
->bind('targets', $targets)
->bind('users', $users);
</span>382</span>
</span>383</span>
</span>384</span>
</span>385</span>
</span>386</span>
                                         consolidated for dean
                                 // often 'stype == 'opcr-consolidated')
// elseif ($type == 'opcr-consolidated')
// include_once(APPPATH.'views/mpdf/opcr/consolidated.php');
</span>387</span>
</span>389</span>
</span></code></innerpre></code>
 28</span>
                                        case 'ipcr-consolidated':
</span>29</span>
                                                  $this->ipcr_pdf($id, $type, $purpose, $header);
                                                  break;
</span>30</span>
</span>31</span>
                                        case 'opcr':
</span>32</span>
                                         case 'opcr-consolidated':
</span>33</span>
                                                         $this->opcr_pdf($id, $type, $purpose, $header);
</span>34</span>
                                                  break:
</span>35</span>
</span>36</span>
</span>37</span>
</span>38</span> /**
</span></code></innerpre></code>
   SYSPATH/classes/Kohana/Controller.php [ 84 ] » Controller_Faculty_Mpdf->action_index()
                                                                                                                       8.
                                      array(':uri' => $this->request->uri())
79</span>
                                 )->request($this->request);
</span>80</span>
</span>81</span>
</span>82</span>
</span>83</span>
                         // Execute the action itself
</span>84</span>
                              $this->{$action}();
</span>85</span>
</span>86</span>
                        // Execute the "after action" method
</span>87</span>
                         $this->after():
</span>88</span>
</span>89</span>
                         // Return the response
</span></code></innerpre></code>
   {PHP internal call} » Kohana_Controller->execute()
                                                                                                                       9
  92</span>
                                                                                                                      10.
                                                  // Create a new instance of the controller
</span> 93</span>
</span> 94</span>
                                                  $controller = $class->newInstance($request, $response);
</span> 95</span>
</span> 96</span>
                                                  // Run the controller's execute() method
                                                $response = $class->getMethod('execute')-
</span> 97</span>
>invoke($controller);
</span> 98</span>
</span> 99</span>
                                                  if ( ! $response instanceof Response)
</span>100</span>
```

```
// Controller failed to return a Response.
</span>101</span>
</span>102</span>
                                                    throw new Kohana_Exception('Controller failed to
return a Response');
</span></code></innerpre></code>
                          $orig_response = $response = Response::factory(array('_protocol' =>
109</span>
                                                                                                       11.
$request->protocol()));
</span>110</span>
                                   if (($cache = $this->cache()) instanceof HTTP Cache)
</span>111</span>
</span>112</span>
                                            return $cache->execute($this, $request, $response);
</span>113</span>
</span>114</span>
                                 $response = $this->execute request($request, $response);
</span>115</span>
</span>116</span>
                                    // Execute response callbacks
</span>117</span>
                                    foreach ($this->header_callbacks() as $header => $callback)
</span>118</span>
</span>119</span>
                                            if ($response->headers($header))
</span></code></innerpre></code>
                                   throw new Request_Exception('Unable to execute :uri without a
 981</span>
                                                                                                      12.
Kohana_Request_Client', array(
                                                    ':uri' => $this->_uri,
</span>982</span>
                                            ));
</span>983</span>
</span>984</span>
                                   }
</span>985</span>
</span>986</span>
                                 return $this->_client->execute($this);
                           }
</span>987</span>
</span>988</span>
</span>989</span>
                           /**
                            * Returns whether this request is the initial request Kohana received.
</span>990</span>
</span>991</span>
                           * Can be used to test for sub requests.
</span></code></innerpre></code>
   DOCROOT/index.php [ 118 ] » Kohana_Request->execute() 113</span>
                                                                                                       13.
</span>114</span>
                       * Execute the main request. A source of the URI can be passed, eg: $_SERVER['PATH_INFO'].
</span>115</span>
                       st If no source is specified, the URI will be automatically detected.
</span>116</span>
</span>117</span> echo Request::factory(TRUE, array(), FALSE)
</span>118</span> ->execute()
                          ->send_headers(TRUE)
</span>119</span>
</span>120</span>
                             ->body();
</span>121</span> }
</span></code></innerpre></code>
```

Environment

Included files (108)

```
DOCROOT/index.php

APPPATH/bootstrap.php

SYSPATH/classes/Kohana/Core.php

SYSPATH/classes/Kohana.php

SYSPATH/classes/I18n.php

SYSPATH/classes/Kohana/I18n.php

SYSPATH/classes/HTTP.php

SYSPATH/classes/Kohana/HTTP.php

SYSPATH/classes/Kohana/Exception.php

SYSPATH/classes/Kohana/Exception.php
```

SYSPATH/classes/Log.php		
SYSPATH/classes/Kohana/Log.php		
SYSPATH/classes/Config.php		
SYSPATH/classes/Kohana/Config.php		
SYSPATH/classes/Log/File.php		
SYSPATH/classes/Kohana/Log/File.php		
SYSPATH/classes/Log/Writer.php		
SYSPATH/classes/Kohana/Log/Writer.php		
SYSPATH/classes/Config/File.php		
SYSPATH/classes/Kohana/Config/File.php		
SYSPATH/classes/Kohana/Config/File/Reader.php		
SYSPATH/classes/Kohana/Config/Reader.php		
SYSPATH/classes/Kohana/Config/Source.php		
MODPATH/userguide/init.php		
SYSPATH/classes/Route.php		
SYSPATH/classes/Kohana/Route.php		
SYSPATH/classes/Arr.php		
SYSPATH/classes/Kohana/Arr.php		
SYSPATH/config/userguide.php		
MODPATH/userguide/config/userguide.php		
MODPATH/image/config/userguide.php		
MODPATH/database/config/userguide.php		
SYSPATH/classes/Config/Group.php		
SYSPATH/classes/Kohana/Config/Group.php		
SYSPATH/classes/Cookie.php		
SYSPATH/classes/Kohana/Cookie.php		
SYSPATH/classes/Request.php		
SYSPATH/classes/Kohana/Request.php		
SYSPATH/classes/HTTP/Request.php		
SYSPATH/classes/Kohana/HTTP/Request.php		
SYSPATH/classes/HTTP/Message.php		
SYSPATH/classes/Kohana/HTTP/Message.php		
SYSPATH/classes/HTTP/Header.php		
SYSPATH/classes/Kohana/HTTP/Header.php		
SYSPATH/classes/Request/Client/Internal.php		
SYSPATH/classes/Kohana/Request/Client/Internal.php		
SYSPATH/classes/Request/Client.php		
SYSPATH/classes/Kohana/Request/Client.php		
SYSPATH/classes/Response.php		

SYSPATH/classes/Kohana/Response.php
SYSPATH/classes/HTTP/Response.php
SYSPATH/classes/Kohana/HTTP/Response.php
SYSPATH/classes/Profiler.php
SYSPATH/classes/Kohana/Profiler.php
APPPATH/classes/Controller/Faculty/Mpdf.php
APPPATH/assets/lib/mpdf/mpdf.php
APPPATH/assets/lib/mpdf/includes/functions.php
APPPATH/assets/lib/mpdf/config cp.php
APPPATH/classes/Controller/User.php
SYSPATH/classes/Controller.php
SYSPATH/classes/Kohana/Controller.php
APPPATH/classes/Model/Oams.php
SYSPATH/classes/Model.php
SYSPATH/classes/Kohana/Model.php
SYSPATH/classes/Session.php
SYSPATH/classes/Kohana/Session.php
SYSPATH/config/session.php
MODPATH/database/config/session.php
APPPATH/config/session.php
SYSPATH/classes/Session/Native.php
SYSPATH/classes/Kohana/Session/Native.php
MODPATH/database/classes/DB.php
MODPATH/database/classes/Kohana/DB.php
MODPATH/database/classes/Database/Query/Builder/Select.php
MODPATH/database/classes/Kohana/Database/Query/Builder/Select.php
MODPATH/database/classes/Database/Query/Builder/Where.php
MODPATH/database/classes/Kohana/Database/Query/Builder/Where.php
MODPATH/database/classes/Database/Query/Builder.php
MODPATH/database/classes/Kohana/Database/Query/Builder.php
MODPATH/database/classes/Database/Query.php
MODPATH/database/classes/Kohana/Database/Query.php
MODPATH/database/classes/Database.php
MODPATH/database/classes/Kohana/Database.php
MODPATH/database/config/database.php
APPPATH/config/database.php
MODPATH/database/classes/Database/PDO.php
MODPATH/database/classes/Kohana/Database/PDO.php
MODPATH/database/classes/Database/Result/Cached.php

MODPATH/database/classes/Kohana/Database/Result/Cached.php
MODPATH/database/classes/Database/Result.php
MODPATH/database/classes/Kohana/Database/Result.php
SYSPATH/classes/View.php
SYSPATH/classes/Kohana/View.php
APPPATH/classes/Model/Univ.php
MODPATH/database/classes/Database/Query/Builder/Join.php
MODPATH/database/classes/Kohana/Database/Query/Builder/Join.php
APPPATH/classes/Model/Ipcr.php
APPPATH/classes/Model/Opcr.php
APPPATH/classes/Model/User.php
APPPATH/views/mpdf/opcr/header.php
APPPATH/views/mpdf/opcr/basic.php
SYSPATH/classes/Debug.php
SYSPATH/classes/Kohana/Debug.php
SYSPATH/classes/Date.php
SYSPATH/classes/Kohana/Date.php
SYSPATH/views/kohana/error.php
SYSPATH/classes/UTF8.php
SYSPATH/classes/Kohana/UTF8.php

Loaded extensions (58)

Core
date
ereg
libxml
openssl
pcre
sqlite3
zlib
bcmath
bz2
calendar
ctype
curl
dba
dom
hash

fileinfo
filter
ftp
gd
gettext
SPL
iconv
intl
json
ldap
mbstring
session
standard
mysqlnd
odbc
mysqli
PDO PDO
pdo_mysql
PDO_ODBC
pdo_sqlite
Phar
posix
Reflection
mysql
shmop
SimpleXML
soap
sockets
exif
sysvmsg
sysvsem
sysvshm
tokenizer
wddx
xml
xmlreader
xmlrpc
xmlwriter
xsl

```
zip
apache2handler
mhash
```

\$_SESSION

employee_code	string(9) "123400008"
user_ID	string(2) "12"
fname	string(6) "Thomas"
fullname	string(14) "Thomas W. Seay"
fullname2	string(15) "Seay, Thomas W."
title	string(11) "Asst. Prof."
suffix	NULL
fcode	string(6) "TWSeay"
program_ID	string(1) "8"
rank	string(1) "-"
position	string(5) "chair"
identifier	string(5) "chair"
last_active	integer 1427469837
ipcr_details	array (9) ("ipcr ID" => string (1) "5" "opcr ID" => string (1) "3" "user ID" => string (2) "12" "date submitted" => NULL "status" => string (3) "Draft" "comments" => NULL "reparks" == string (3) "Bull "comments" => NULL "reparks" == string (4) "Bull "comments" => NULL "status "braft" == string "braft" == string
opcr_details	array (10) ("opcr ID" => string (1) "3" "user ID" => string (2) "12" "period from" => string (10) "2015-05-01" "period to" => string (10) "2015-08-01" "date published" => NULL (10) "2015-08-01" "date published" => NULL (10) "2015-08-01" "date published" NULL "3 NULL "4 NULL "5 NUL

\$_COOKIE

session string</small> (26) "62qtfkmq5f5i25c73a2r8bhvr5"

\$_SERVER

HTTP_H0ST	string(14) "jmgalino.local"
HTTP_CONNECTION	string(10) "keep-alive"
HTTP_ACCEPT	<pre>string (74) "text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8"</pre>
HTTP_USER_AGENT	string(121) "Mozilla/5.0 (Macintosh; Intel Mac OS X 10 10 2) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/41.0.2272.104 Safari/537.36"
HTTP_REFERER	<pre>string(71) "http://jmgalino.local/up- oams/index.php/faculty/ipcr_dept/consolidate/2"</pre>
HTTP_ACCEPT_ENCODING	string(19) "gzip, deflate, sdch"
HTTP_ACCEPT_LANGUAGE	string(14) "en-US,en;q=0.8"
HTTP_COOKIE	string(34) "session=62qtfkmq5f5i25c73a2r8bhvr5"

DATU	11 (20) (11 (11 (11 (11 (11 (11 (11 (11 (11 (
PATH	string(29) "/usr/bin:/usr/sbin:/sbin"		
SERVER_SIGNATURE	string(0) ""		
SERVER_SOFTWARE	string(29) "Apache/2.4.9 (Unix) PHP/5.6.6"		
SERVER_NAME	string(14) "jmgalino.local"		
SERVER_ADDR	string(9) "127.0.0.1"		
SERVER_PORT	string(2) "80"		
REMOTE_ADDR	string(9) "127.0.0.1"		
DOCUMENT_ROOT	string(18) "/Users/jenny/Sites"		
REQUEST_SCHEME	string(4) "http"		
CONTEXT_PREFIX	string(0) ""		
CONTEXT_DOCUMENT_ROOT	string(18) "/Users/jenny/Sites"		
SERVER_ADMIN	string(32) "webmaster@dummy-host.example.com"		
SCRIPT_FILENAME	string(36) "/Users/jenny/Sites/up-oams/index.php"		
REMOTE_PORT	string(5) "54456"		
GATEWAY_INTERFACE	string(7) "CGI/1.1"		
SERVER_PROTOCOL	string(8) "HTTP/1.1"		
REQUEST_METHOD	string(3) "GET"		
QUERY_STRING	string(0) ""		
REQUEST_URI	string(45) "/up-oams/index.php/faculty/mpdf/submit/opcr/2"		
SCRIPT_NAME	string(18) "/up-oams/index.php"		
PATH_INFO	string(27) "/faculty/mpdf/submit/opcr/2"		
PATH_TRANSLATED	string(45) "/Users/jenny/Sites/faculty/mpdf/submit/opcr/2"		
PHP_SELF	string(45) "/up-oams/index.php/faculty/mpdf/submit/opcr/2"		
REQUEST_TIME_FLOAT	float 1427469837.081		
REQUEST_TIME	integer 1427469837		

Legend: 1 - Quantity 2 - Efficiency 3 - Timeliness 4 - Average

Adjectival Ra	Numerical Rating	
Outstanding	96% and above	5
Very Satisfactory	86% - 95%	4
Satisfactory	76% - 85%	3
Unsatisfactory	66% - 75%	2
Poor	65% and below	1