

Customer Care - Complaint Intake Form

Greenfield Retail Pharmacy Network

From: customercare@greenfieldpharmacy.example

To: qa-complaints@meridianpharma.example

Date: 10 September 2026

Subject: Complaint - Blister Pack Leakage, Paracetamol Tablets

Hello Team,

We are forwarding a complaint received from a walk-in customer, Priya Nair, regarding your Paracetamol Tablets IP, 650mg strength. The customer purchased a strip from Batch/Lot Number PCM-2026-0225, with a manufacturing date of 20 Feb 2026 and an expiry date of 19 Feb 2028.

The customer reported that the blister pack seal was broken on arrival, and 4 out of 10 tablets in the strip had visibly softened and discolored, likely due to moisture ingress through the compromised seal. The affected quantity is 1 strip (10 tablets) from a box of 100 strips.

The customer contacted our store on 09 September 2026, and we logged this as a formal complaint the same day. Complaint source: Retail Pharmacy. Given that this looks like a packaging integrity issue rather than a manufacturing defect in the tablets themselves, we'd appreciate your team's assessment of whether this is an isolated seal failure or a broader batch concern.

Please let us know if you need the remaining tablets from the strip shipped to your QA lab for inspection.

Regards,

Customer Care Team

Greenfield Retail Pharmacy Network