

Solace Pharmaceuticals Ltd.

Customer Quality Complaint Report

Complaint Reference No: CC-2026-00189

Date Received: 20 August 2026

Reported By: Meridian Pharma Manufacturing (Incoming QC)

Complaint Channel: Courier with Physical Sample

Product Details

Product Name: Amlodipine Besylate API

Grade/Strength: USP

Batch / Lot Number: AMB260805B

Manufacturing Date: 05 August 2026

Expiry Date: 04 August 2029

Affected Quantity: 50 kg (2 HDPE Drums)

Complaint Description

During incoming quality control testing at Meridian Pharma Manufacturing, the received Amlodipine Besylate API was found to have an unexpected color change from off-white to pale yellow, along with a faint abnormal odor not consistent with the reference standard. Both drum seals were intact and tamper-evident bands were undisturbed on receipt, which the customer notes rules out in-transit contamination and points toward a possible manufacturing or storage-related degradation issue prior to dispatch.

The customer has placed the batch on hold and has not released any quantity for formulation. They are requesting a full investigation into the root cause, a certificate of re-analysis for retained samples, and confirmation of whether this is isolated to this batch or indicative of a broader storage/stability concern for the same batch family.

Requested Action

Investigation + Root Cause Analysis + Certificate of Re-Analysis