SAS Output Page 1 of 5

The SAS System

The LOGISTIC Procedure

Model Information				
Data Set	WORK.FORD			
Response Variable (Events)	у			
Response Variable (Trials)	total			
Model	binary logit			
Optimization Technique	Fisher's scoring			

Number of Observations Read	8
Number of Observations Used	8
Sum of Frequencies Read	2480
Sum of Frequencies Used	2480

Response Profile				
Ordered Value	Binary Outcome	Total Frequency		
1	Event	2438		
2	Nonevent	42		

Class Level Information						
Class	Value	Value Design Variables				
speed	four	1	0	0		
	one	0	1	0		
	three	0 0				
	two	0	0	0		
make	ford	1				
	other	0				

Model Convergence Status

Convergence criterion (GCONV=1E-8) satisfied.

Deviance and Pearson Goodness-of-Fit Statistics						
Criterion Value DF Value/DF Pr > ChiSc						
Deviance	7.1847	3	2.3949	0.0662		
Pearson	6.7954	3	2.2651	0.0787		

SAS Output Page 2 of 5

Number of unique profiles: 8

Model Fit Statistics						
Intercept and Covariates						
Criterion	Intercept Only	Log Likelihood	Full Log Likelihood			
AIC	427.866	355.463	40.598			
sc	433.682	384.543	69.678			
-2 Log L	425.866	345.463	30.598			

Testing Global Null Hypothesis: BETA=0						
Test Chi-Square DF Pr > ChiSq						
Likelihood Ratio	80.4030	4	<.0001			
Score	107.6249	4	<.0001			
Wald	67.3682	4	<.0001			

Type 3 Analysis of Effects						
Effect DF Chi-Square Pr > ChiS						
make	1	17.3293	<.0001			
speed	3	48.2755	<.0001			

	Analysis of Maximum Likelihood Estimates						
Parameter		DF	Estimate	Standard Error	Wald Chi-Square	Pr > ChiSq	
Intercept		1	6.0455	0.5325	128.9126	<.0001	
make	ford	1	-1.3512	0.3246	17.3293	<.0001	
speed	four	1	-2.8628	0.5385	28.2644	<.0001	
speed	one	1	-0.1192	0.7664	0.0242	0.8764	
speed	three	1	-1.2821	0.6495	3.8973	0.0484	

Association of Predicted Probabilities and Observed Responses						
Percent Concordant	74.6	Somers' D	0.631			
Percent Discordant 11.6 Gamma						
Percent Tied 13.8 Tau-a 0.021						
Pairs	102396	С	0.815			

Parameter Estimates and Profile-Likelihood

SAS Output Page 3 of 5

Confidence Intervals						
Parameter Estimate 95% Confidence Limits						
Intercept		6.0455	5.1291	7.2651		
make	ford	-1.3512	-2.0033	-0.7218		
speed	four	-2.8628	-4.0857	-1.9179		
speed	one	-0.1192	-1.6361	1.5093		
speed	three	-1.2821	-2.6525	-0.0217		

Parameter Estimates and Wald Confidence Intervals					
Parameter		Estimate 95% Confidence Limits			
Intercept		6.0455	5.0019	7.0891	
make	ford	-1.3512	-1.9874	-0.7150	
speed	four	-2.8628	-3.9182	-1.8074	
speed	one	-0.1192	-1.6213	1.3828	
speed	three	-1.2821	-2.5550	-0.00922	

Odds Ratio Estimates and Profile-Likelihood Confidence Intervals						
Effect	Unit	Estimate	95% Confidence Limits			
make ford vs other	1.0000	0.259	0.135	0.486		
speed four vs two	1.0000	0.057	0.017	0.147		
speed one vs two	1.0000	0.888	0.195	4.524		
speed three vs two	1.0000	0.277	0.070	0.979		

SAS Output Page 4 of 5



Odds Ratio Estimates and Wald Confidence Intervals						
Effect	Unit	Estimate	95% Confidence Limits			
make ford vs other	1.0000	0.259	0.137	0.489		
speed four vs two	1.0000	0.057	0.020	0.164		
speed one vs two	1.0000	0.888	0.198	3.986		
speed three vs two	1.0000	0.277	0.078	0.991		

SAS Output Page 5 of 5

