

Unknown command ?  
h  
System Halted ?  
h[1]

# Help page #1 - Command Interpreter Overview: -----

c[x] - "Execute Command #x" (may include parameters)  
s[x] - "Read a Status Set" (no parameters, read only)  
d[x] - "Data Set", R/W (if W, command followed by = data.)  
m[xxxx] - "I/O, SFR, Mem., @[addr], "R/W (if W, command followed by = uint8\_t.)  
h[x] - "Display help page" (Page# = x)  
  
h - "h" or "H" halts (and resets) the system.

## Notes:

x = uint\_8t, index range 0 to 255.  
xxxx = uint\_32t, address range 0x00000000 to 0xFFFFFFFF

Codes c, s and d are made more specific by adding [x].  
Exactly what they do will be determined by enumeration of [x].

Code m directly reads/writes the address space of the processor,  
(possibly with some restrictions).

-----  
Serial Command Interpreter: v0.02 Copyright Feb 20, 2018, J.M. Kuss

Pictures  
OneDrive  
Documents  
flv\_files  
HealthInsurance  
JS\_2017  
SerialEEProm



STM32VL\_  
Manualen.  
CD0026711  
3.pdf



Tera Term



True  
STUDIO 9.0  
STM32



True  
STUDIO

Desktop  
Dropbox  
OneDrive  
jmk  
This PC  
Libraries  
USB Drive (F:)

55 items | 1 item selected 1.14 KB