

Contents


1	Orbitals And Their Symmetry	2
2	Monomer States and Configurations	3
3	Linear Combinations	4
3.1	$S * Q + Q * S$	4
3.2	$S * Q - Q * S$	6
3.3	$i^3 a_1 * i^3 a_1$	8
3.4	$i^3 a_1 * e^3 a_1 + e^3 a_1 * i^3 a_1$	10
3.5	$i^3 a_1 * e^3 a_1 - e^3 a_1 * i^3 a_1$	13
3.6	$i^3 a_1 * i^3 b_1 + i^3 b_1 * i^3 a_1$	16
3.7	$i^3 a_1 * i^3 b_1 - i^3 b_1 * i^3 a_1$	19
3.8	$i^3 a_1 * e^3 b_1 + e^3 b_1 * i^3 a_1$	22
3.9	$i^3 a_1 * e^3 b_1 - e^3 b_1 * i^3 a_1$	25
3.10	$e^3 a_1 * e^3 a_1$	28
3.11	$e^3 a_1 * i^3 b_1 + i^3 b_1 * e^3 a_1$	30
3.12	$e^3 a_1 * i^3 b_1 - i^3 b_1 * e^3 a_1$	33
3.13	$e^3 a_1 * e^3 b_1 + e^3 b_1 * e^3 a_1$	36
3.14	$e^3 a_1 * e^3 b_1 - e^3 b_1 * e^3 a_1$	39
3.15	$i^3 b_1 * i^3 b_1$	42
3.16	$i^3 b_1 * e^3 b_1 + e^3 b_1 * i^3 b_1$	44
3.17	$i^3 b_1 * e^3 b_1 - e^3 b_1 * i^3 b_1$	47
3.18	$e^3 b_1 * e^3 b_1$	50
4	Symmetry Conclusion	53
5	CI Vector Conclusion	54

1 Orbitals And Their Symmetry

We use the following ordering of orbitals here (assuming degeneracy of LUMOs and HOMOs):

$$\begin{array}{cc} b_2^* & \text{---} & \text{---} & a_2^* \\ a_2 & \text{---} & \text{---} & b_2 \end{array}$$

In the following, we will leave out the explicit labeling by orbital symmetry. Each monomer will simply be written as:



where the character of the orbital is defined by its position.

Dimer configurations will be written as their monomer occupations, by writing one monomer to the left and one to the right. The orbital ordering within the group of monomer orbitals follows the above mentioned definition.

The transformation of monomer orbitals into dimer orbitals is given by knowing the negative and positive linear combinations of monomer orbitals into dimer orbitals. Transforming this known equation system leads to:

$$\begin{aligned} a_2^{*l} &= +b_1^* + a_2^* \\ b_2^{*l} &= +a_1^* + b_2^* \\ a_2^l &= +b_1 + a_2 \\ b_2^l &= +a_1 + b_2 \\ a_2^{*r} &= -b_1^* + a_2^* \\ b_2^{*r} &= -a_1^* + b_2^* \\ a_2^r &= -b_1 + a_2 \\ b_2^r &= -a_1 + b_2 \end{aligned}$$

2 Monomer States and Configurations

$$S = + \begin{pmatrix} \overline{} & \overline{} \\ \downarrow\uparrow & \downarrow\uparrow \end{pmatrix} = \left| \underbrace{(b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_1} \right|$$

$$Q = + \begin{pmatrix} \uparrow & \uparrow \\ \uparrow & \uparrow \end{pmatrix} = \left| \underbrace{(b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_1} \right|$$

$$i^3 a_1 = + \begin{pmatrix} \uparrow & \overline{} \\ \downarrow\uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} \overline{} & \uparrow \\ \uparrow & \downarrow\uparrow \end{pmatrix} = \left| \underbrace{(b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right| - \left| \underbrace{(b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right|$$

$$e^3 a_1 = + \begin{pmatrix} \uparrow & \overline{} \\ \downarrow\uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} \overline{} & \uparrow \\ \uparrow & \downarrow\uparrow \end{pmatrix} = \left| \underbrace{(b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right| + \left| \underbrace{(b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right|$$

$$i^3 b_1 = + \begin{pmatrix} \uparrow & \overline{} \\ \uparrow & \downarrow\uparrow \end{pmatrix} - \begin{pmatrix} \overline{} & \uparrow \\ \downarrow\uparrow & \uparrow \end{pmatrix} = \left| \underbrace{(b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| - \left| \underbrace{(b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right|$$

$$e^3 b_1 = + \begin{pmatrix} \uparrow & \overline{} \\ \uparrow & \downarrow\uparrow \end{pmatrix} + \begin{pmatrix} \overline{} & \uparrow \\ \downarrow\uparrow & \uparrow \end{pmatrix} = \left| \underbrace{(b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| + \left| \underbrace{(b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right|$$

3 Linear Combinations

3.1 $S * Q + Q * S$

$$S * Q + Q * S$$

$$+ \begin{pmatrix} \overline{\quad} & \overline{\quad} & \uparrow\uparrow & \uparrow\uparrow \\ \uparrow\uparrow & \uparrow\uparrow & \uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} \uparrow\uparrow & \uparrow\uparrow & \overline{\quad} & \overline{\quad} \\ \uparrow & \uparrow & \uparrow\uparrow & \uparrow\uparrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^2 (+a_1^* + b_2^*)^0 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^1 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^1}_{a_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right|$$

$$-2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_1} \right|$$

$$+2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{a_1} \right|$$

$$+2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_1} \right|$$

3.2 $S * Q - Q * S$

$$S * Q - Q * S$$

$$+ \begin{pmatrix} \overline{\quad} & \overline{\quad} & \uparrow\uparrow & \uparrow\uparrow \\ \uparrow\uparrow & \uparrow\uparrow & \uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} \uparrow\uparrow & \uparrow\uparrow & \overline{\quad} & \overline{\quad} \\ \uparrow & \uparrow & \uparrow\uparrow & \uparrow\uparrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^2 (+a_1^* + b_2^*)^0 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^1 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^1}_{a_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_2} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{b_2} \right|$$

$$+2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_2} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{b_2} \right|$$

$$-2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{b_2} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_2} \right|$$

$$+2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{b_2} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_2} \right|$$

3.3 $i^3 a_1 * i^3 a_1$

$$i^3 a_1 * i^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^1 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^2 (-b_1^* + a_2^*)^0}_{a_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+ \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{a_1} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right| + \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right|$$

3.4 $i^3 a_1 * e^3 a_1 + e^3 a_1 * i^3 a_1$

$$i^3 a_1 * e^3 a_1 + e^3 a_1 * i^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} \\ - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^1 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^2 (-b_1^* + a_2^*)^0}_{a_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+ 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right|$$

3.5 $i^3 a_1 * e^3 a_1 - e^3 a_1 * i^3 a_1$

$$i^3 a_1 * e^3 a_1 - e^3 a_1 * i^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} \\ - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^1 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^2 (-b_1^* + a_2^*)^0}_{a_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+4 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{b_2} \right| - 4 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_2} \right| \\ +4 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{b_2} \right| + 4 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_2} \right| \\ -4 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_2} \right| - 4 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{b_2} \right| \\ +4 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_2} \right| - 4 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{b_2} \right|$$

3.6 $i^3 a_1 * i^3 b_1 + i^3 b_1 * i^3 a_1$

$$i^3 a_1 * i^3 b_1 + i^3 b_1 * i^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} \\ - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_1} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_1} \right|$$

3.7 $i^3 a_1 * i^3 b_1 - i^3 b_1 * i^3 a_1$

$$i^3 a_1 * i^3 b_1 - i^3 b_1 * i^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} \\ - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$-2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_2} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_2} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{a_2} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_2} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{a_2} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_2} \right|$$

3.8 $i^3 a_1 * e^3 b_1 + e^3 b_1 * i^3 a_1$

$$i^3 a_1 * e^3 b_1 + e^3 b_1 * i^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} \\ - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_1} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_1} \right|$$

3.9 $i^3 a_1 * e^3 b_1 - e^3 b_1 * i^3 a_1$

$$i^3 a_1 * e^3 b_1 - e^3 b_1 * i^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} \\ - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$-2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_2} \right| \\ -2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{a_2} \right| \\ +2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_2} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{a_2} \right| \\ +2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_2} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_2} \right|$$

3.10 $e^3 a_1 * e^3 a_1$

$$e^3 a_1 * e^3 a_1$$

$$+ \left(\begin{array}{cccc} \uparrow & - & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{array} \right) + \left(\begin{array}{cccc} \uparrow & - & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{array} \right) + \left(\begin{array}{cccc} - & \uparrow & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{array} \right) + \left(\begin{array}{cccc} - & \uparrow & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{array} \right)$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

$$+ \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^1 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^2 (-b_1^* + a_2^*)^0}_{a_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+ \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right|$$

$$+ 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_1} \right|$$

$$+ 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{a_1} \right|$$

$$- 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_1} \right|$$

$$+ 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right| + \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right|$$

3.11 $e^3 a_1 * i^3 b_1 + i^3 b_1 * e^3 a_1$

$$e^3 a_1 * i^3 b_1 + i^3 b_1 * e^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} \\ + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_1} \right| \\ -2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_1} \right| \\ +2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_1} \right| \\ -2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_1} \right|$$

3.12 $e^3 a_1 * i^3 b_1 - i^3 b_1 * e^3 a_1$

$$e^3 a_1 * i^3 b_1 - i^3 b_1 * e^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} \\ + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$-2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_2} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_2} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{a_2} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{a_2} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_2} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_2} \right|$$

3.13 $e^3 a_1 * e^3 b_1 + e^3 b_1 * e^3 a_1$

$$e^3 a_1 * e^3 b_1 + e^3 b_1 * e^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} \\ + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_1} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_1} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_1} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_1} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_1} \right|$$

3.14 $e^3 a_1 * e^3 b_1 - e^3 b_1 * e^3 a_1$

$$e^3 a_1 * e^3 b_1 - e^3 b_1 * e^3 a_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \downarrow\downarrow & \uparrow & \downarrow\downarrow & \uparrow \end{pmatrix} \\ + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \downarrow\downarrow & \uparrow & \downarrow\downarrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow & \downarrow\downarrow & \downarrow\downarrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \downarrow\downarrow & \uparrow & \uparrow & \downarrow\downarrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \cdot \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \cdot \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^1 (a_2^l)^2 (a_2^{*l})^0}_{a_1^l} \cdot \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \cdot \underbrace{(b_2^r)^1 (b_2^{*r})^1 (a_2^r)^2 (a_2^{*r})^0}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \cdot \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \cdot \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^0 (a_2^l)^1 (a_2^{*l})^1}_{a_1^l} \cdot \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \cdot \underbrace{(b_2^r)^2 (b_2^{*r})^0 (a_2^r)^1 (a_2^{*r})^1}_{a_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^1 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^2 (+b_1^* + a_2^*)^0}_{a_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$-2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_2} \right| \\ -2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{a_2} \right| \\ -2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{a_2} \right| \\ -2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_2} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_2} \right|$$

3.15 $i^3 b_1 * i^3 b_1$

$$i^3 b_1 * i^3 b_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| \\ - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^2 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^1 (+b_1^* + a_2^*)^0}_{b_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+ \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_1} \right| \\ + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{a_1} \right| \\ - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_1} \right| + \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_1} \right|$$

3.16 $i^3 b_1 * e^3 b_1 + e^3 b_1 * i^3 b_1$

$$i^3 b_1 * e^3 b_1 + e^3 b_1 * i^3 b_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} \\ - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| \\ - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| \\ - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^2 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^1 (+b_1^* + a_2^*)^0}_{b_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+ 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_1} \right|$$

3.17 $i^3 b_1 * e^3 b_1 - e^3 b_1 * i^3 b_1$

$$i^3 b_1 * e^3 b_1 - e^3 b_1 * i^3 b_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} - \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} \\ - \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} - \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| \\ + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| \\ - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| \\ - \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^2 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^1 (+b_1^* + a_2^*)^0}_{b_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+4 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{b_2} \right| - 4 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{b_2} \right| \\ +4 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{b_2} \right| + 4 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{b_2} \right| \\ -4 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{b_2} \right| - 4 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{b_2} \right| \\ +4 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{b_2} \right| - 4 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{b_2} \right|$$

3.18 $e^3 b_1 * e^3 b_1$

$$e^3 b_1 * e^3 b_1$$

$$+ \begin{pmatrix} \uparrow & - & \uparrow & - \\ \uparrow & \uparrow\uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} + \begin{pmatrix} \uparrow & - & - & \uparrow \\ \uparrow & \uparrow\uparrow & \uparrow\uparrow & \uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & \uparrow & - \\ \uparrow\uparrow & \uparrow & \uparrow & \uparrow\uparrow \end{pmatrix} + \begin{pmatrix} - & \uparrow & - & \uparrow \\ \uparrow\uparrow & \uparrow & \uparrow\uparrow & \uparrow \end{pmatrix}$$

monomer ci vectors:

$$+ \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^2 (b_2^{*l})^1 (a_2^l)^1 (a_2^{*l})^0}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right|$$

$$+ \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^2 (b_2^{*r})^1 (a_2^r)^1 (a_2^{*r})^0}_{b_1^r} \right| + \left| \underbrace{(b_2^l)^1 (b_2^{*l})^0 (a_2^l)^2 (a_2^{*l})^1}_{b_1^l} \right| \cdot \left| \underbrace{(b_2^r)^1 (b_2^{*r})^0 (a_2^r)^2 (a_2^{*r})^1}_{b_1^r} \right|$$

substitution by dimer orbitals:

$$+ \left| \underbrace{(+a_1 + b_2)^2 (+a_1^* + b_2^*)^1 (+b_1 + a_2)^1 (+b_1^* + a_2^*)^0}_{b_1^l} \right| \cdot \left| \underbrace{(-a_1 + b_2)^2 (-a_1^* + b_2^*)^1 (-b_1 + a_2)^1 (-b_1^* + a_2^*)^0}_{b_1^r} \right| + \dots$$

(multiplied out and summed up) dimer ci vectors:

$$+ \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^1 (b_1^*)^0 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_1} \right|$$

$$+ 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^1 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^1 (a_2^*)^0}_{a_1} \right| - 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^1 (b_1^*)^1 (b_2)^1 (b_2^*)^1 (a_2)^2 (a_2^*)^0}_{a_1} \right|$$

$$+ 2 \cdot \left| \underbrace{(a_1)^2 (a_1^*)^0 (b_1)^2 (b_1^*)^0 (b_2)^1 (b_2^*)^1 (a_2)^1 (a_2^*)^1}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^1 (b_1^*)^1 (b_2)^2 (b_2^*)^0 (a_2)^2 (a_2^*)^0}_{a_1} \right|$$

$$- 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^1 (b_1)^2 (b_1^*)^0 (b_2)^2 (b_2^*)^0 (a_2)^1 (a_2^*)^1}_{a_1} \right| + 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^1 (b_1^*)^0 (b_2)^2 (b_2^*)^1 (a_2)^2 (a_2^*)^1}_{a_1} \right|$$

$$+ 2 \cdot \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^2 (b_2^*)^1 (a_2)^1 (a_2^*)^0}_{a_1} \right| + \left| \underbrace{(a_1)^1 (a_1^*)^0 (b_1)^2 (b_1^*)^1 (b_2)^1 (b_2^*)^0 (a_2)^2 (a_2^*)^1}_{a_1} \right|$$

4 Symmetry Conclusion

Dimer State	Symmetry
$S * Q + Q * S$	a_1
$S * Q - Q * S$	b_2
$i^3 a_1 * i^3 a_1$	a_1
$i^3 a_1 * e^3 a_1 + e^3 a_1 * i^3 a_1$	a_1
$i^3 a_1 * e^3 a_1 - e^3 a_1 * i^3 a_1$	b_2
$i^3 a_1 * i^3 b_1 + i^3 b_1 * i^3 a_1$	b_1
$i^3 a_1 * i^3 b_1 - i^3 b_1 * i^3 a_1$	a_2
$i^3 a_1 * e^3 b_1 + e^3 b_1 * i^3 a_1$	b_1
$i^3 a_1 * e^3 b_1 - e^3 b_1 * i^3 a_1$	a_2
$e^3 a_1 * e^3 a_1$	a_1
$e^3 a_1 * i^3 b_1 + i^3 b_1 * e^3 a_1$	b_1
$e^3 a_1 * i^3 b_1 - i^3 b_1 * e^3 a_1$	a_2
$e^3 a_1 * e^3 b_1 + e^3 b_1 * e^3 a_1$	b_1
$e^3 a_1 * e^3 b_1 - e^3 b_1 * e^3 a_1$	a_2
$i^3 b_1 * i^3 b_1$	a_1
$i^3 b_1 * e^3 b_1 + e^3 b_1 * i^3 b_1$	a_1
$i^3 b_1 * e^3 b_1 - e^3 b_1 * i^3 b_1$	b_2
$e^3 b_1 * e^3 b_1$	a_1

$\Rightarrow$ 7x a_1 and 3x b_2 and 4x b_1 and 4x a_2

5 CI Vector Conclusion

Dimer States and Their CI Vectors:

- $S * Q + Q * S$:

$$+2 \cdot |2020aaaa| + 2 \cdot |20aaaa20| - 2 \cdot |2a2aa0a0| + 2 \cdot |2aa0a02a| + 2 \cdot |a02a2aa0| - 2 \cdot |a0a02a2a| \\ + 2 \cdot |aa2020aa| + 2 \cdot |aaaa2020|$$

- $S * Q - Q * S$:

$$+2 \cdot |202aaaa0| - 2 \cdot |20a0aa2a| + 2 \cdot |2a20a0aa| + 2 \cdot |2aaaa020| - 2 \cdot |a0202aaa| - 2 \cdot |a0aa2a20| \\ + 2 \cdot |aa2a20a0| - 2 \cdot |aaa0202a|$$

- $i^3 a_1 * i^3 a_1$:

$$+ |aa20aa20| - 2 \cdot |aa2020aa| - 2 \cdot |aaaa2020| + 2 \cdot |a02a2aa0| - 2 \cdot |a0a02a2a| - 2 \cdot |2a2aa0a0| \\ + 2 \cdot |2aa0a02a| - 2 \cdot |2020aaaa| - 2 \cdot |20aaaa20| + |20aa20aa|$$

- $i^3 a_1 * e^3 a_1 + e^3 a_1 * i^3 a_1$:

$$+ 2 \cdot |aa20aa20| - 2 \cdot |20aa20aa|$$

- $i^3 a_1 * e^3 a_1 - e^3 a_1 * i^3 a_1$:

$$+ 4 \cdot |aa2a20a0| - 4 \cdot |aaa0202a| + 4 \cdot |a0202aaa| + 4 \cdot |a0aa2a20| - 4 \cdot |2a20a0aa| - 4 \cdot |2aaaa020| \\ + 4 \cdot |202aaaa0| - 4 \cdot |20a0aa2a|$$

- $i^3 a_1 * i^3 b_1 + i^3 b_1 * i^3 a_1$:

$$+ 2 \cdot |aa202aa0| + 2 \cdot |2aa0aa20| - 2 \cdot |aa20a02a| - 2 \cdot |a02aaa20| - 2 \cdot |20aa2aa0| - 2 \cdot |2aa020aa| \\ + 2 \cdot |20aaa02a| + 2 \cdot |a02a20aa|$$

- $i^3 a_1 * i^3 b_1 - i^3 b_1 * i^3 a_1$:

$$- 2 \cdot |aaa02a20| + 2 \cdot |2a20aaa0| + 2 \cdot |aa2aa020| - 2 \cdot |a020aa2a| + 2 \cdot |20a02aaa| - 2 \cdot |2aaa20a0| \\ - 2 \cdot |202aa0aa| + 2 \cdot |a0aa202a|$$

- $i^3 a_1 * e^3 b_1 + e^3 b_1 * i^3 a_1$:

$$+ 2 \cdot |aa202aa0| + 2 \cdot |2aa0aa20| + 2 \cdot |aa20a02a| + 2 \cdot |a02aaa20| - 2 \cdot |20aa2aa0| - 2 \cdot |2aa020aa| \\ - 2 \cdot |20aaa02a| - 2 \cdot |a02a20aa|$$

- $i^3 a_1 * e^3 b_1 - e^3 b_1 * i^3 a_1$:

$$- 2 \cdot |aaa02a20| + 2 \cdot |2a20aaa0| - 2 \cdot |aa2aa020| + 2 \cdot |a020aa2a| + 2 \cdot |20a02aaa| - 2 \cdot |2aaa20a0| \\ + 2 \cdot |202aa0aa| - 2 \cdot |a0aa202a|$$

- $e^3 a_1 * e^3 a_1$:

$$+ |aa20aa20| + 2 \cdot |aa2020aa| + 2 \cdot |aaaa2020| - 2 \cdot |a02a2aa0| + 2 \cdot |a0a02a2a| + 2 \cdot |2a2aa0a0| \\ - 2 \cdot |2aa0a02a| + 2 \cdot |2020aaaa| + 2 \cdot |20aaaa20| + |20aa20aa|$$

- $e^3 a_1 * i^3 b_1 + i^3 b_1 * e^3 a_1$:
 $+2 \cdot |aa202aa0| + 2 \cdot |2aa0aa20| - 2 \cdot |aa20a02a| - 2 \cdot |a02aaa20| + 2 \cdot |20aa2aa0| + 2 \cdot |2aa020aa|$
 $-2 \cdot |20aaa02a| - 2 \cdot |a02a20aa|$

- $e^3 a_1 * i^3 b_1 - i^3 b_1 * e^3 a_1$:
 $-2 \cdot |aaa02a20| + 2 \cdot |2a20aaa0| + 2 \cdot |aa2aa020| - 2 \cdot |a020aa2a| - 2 \cdot |20a02aaa| + 2 \cdot |2aaa20a0|$
 $+2 \cdot |202aa0aa| - 2 \cdot |a0aa202a|$

- $e^3 a_1 * e^3 b_1 + e^3 b_1 * e^3 a_1$:
 $+2 \cdot |aa202aa0| + 2 \cdot |2aa0aa20| + 2 \cdot |aa20a02a| + 2 \cdot |a02aaa20| + 2 \cdot |20aa2aa0| + 2 \cdot |2aa020aa|$
 $+2 \cdot |20aaa02a| + 2 \cdot |a02a20aa|$

- $e^3 a_1 * e^3 b_1 - e^3 b_1 * e^3 a_1$:
 $-2 \cdot |aaa02a20| + 2 \cdot |2a20aaa0| - 2 \cdot |aa2aa020| + 2 \cdot |a020aa2a| - 2 \cdot |20a02aaa| + 2 \cdot |2aaa20a0|$
 $-2 \cdot |202aa0aa| + 2 \cdot |a0aa202a|$

- $i^3 b_1 * i^3 b_1$:
 $+|2aa02aa0| - 2 \cdot |2aa0a02a| - 2 \cdot |2a2aa0a0| + 2 \cdot |20aaaa20| - 2 \cdot |2020aaaa| - 2 \cdot |aaaa2020|$
 $+2 \cdot |aa2020aa| - 2 \cdot |a0a02a2a| - 2 \cdot |a02a2aa0| + |a02aa02a|$

- $i^3 b_1 * e^3 b_1 + e^3 b_1 * i^3 b_1$:
 $+2 \cdot |2aa02aa0| - 2 \cdot |a02aa02a|$

- $i^3 b_1 * e^3 b_1 - e^3 b_1 * i^3 b_1$:
 $+4 \cdot |2aaaa020| - 4 \cdot |2a20a0aa| + 4 \cdot |20a0aa2a| + 4 \cdot |202aaaa0| - 4 \cdot |aaa0202a| - 4 \cdot |aa2a20a0|$
 $+4 \cdot |a0aa2a20| - 4 \cdot |a0202aaa|$

- $e^3 b_1 * e^3 b_1$:
 $+|2aa02aa0| + 2 \cdot |2aa0a02a| + 2 \cdot |2a2aa0a0| - 2 \cdot |20aaaa20| + 2 \cdot |2020aaaa| + 2 \cdot |aaaa2020|$
 $-2 \cdot |aa2020aa| + 2 \cdot |a0a02a2a| + 2 \cdot |a02a2aa0| + |a02aa02a|$