

Interacting Multipoles of Rank 1 and 2:

$$T_{\alpha\beta\gamma}\mu_\alpha\Theta_{\beta\gamma} = R_z^{-7} \cdot -\frac{1}{3} \cdot \begin{bmatrix} -15 \cdot R_\alpha \cdot R_\beta \cdot R_\gamma \cdot \mu_\alpha \cdot \Theta_{\beta\gamma} \\ +3 \cdot R_z^2 \cdot R_\alpha \cdot \delta(\beta, \gamma) \cdot \mu_\alpha \cdot \Theta_{\beta\gamma} \\ +3 \cdot R_z^2 \cdot R_\beta \cdot \delta(\alpha, \gamma) \cdot \mu_\alpha \cdot \Theta_{\beta\gamma} \\ +3 \cdot R_z^2 \cdot R_\gamma \cdot \delta(\alpha, \beta) \cdot \mu_\alpha \cdot \Theta_{\beta\gamma} \end{bmatrix} \quad (1)$$

Simplify deltas:

$$T_{\alpha\beta\gamma}\mu_\alpha\Theta_{\beta\gamma} = R_z^{-7} \cdot -\frac{1}{3} \cdot \begin{bmatrix} -15 \cdot R_\alpha \cdot R_\beta \cdot R_\gamma \cdot \mu_\alpha \cdot \Theta_{\beta\gamma} \\ +3 \cdot R_z^2 \cdot R_\alpha \cdot \delta(\beta, \beta) \cdot \mu_\alpha \cdot \Theta_{\beta\beta} \\ +3 \cdot R_z^2 \cdot R_\beta \cdot \delta(\alpha, \alpha) \cdot \mu_\alpha \cdot \Theta_{\alpha\beta} \\ +3 \cdot R_z^2 \cdot R_\gamma \cdot \delta(\alpha, \alpha) \cdot \mu_\alpha \cdot \Theta_{\alpha\gamma} \end{bmatrix} \quad (2a)$$

$$\xrightarrow{\text{cleaned up}} R_z^{-7} \cdot -\frac{1}{3} \cdot \begin{bmatrix} -15 \cdot R_\alpha \cdot R_\beta \cdot R_\gamma \cdot \mu_\alpha \cdot \Theta_{\beta\gamma} \\ +3 \cdot R_z^2 \cdot R_\alpha \cdot \mu_\alpha \cdot \Theta_{\beta\beta} \\ +3 \cdot R_z^2 \cdot R_\beta \cdot \mu_\alpha \cdot \Theta_{\alpha\beta} \\ +3 \cdot R_z^2 \cdot R_\gamma \cdot \mu_\alpha \cdot \Theta_{\alpha\gamma} \end{bmatrix} \quad (2b)$$

Simplify R:

$$T_{\alpha\beta\gamma}\mu_\alpha\Theta_{\beta\gamma} = R_z^{-7} \cdot -\frac{1}{3} \cdot \begin{bmatrix} -15 \cdot R_z \cdot R_z \cdot R_z \cdot \mu_z \cdot \Theta_{zz} \\ +3 \cdot R_z^2 \cdot R_z \cdot \mu_z \cdot \Theta_{\beta\beta} \\ +3 \cdot R_z^2 \cdot R_z \cdot \mu_\alpha \cdot \Theta_{z\alpha} \\ +3 \cdot R_z^2 \cdot R_z \cdot \mu_\alpha \cdot \Theta_{z\alpha} \end{bmatrix} \quad (3a)$$

$$\xrightarrow{\text{cleaned up}} R_z^{-7} \cdot -\frac{1}{3} \cdot \begin{bmatrix} +3 \cdot R_z^3 \cdot \mu_\alpha \cdot \Theta_{z\alpha} \\ +3 \cdot R_z^3 \cdot \mu_\alpha \cdot \Theta_{z\alpha} \end{bmatrix} \quad (3b)$$

Simplify Multipoles:

$$T_{\alpha\beta\gamma}\mu_\alpha\Theta_{\beta\gamma} = R_z^{-7} \cdot -\frac{1}{3} \cdot \begin{bmatrix} +3 \cdot R_z^3 \cdot \mu_y \cdot \Theta_{yz} \\ +3 \cdot R_z^3 \cdot \mu_y \cdot \Theta_{yz} \end{bmatrix} \quad (4a)$$

$$\xrightarrow{\text{cleaned up}} R_z^{-7} \cdot -\frac{1}{3} \cdot [+0] \quad (4b)$$

Exploit Traceless Conditions:

$$T_{\alpha\beta\gamma}\mu_\alpha\Theta_{\beta\gamma} = R_z^{-7} \cdot -\frac{1}{3} \cdot [+0] \quad (5a)$$

$$\xrightarrow{\text{cleaned up}} R_z^{-7} \cdot -\frac{1}{3} \cdot [+0] \quad (5b)$$

Reduce Indices:

$$T_{\alpha\beta\gamma}\mu_{\alpha}\Theta_{\beta\gamma} = R_z^{-7} \cdot -\frac{1}{3} \cdot [+0] \quad (6a)$$

$$\xrightarrow{\text{cleaned up}} R_z^{-7} \cdot -\frac{1}{3} \cdot [+0] \quad (6b)$$

Add up:

$$T_{\alpha\beta\gamma}\mu_{\alpha}\Theta_{\beta\gamma} = R_z^{-7} \cdot -\frac{1}{3} \cdot [+0] \quad (7)$$

Combining everything:

$$T_{\alpha\beta\gamma}\mu_{\alpha}\Theta_{\beta\gamma} = +0 \quad (8)$$