Exercise 03
SQL Case statement

Question 1 The products table

```
create catalog if not exists Wholesale;
create schema if not exists Wholesale.distributor;
create table if not exists Wholesale.distributor.products(product_id int, productname string, pricelist decimal(10,2));
insert into Wholesale.distributor.products (product_id, productname, pricelist)
values (1,'Laptop',1200),
(2,'Phone',800),
(3,'keyboards',45.00),
(4,'Monitor',300),
(5,'Mouse',25.00);
select * from Wholesale.distributor.products;
SELECT DISTINCT product_id, productname, pricelist
FROM Wholesale.distributor.products;
SELECT productname, pricelist, CASE WHEN pricelist > 1000 THEN 'Expensive' WHEN pricelist BETWEEN 100 AND 1000 THEN 'Mid-range' WHEN pricelist
< 100 THEN 'Budget' END AS price_category FROM Wholesale.distributor.products;
```

Add parameter

Table

	productname	pricelist	price_category
1	Laptop	1200.00	Expensive
2	Phone	800.00	Mid-range
3	keyboards	45.00	Budget
4	Monitor	300.00	Mid-range

Question 2 The order table

```
(1, 'Alice', 150.00), (2, 'Bob', 560.00), (3, 'Charlie', 999.99), (4, 'Diana', 45.50), (5, 'Ethan', 1200.00);
SELECT * FROM main.stores.Orders;
SELECT
  custumer_name,
  Amount,
  CASE
  When amount >= 1000 THEN 'High Value'
  When amount between 500 and 999.99 THEN 'Medium Value'
  when amount < 500 THEN 'Low Value'
  End AS Costumer_Value_Category
FROM main.stores.Orders
```


dd parameter

Results 6 of 6

Table

	custumer_name	Amount	Costumer_Value_Category
1	Alice	150.00	Low Value
2	Bob	560.00	Medium Value
3	Charlie	999.99	Medium Value
4	Diana	45.50	Low Value
5	Ethan	1200.00	High Value


Question 3 The employees table



```
FROM Interwaste.Warehouse.Employees;
SELECT
 DISTINCT Emp_ID,Emp_Name,Department,Salary
FROM Interwaste.Warehouse.Employees
SELECT Emp_ID,Emp_Name,Department,Salary,
CASE
WHEN department = 'IT' AND Salary > 80000 THEN 'Senior IT'
WHEN department = 'HR' AND Salary > 55000 THEN 'Expierenced HR'
ELSE 'Staff'
END as Position_Level
FROM Interwaste.Warehouse.Employees
```

	Emp_ID	Emp_Name	Department	Salary	Position_Level
1	1	John	IT	85000.00	Senior IT
2	2	Sara	HR	60000.00	Expierenced HR
3	3	Mark	IT	75000.00	Staff
4	4	Lucy	Finance	95000.00	Staff
5	5	Tom	HR	55000.00	Staff


Question 4 The student table



```
CREATE TABLE IF NOT EXISTS ACADEMY.CLASS.STUDENTS (Student_id INT, Student_name STRING, Score INT);
INSERT INTO ACADEMY.CLASS.STUDENTS (Student_id, Student_name, Score) VALUES
  (1, 'Anna', 92),
  (2, 'Ben', 76),
  (3, 'Cara', 59),
  (4, 'David', 83),
  (5, 'Ella', 68);
SELECT * FROM ACADEMY.CLASS.STUDENTS;
SELECT Student_name, Score,
CASE
 WHEN Score>=90 THEN 'A'
 WHEN Score BETWEEN 80 AND 89 THEN 'B'
 WHEN Score BETWEEN 70 AND 79 THEN 'C'
 WHEN Score BETWEEN 60 AND 69 THEN 'D'
 WHEN Score<60 THEN 'F'
END AS Grade
FROM ACADEMY.CLASS.STUDENTS
```

	Student_name	Score	Grade
1	Anna	92	A
2	Ben	76	C
3	Cara	59	F
4	David	83	B
5	Ella	68	D


Question 5 The deliveries table



Question 6 The tickets table



Question 7 The attendance table



Question 8 The products_inventory table

```
1  CREATE catalog if not exists products;
2  CREATE SCHEMA if not exists products.INVENTORY;
3  CREATE TABLE if not exists products.INVENTORY.PRODUCTS (Product_id INT, Stock_Qty INT);
4  INSERT INTO products.INVENTORY.PRODUCTS(Product_id,Stock_Qty) VALUES (1,5),(2,0),(3,25),(4,10),(5,3);
5  SELECT* FROM products.INVENTORY.PRODUCTS
6  SELECT Product_id, Stock_Qty,
7   CASE WHEN Stock_Qty = 0 THEN 'Out of Stock'
8        WHEN Stock_Qty BETWEEN 1 AND 5 THEN 'Low Stock'
9        WHEN Stock_Qty > 5 THEN 'In Stock'
10       END AS Stock_Status
11 FROM products.INVENTORY.PRODUCTS
```

Add parameter

Table

	Product_id	Stock_Qty	Stock_Status
1	1	5	Low Stock
2	2	0	Out of Stock
3	3	25	In Stock
4	4	10	In Stock
5	5	3	Low Stock

Question 9 The classes table

```sql
CREATE CATALOG IF NOT EXISTS classes;
CREATE SCHEMA IF NOT EXISTS Classes.Students;
CREATE TABLE IF NOT EXISTS Classes.Students. subject (Class_id INT, Subject STRING, Enrolled_Students INT);
INSERT INTO Classes.Students.subject VALUES (1, 'Math', 30), (2, 'English', 25), (3, 'Science', 15), (4, 'Art', 5), (5, 'History', 20);
SELECT* FROM Classes.Students.subject;
SELECT DISTINCT
Class_id, Subject, Enrolled_Students
FROM Classes.Students.subject;
SELECT Subject, Enrolled_Students,
CASE
WHEN Enrolled_Students >= 25 THEN 'Large'
WHEN Enrolled_Students BETWEEN 11 AND 24 THEN 'Medium'
WHEN Enrolled_Students <= 10 THEN 'Small'
END AS Class_Size_Category
```

Add parameter

Results 8 of 8 | Table

	Subject	Enrolled_Students	Class_Size_Category
1	History	20	Medium
2	English	25	Large
3	Science	15	Medium
4	Art	5	Small
5	Math	30	Large

Question 10 The payment table

SQL Editor | Table Operations | The Payment 2026-09-21 16:09:44 | Orders Table 2026-09-10 10:42:21 | ORDERS 12026-09-10 11:58:19 | Interwaste 2

Run all (1000) | Just now (4s) | workspace.budgets | Last edit was 1 minute ago | Edit | Serverless Starte... 2XS | Schedule | Save*

```sql
CREATE CATALOG IF NOT EXISTS Interwaste;
CREATE SCHEMA IF NOT EXISTS Interwaste.Salary;
CREATE TABLE IF NOT EXISTS Interwaste.Salary.Payment(Payment_id INT, Amount INT, Payment_Method STRING);
INSERT INTO Interwaste.Salary.Payment VALUES (1, 50 , 'Card'), (2, 200, 'Cash'), (3, 150, 'Card'), (4, 75, 'PayPal'), (5, 300, 'Cash');
SELECT *
FROM Interwaste.Salary.Payment;
SELECT
Payment_id, Payment_Method, Amount,
CASE
WHEN Payment_Method = 'Cash' AND  Amount >= 200
THEN 'Eligible for Discount'
ELSE 'Not Eligible'
END AS Eligible
FROM Interwaste.Salary.Payment;
```

Add parameter

Results 6 of 6 | Table

	Payment_id	Payment_Method	Amount	Eligible
1	1	Card	50	Not Eligible
2	2	Cash	200	Eligible for Discou...
3	3	Card	150	Not Eligible
4	4	PayPal	75	Not Eligible
5	5	Cash	300	Eligible for Discou...
6	1	Card	50	Not Eligible