GOVCARE EHR

CKD AI CLINICAL DECISION SUPPORT REPORT

Clinical decision support only - clinician review required

PATIENT & REPORT DETAILS

Patient	Operational QA; not a clinical subject
Patient number	OPERATIONAL-QA-ONLY
DOB	Not recorded
Sex	Not recorded
Assessment ID	3d645112-493c-41ba-9c1b-c76e555b47f7
Assessment time	Not recorded
Hospital	Not recorded
Department	Not recorded
Clinician / operator	Not recorded
Model	Software verification

CKD RISK SUMMARY

Predicted CKD risk	Risk category	AI confidence
N/A	**N/A**	**N/A**

CKD CLASSIFICATION & CLINICAL CODING

Suggested CKD classification	Unable to classify
G category	Not assigned
Suggested ICD code	Not assigned
Clinical description	Not assigned
Terminology system	Not assigned
Basis	Reviewed eGFR unavailable
Coding status	AI-assisted suggestion
Confirmation	Clinician confirmation required

A single eGFR result does not independently establish chronic kidney disease or chronicity. N18.6 (ESRD) is not inferred from eGFR alone.

○ G1	○ G2	○ G3a	○ G3b	○ G4	○ G5

RENAL & ASSOCIATED FINDINGS

Parameter	Result	Unit	Source

CKD-RELATED CLINICAL RISKS & PREDICTIVE INTELLIGENCE

Sri Lankan Longitudinal Renal & Hemodialysis Data

Saved snapshot: 587cdc60-65d2-4603-83be-68a0a3536f66 | Captured 2026-10-12T02:00:00Z. Export reads stored outputs; no inference is performed.

Renal Clinical Trajectory

Result not calculated - insufficient longitudinal data.

Method: Longitudinal Trend

Result not ready yet

0 of 6 domains currently evaluable. Each domain needs 2 valid dated results; 1 evaluable domain required for this result.

Needs: Creatinine (1/2)

Needs: Urea (1/2)

Needs: Potassium (1/2)

Creatinine: 1/2 valid dated results; more source data required

Urea: 1/2 valid dated results; more source data required

Potassium: 1/2 valid dated results; more source data required

Hemoglobin: 1/2 valid dated results; more source data required

Albumin: 1/2 valid dated results; more source data required

URR: 1/2 valid dated results; more source data required

Clinical rule | LK-RENAL-MODULES-1.1 | NOT CLINICALLY VALIDATED

Review: AWAITING REVIEW | version 0

Monitoring / research support; clinician interpretation required. Full readiness and limitations follow.

Kidney Failure / G5D

CKD G5D – Kidney Failure on Dialysis

Method: Clinical Rule

CKD G5D – Kidney Failure on Dialysis

G5D reflects explicitly verified chronic maintenance hemodialysis; no probability is calculated.

Clinical evidence: OPERATIONAL QA ONLY; not a clinical subject | Verified: 2026-10-11T02:00:00Z

Clinical rule | LK-RENAL-MODULES-1.1 | NOT CLINICALLY VALIDATED

Review: AWAITING REVIEW | version 0

Monitoring / research support; clinician interpretation required. Full readiness and limitations follow.

Hyperkalemia Monitoring

Result not calculated - insufficient longitudinal data.

Method: Longitudinal Research Model

Result not ready yet

Missing 2 required conditions: Dated verified HD observations, Supported observation interval. Exact counts and dates are listed below.

Needs: Dated verified HD observations (1/2)

Needs: Supported observation interval (0/1)

Latest measured: 4.8 mmol/L | 2026-10-11T02:00:00Z

LK-RENAL-HYPERK-1.0 | 1.0.0 | INTERNALLY VALIDATED

Review: AWAITING REVIEW | version 0

Monitoring / research support; clinician interpretation required. Full readiness and limitations follow.

Anemia / Hb Deterioration

Result not calculated - insufficient longitudinal data.

Method: Persistence Baseline

Latest Hb available; forecast not ready

Missing 2 required conditions: Dated verified HD observations, Supported observation interval. Exact counts and dates are listed below.

Needs: Dated verified HD observations (1/2)

Needs: Supported observation interval (0/1)

Latest measured: 10.5 g/dL | 2026-10-11T02:00:00Z

LK-RENAL-HB-1.0 | 1.0.0 | INTERNALLY VALIDATED

Review: AWAITING REVIEW | version 0

Monitoring / research support; clinician interpretation required. Full readiness and limitations follow.

Dialysis Adequacy / URR

Result not calculated - insufficient longitudinal data.

Method: Longitudinal Research Model

Current measured URR available

Missing 2 required conditions: Dated verified HD observations, Supported observation interval. Exact counts and dates are listed below.

Needs: Dated verified HD observations (1/2)

Needs: Supported observation interval (0/1)

Latest measured: 65 % | 2026-10-11T02:00:00Z

Current measured URR: 65% | Next-period forecast: Not ready / not run

URR = ((Pre-HD Urea - Post-HD Urea) / Pre-HD Urea) x 100

LK-RENAL-URR-1.0 | 1.0.0 | INTERNALLY VALIDATED

Review: AWAITING REVIEW | version 0

Monitoring / research support; clinician interpretation required. Full readiness and limitations follow.

Renal Clinical Deterioration

Result not calculated - insufficient longitudinal data.

Method: Transparent Composite

Not enough longitudinal data

0 of 6 domains currently evaluable. Each domain needs 2 valid dated results; 3 evaluable domains required for this result.

Needs: Creatinine (1/2)

Needs: Urea (1/2)

Needs: Potassium (1/2)

Creatinine: 1/2 valid dated results; more source data required

Urea: 1/2 valid dated results; more source data required

Potassium: 1/2 valid dated results; more source data required

Hemoglobin: 1/2 valid dated results; more source data required

Albumin: 1/2 valid dated results; more source data required

URR: 1/2 valid dated results; more source data required

Clinical rule | LK-RENAL-MODULES-1.1 | NOT CLINICALLY VALIDATED

Review: AWAITING REVIEW | version 0

Monitoring / research support; clinician interpretation required. Full readiness and limitations follow.

Clinical Decision Support / Research Use. Outputs require clinician interpretation. Research-model outputs are not independently validated diagnoses.

SIX-MODULE EVIDENCE & CLINICIAN REVIEW

Renal Clinical Trajectory

Result not calculated - insufficient longitudinal data.

Needs review / data: Creatinine | 1/2 | 1/2 dated results available
Needs review / data: Urea | 1/2 | 1/2 dated results available
Needs review / data: Potassium | 1/2 | 1/2 dated results available
Needs review / data: Hemoglobin | 1/2 | 1/2 dated results available
Needs review / data: Albumin | 1/2 | 1/2 dated results available
Needs review / data: URR | 1/2 | 1/2 dated results available

Next action: Add missing renal labs

Directions compare the two latest valid values per domain using a 1% neutral band; this is not a prognosis or a G1-to-G5 forecast.
Dialysis timing, clinical context and measurement uncertainty require clinician interpretation.

Source measurements: 1 | Reliability: INSUFFICIENT | Horizon: No probability horizon | Last run: Not recorded
2026-10-11T02:00:00Z | OPERATIONAL QA ONLY; not a clinical subject

Kidney Failure / G5D

CKD G5D – Kidney Failure on Dialysis

Available: Chronic dialysis status | 1/1 | Verified chronic maintenance hemodialysis
Available: Dialysis verification date | 1/1 | 1/1 available
Available: CKD / chronicity context | 0/1 | Verified chronic maintenance dialysis is the recorded clinical source
Available: Latest valid eGFR | 0/1 | 0/1 available

Next action: Open renal history

High creatinine alone does not establish G5D. This card reports recorded clinical evidence, not a diagnosis generated by AI.
No 2-year or 5-year kidney-failure probability is calculated.

Source measurements: 1 | Reliability: VERIFIED_CLINICAL_SOURCE | Horizon: No probability horizon | Last run: Not recorded
2026-10-11T02:00:00Z | OPERATIONAL QA ONLY; not a clinical subject

Hyperkalemia Monitoring

Result not calculated - insufficient longitudinal data.

Available: Reviewed model and metadata | 1/1 | Reviewed artifact and serving input contract verified
Available: Verified maintenance hemodialysis | 1/1 | 1/1 available
Available: Latest laboratory HD source context | 1/1 | Current patient eligibility does not retroactively verify sampling context for previous laboratory results.
Needs review / data: Dated verified HD observations | 1/2 | 1/2 dated observations; Hb trend and forecast history are checked independently
Needs review / data: Supported observation interval | 0/1 | Supported source dates are 14–62 days apart. Record actual dates; do not alter dates to fit a model.
Available: Latest HD observation freshness | 1/1 | 1 days since latest measurement; supported age is at most 62 days
Available: Current Pre-HD Potassium | 1/1 | 1/1 available
Available: Current supported predictors | 7/5 | 7/9 current predictors; minimum 5. Missing optional inputs may use training-only medians.
Available: Post-HD Potassium | 0/1 | Optional predictor at the serving gate; training-only imputation may apply
Available: Pre-HD Creatinine | 1/1 | Recorded source value
Available: Post-HD Creatinine | 0/1 | Optional predictor at the serving gate; training-only imputation may apply
Available: Hemoglobin | 1/1 | Recorded source value
Available: Albumin | 1/1 | Recorded source value
Available: Calcium | 1/1 | Recorded source value
Available: Sodium | 1/1 | Recorded source value
Available: Pre-HD Urea | 1/1 | Recorded source value
Available: Post-HD Urea | 1/1 | Recorded source value
Needs review / data: Pre-HD Potassium trend history | 1/2 | Add one more dated result for a trend; this is separate from the forecast gate

Next action: Add missing clinical data

Research outputs require clinician interpretation; internal evaluation is not independent clinical validation.
Dataset permission status remains UNVERIFIED.

Requires two fresh verified HD observations 14–62 days apart, a current target result and five supported predictor values.
Source measurements: 1 | Reliability: INSUFFICIENT | Horizon: No probability horizon | Last run: Not recorded
2026-10-11T02:00:00Z | OPERATIONAL QA ONLY; not a clinical subject

Anemia / Hb Deterioration

Result not calculated - insufficient longitudinal data.

Available: Reviewed model and metadata | 1/1 | Reviewed artifact and serving input contract verified
Available: Verified maintenance hemodialysis | 1/1 | 1/1 available
Available: Latest laboratory HD source context | 1/1 | Current patient eligibility does not retroactively verify sampling context for previous laboratory results.
Needs review / data: Dated verified HD observations | 1/2 | 1/2 dated observations; Hb trend and forecast history are checked independently
Needs review / data: Supported observation interval | 0/1 | Supported source dates are 14–62 days apart. Record actual dates; do not alter dates to fit a model.
Available: Latest HD observation freshness | 1/1 | 1 days since latest measurement; supported age is at most 62 days
Available: Current Hemoglobin | 1/1 | 1/1 available
Available: Current supported predictors | 7/5 | 7/9 current predictors; minimum 5. Missing optional inputs may use training-only medians.

Available: Pre-HD Urea | 1/1 | Recorded source value
Available: Post-HD Urea | 1/1 | Recorded source value
Available: Albumin | 1/1 | Recorded source value
Available: Calcium | 1/1 | Recorded source value
Available: Sodium | 1/1 | Recorded source value
Available: Pre-HD Potassium | 1/1 | Recorded source value
Available: Post-HD Potassium | 0/1 | Optional predictor at the serving gate; training-only imputation may apply
Available: Pre-HD Creatinine | 1/1 | Recorded source value
Available: Post-HD Creatinine | 0/1 | Optional predictor at the serving gate; training-only imputation may apply
Needs review / data: Hemoglobin trend history | 1/2 | Add one more dated result for a trend; this is separate from the forecast gate
Next action: Add another dated Hb result
Research outputs require clinician interpretation; internal evaluation is not independent clinical validation.
Dataset permission status remains UNVERIFIED.
Learned candidates failed the gate against persistence. Carries forward the last measured Hb; no anemia-classifier probability is installed.
Requires two fresh verified HD observations 14–62 days apart, a current target result and five supported predictor values.
Source measurements: 1 | Reliability: INSUFFICIENT | Horizon: No probability horizon | Last run: Not recorded
2026-10-11T02:00:00Z | OPERATIONAL QA ONLY; not a clinical subject

Dialysis Adequacy / URR

Result not calculated - insufficient longitudinal data.

Available: Reviewed model and metadata | 1/1 | Reviewed artifact and serving input contract verified
Available: Verified maintenance hemodialysis | 1/1 | 1/1 available
Available: Latest laboratory HD source context | 1/1 | Current patient eligibility does not retroactively verify sampling context for previous laboratory results.
Needs review / data: Dated verified HD observations | 1/2 | 1/2 dated observations; Hb trend and forecast history are checked independently
Needs review / data: Supported observation interval | 0/1 | Supported source dates are 14–62 days apart. Record actual dates; do not alter dates to fit a model.
Available: Latest HD observation freshness | 1/1 | 1 days since latest measurement; supported age is at most 62 days
Available: Current Measured URR | 1/1 | 1/1 available
Available: Current supported predictors | 7/5 | 7/9 current predictors; minimum 5. Missing optional inputs may use training-only medians.
Available: Hemoglobin | 1/1 | Recorded source value
Available: Pre-HD Urea | 1/1 | Recorded source value
Available: Post-HD Urea | 1/1 | Recorded source value
Available: Albumin | 1/1 | Recorded source value
Available: Calcium | 1/1 | Recorded source value
Available: Sodium | 1/1 | Recorded source value
Available: Pre-HD Potassium | 1/1 | Recorded source value
Available: Post-HD Potassium | 0/1 | Optional predictor at the serving gate; training-only imputation may apply
Available: Pre-HD Creatinine | 1/1 | Recorded source value
Available: Post-HD Creatinine | 0/1 | Optional predictor at the serving gate; training-only imputation may apply
Available: Valid paired urea / session | 1/1 | Same verified session and explicit matching source units; pre-HD urea > 0; 0 ≤ post-HD urea ≤ pre-HD urea.
Needs review / data: Measured URR trend history | 1/2 | Add one more dated result for a trend; this is separate from the forecast gate
Next action: Add dialysis-session labs
Research outputs require clinician interpretation; internal evaluation is not independent clinical validation.
Dataset permission status remains UNVERIFIED.
Requires two fresh verified HD observations 14–62 days apart, a current target result and five supported predictor values.
Source measurements: 1 | Reliability: INSUFFICIENT | Horizon: No probability horizon | Last run: Not recorded
2026-10-11T02:00:00Z | OPERATIONAL QA ONLY; not a clinical subject

Renal Clinical Deterioration

Result not calculated - insufficient longitudinal data.

Needs review / data: Creatinine | 1/2 | 1/2 dated results available
Needs review / data: Urea | 1/2 | 1/2 dated results available
Needs review / data: Potassium | 1/2 | 1/2 dated results available
Needs review / data: Hemoglobin | 1/2 | 1/2 dated results available
Needs review / data: Albumin | 1/2 | 1/2 dated results available
Needs review / data: URR | 1/2 | 1/2 dated results available
Next action: Complete renal trend data
Directional composite – not a validated prognosis score.
Equal weights; two latest valid observations per domain; 1% neutral stability band. Missing domains are excluded, never scored as zero.
A directional percentage is not a disease probability.
Source measurements: 0 | Reliability: INSUFFICIENT | Horizon: No probability horizon | Last run: Not recorded
2026-10-11T02:00:00Z | OPERATIONAL QA ONLY; not a clinical subject

CLINICAL DATA USED FOR ASSESSMENT

Parameter	Result	Unit	Source	Coding

KEY FACTORS IN THIS MODEL OUTPUT

Contribution direction describes this model's prediction, not whether a clinical value is healthy, safe or protective.

Factor	Value	Unit	Direction	Contribution

RECOMMENDED CLINICAL REVIEW

No recommendation was returned by the prediction service.

CLINICIAN REVIEW

Suggested classification	Not assigned
Suggested code	Not assigned
Coding decision	[ ] Confirm [ ] Modify [ ] Reject
Final clinician-selected code	_____
Clinical notes	_____ _____
Reviewed by / date	_____

This output does not diagnose disease or replace professional medical judgement. AI-assisted coding must be reviewed before a confirmed FHIR Condition is created.