

Assignment #2

HTML Web Page Research and Code Analysis In this activity, three different sample HTML web page designs were researched and analyzed. The web page designs include a personal profile web page, a basic blog web page design, and a registration web page design.

Example 1: Personal Profile Page

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>My Profile</title>

</head>


<body>


<header>

  <h1>John Doe</h1>

  <nav>

    <a href="#about">About</a>

    <a href="#skills">Skills</a>

    <a href="#contact">Contact</a>

  </nav>

</header>


<main>

  <section id="about">

    <h2>About Me</h2>

    <p>I am a web development student learning HTML.</p>

    

  </section>


  <section id="skills">

    <h2>Skills</h2>

    <ul>

      <li>HTML</li>
```

```
        </li>CSS</li>
        <li>Basic JavaScript</li>
    </ul>
</section>
</main>

<footer>
    <p>© 2026 John Doe</p>
</footer>

</body>
</html>
```

Code Analysis (Example 1)

A. Structure Analysis

DOCTYPE usage

- The page uses `<!DOCTYPE html>` which declares the document as HTML5.

HTML Structure

- `<html>` contains the entire webpage.
- `<head>` contains metadata such as charset and title.
- `<body>` contains the visible content. Indentation
- The code is properly indented.
- Each section is nested clearly which improves readability.

B. Elements and Tags

Heading Tags

- `<h1>` for the page title (name).
- `<h2>` for section titles like About and Skills.

Lists

- `<ul>` and `<li>` are used to display the list of skills.

Images

- `<img>` is used to insert an image.
- It includes an alt attribute for accessibility.

Links

- `<a>` tags are used for navigation links.

Example:

```
<a href="#about">About</a>
```

C. Semantic HTML5 Usage

Semantic elements used:

- <header> – page header
- <nav> – navigation menu
- <main> – main content
- <section> – grouped content
- <footer> – page footer

These tags improve readability and accessibility. Semantic tags help browsers and search engines understand the page structure.

Accessibility Features

- alt attribute in images
- Proper heading hierarchy

Example 2: Simple Blog Layout

```
<!DOCTYPE html>

<html>
<head>
  <title>My Blog</title>
</head>

<body>

<header>
  <h1>My Simple Blog</h1>
  <nav>
    <a href="#">Home</a>
    <a href="#">Posts</a>
    <a href="#">Contact</a>
  </nav>
</header>

<main>

<article>
```

```
<h2>First Blog Post</h2>

<p>This is my first blog post about learning HTML.</p>

</article>


<article>

  <h2>Second Blog Post</h2>

  <p>Today I learned about semantic HTML elements.</p>

</article>


</main>


<footer>

<p>Copyright 2026</p>

</footer>


</body>

</html>
```

This structure is commonly used for simple blogs with a header, navigation, articles, and footer.

Code Analysis (Example 2)

A. Structure Analysis

DOCTYPE

- Uses `<!DOCTYPE html>` indicating HTML5.

HTML Structure

- `<html>`, `<head>`, and `<body>` are correctly used.

Indentation

- Code blocks are clearly organized.
- Nested elements improve readability.

B. Elements and Tags

Headings

- `<h1>` for blog title
- `<h2>` for post titles

Lists

- No lists used in this example.

Images

- No images inserted.

Links

- Navigation links using <a> tags.

Example:

```
<a href="#">Home</a>
```

C. Semantic HTML5 Usage

Semantic elements present:

- <header>
- <nav>
- <main>
- <article>
- <footer>

Purpose

- <article> represents independent content such as blog posts.

Possible Improvements

- Add <section> for grouping posts.
- Add alt text if images are added.

Accessibility

- Clear headings for screen readers.

Example 3: Registration Form Page

```
<!DOCTYPE html>

<html>

<head>

<title>Registration Form</title>

</head>


<body>


<header>

<h1>Registration</h1>

</header>
```

<main>

<form>

<label for="name">Full Name:</label>

<input type="text" id="name" name="name">

<label for="email">Email:</label>

<input type="email" id="email" name="email">

<label for="password">Password:</label>

<input type="password" id="password" name="password">

<label for="gender">Gender:</label>

<select id="gender">

<option>Male</option>

<option>Female</option>

</select>

<input type="submit" value="Register">

</form>

</main>

<footer>

<p>All rights reserved</p>

</footer>

</body>

</html>

Code Analysis (Example 3)

A. Structure Analysis

DOCTYPE

- Uses <!DOCTYPE html>.

Structure

- <html>, <head>, <body> are properly structured.

Indentation

- Form fields are clearly spaced and readable.

B. Elements and Tags

Heading Tags

- <h1> used for the page title.

Lists

- No list elements used.

Images

- No images used.

Links

- No hyperlinks in this example.

C. Semantic HTML5 Usage

Semantic tags used:

- <header>
- <main>
- <footer>

Form Elements Used

- <form>
- <label>
- <input>
- <select>
- <option>

These elements allow user input for registration.

Accessibility Features

- `<label>` connected to form fields.

Example:

```
<label for="email">Email:</label>
```

This helps screen readers identify form inputs.