

```
// index.js
```

```
// Single-file Golden Visa & Valuation app for  
Vercel (Node serverless)
```

```
const express = require("express");
```

```
const bodyParser = require("body-parser");
```

```
const cookieParser = require("cookie-parser");
```

```
const crypto = require("crypto");
```

```
const app = express();
```

```
// --- Config & in-memory "DB" ---
```

```
const INVESTOR_VISA_PRICE_AED = 13000;
```

```
const DEPENDENT_VISA_PRICE_AED = 7000;
```

```
const PROPERTY_VALUATION_PRICE_AED =  
5500;
```

```
const users = []; // { id, email, phone,  
passwordHash, role, fullName }
```

```
const applications = []; // { id, ref, userId, type,
billingName, amountAed, createdAt }
const jobOrders = []; // { id, jobOrderNumber,
applicationId, userId, kind, holderName,
relationship, amountAed, docPhase, stages }
const sessions = {}; // sessionId -> userId

// roles: "USER", "ADMIN"
// types: "INVESTOR_VISA", "DEPENDENT_VISA",
"PROPERTY_VALUATION"
// job kind: "VISA", "VALUATION"
// docPhase: "AWAITING_UPLOAD" |
"SUBMITTED" | "NEEDS_REUPLOAD" | "VERIFIED"

app.use(bodyParser.urlencoded({ extended: true
}));
app.use(bodyParser.json());
app.use(cookieParser());

// --- Helpers ---
```

```
function hashPassword(phone) {  
  // simple hash for demo only  
  return  
    crypto.createHash("sha256").update(phone).digest("hex");  
}
```

```
function createSession(userId) {  
  const sid =  
    crypto.randomBytes(16).toString("hex");  
  sessions[sid] = userId;  
  return sid;  
}
```

```
function getUserFromReq(req) {  
  const sid = req.cookies.sid;  
  if (!sid) return null;  
  const userId = sessions[sid];  
  if (!userId) return null;
```

```
return users.find((u) => u.id === userId) || null;  
}
```

```
function requireUser(req, res) {  
  const user = getUserFromReq(req);  
  if (!user) {  
    res.redirect("/login");  
    return null;  
  }  
  return user;  
}
```

```
function requireAdmin(req, res) {  
  const user = getUserFromReq(req);  
  if (!user || user.role !== "ADMIN") {  
    res.status(403).send("Admin only");  
    return null;  
  }  
  return user;  
}
```

```
function layout(title, bodyHtml) {  
  return <!DOCTYPE html> <html  
    lang="en"> <head> <meta  
      charset="utf-8" /> <title>${title}</title>  
    <style>  
      body { font-family: system-ui, sans-serif;  
        background:#f8fafc; color:#0f172a; margin:0;  
        padding:0; }  
      main { max-width: 960px; margin: 0 auto;  
        padding: 24px; }  
      a { color:#2563eb; text-decoration:none; }  
      .btn { display:inline-block; padding:8px 16px;  
        border-radius:4px; background:#2563eb;  
        color:white; text-decoration:none; }  
      .btn-secondary { background:#059669; }  
      .card { background:white; border-radius:6px;  
        border:1px solid #e5e7eb; padding:16px; margin-  
        bottom:12px; }  
      input, select { width:100%; padding:6px 8px;
```

```
border-radius:4px; border:1px solid #cbd5f5;
margin-top:4px; }
label { display:block; margin-bottom:8px; }
h1 { font-size:24px; margin-bottom:12px; }
h2 { font-size:18px; margin-top:16px; margin-
bottom:8px; }
nav { margin-bottom:16px; }
nav a { margin-right:12px; }
</style>
</head>
<body>
<main>
${bodyHtml} </main> </body> </
html>;
}
```

```
// --- Seed one admin user ---
```

```
if (!users.find((u) => u.role === "ADMIN")) {
  users.push({
```

```
id: 1,  
email: "admin@goldenuae.xyz",  
phone: "00000000000",  
passwordHash: hashPassword("00000000000"),  
role: "ADMIN",  
fullName: "Admin",  
});  
}
```

```
// --- Routes ---
```

```
// Home
```

```
app.get("/", (req, res) => {  
  const user = getUserFromReq(req);  
  res.send(  
    layout(  
      "Golden UAE",  
      <nav> <a href="/">Home</a> <a  
href="/apply/visa">Apply Golden Visa</  
a> <a href="/apply/valuation">Apply
```

```
Valuation</a> <a href="/
dashboard">Dashboard</a> <a href="/
admin/overview">Admin</a> ${user ?
<span>Logged in as${user.fullName}</
span>:<a href="/login">Login</a>} </nav>
<h1>Golden Visa & Property Valuation</
h1> <p>Investor Visa, Dependent Visa,
and Property Valuation—built for UAE real estate
investors.</p> <div> <a class="btn"
href="/apply/visa">Apply for Golden Visa</
a> <a class="btn btn-secondary" href="/
apply/valuation">Apply for Property
Valuation</a> </div>
)
);
});
```

```
// Register
```

```
app.get("/register", (req, res) => {
res.send(
```



```
layout(
  "Register",
  <nav> <a href="/">Home</a> <a
href="/login">Login</a> </nav>
<h1>Register</h1> <form
method="post" action="/register">
<label> Full name <input
name="fullName" required /> </label>
<label> Email <input name="email"
type="email" required /> </label>
<label> Phone (acts as password) <input
name="phone" type="text" required /> </
label> <button class="btn"
type="submit">Register</button> </
form> <p>Admin user: email
<code>admin@goldenuae.xyz</code>,
phone <code>00000000000</code></p>
)
);
```

```
});
```

```
app.post("/register", (req, res) => {  
  const { fullName, email, phone } = req.body;  
  if (!fullName || !email || !phone) {  
    return res.send("Missing fields");  
  }
```

```
  if (users.find((u) => u.email === email)) {  
    return res.send("User already exists");  
  }
```

```
  const id = users.length ? users[users.length -  
    1].id + 1 : 2;
```

```
  users.push({
```

```
    id,
```

```
    email,
```

```
    phone,
```

```
    passwordHash: hashPassword(phone),
```

```
    role: "USER",
```

```
    fullName,
```

```
  });
```

```
res.redirect("/login");  
});
```

```
// Login
```

```
app.get("/login", (req, res) => {  
  res.send(  
    layout(  
      "Login",  
      <nav> <a href="/">Home</a> <a  
href="/register">Register</a> </nav>  
      <h1>Login</h1> <form  
method="post" action="/login"> <label>  
Email <input name="email" type="email"  
required /> </label> <label> Phone  
(password) <input name="phone" type="text"  
required /> </label> <button  
class="btn" type="submit">Login</  
button> </form>  
    )  
  );  
});
```

```
});
```

```
app.post("/login", (req, res) => {  
  const { email, phone } = req.body;  
  const user = users.find((u) => u.email === email);  
  if (!user) return res.send("Invalid credentials");  
  if (user.passwordHash !==  
    hashPassword(phone)) return res.send("Invalid  
credentials");  
  const sid = createSession(user.id);  
  res.cookie("sid", sid, { httpOnly: true });  
  res.redirect("/");  
});
```

// Logout

```
app.get("/logout", (req, res) => {  
  const sid = req.cookies.sid;  
  if (sid) delete sessions[sid];  
  res.clearCookie("sid");  
  res.redirect("/");  
});
```

```
});
```

```
// Mock OCR endpoint
```

```
app.post("/api/ocr/title-deed", (req, res) => {
```

```
  const mock = {
```

```
    valueAed: 2100000,
```

```
    name: "Sample Investor",
```

```
    type: "Apartment",
```

```
    developer: "Sample Developer",
```

```
    project: "Sample Project",
```

```
    purchaseDate: new Date().toISOString(),
```

```
    mortgageStatus: "MORTGAGED",
```

```
    offplanStatus: "READY",
```

```
    paymentPlan: "Completed",
```

```
    confidence: 0.92,
```

```
  };
```

```
  const eligible = mock.valueAed >= 2000000;
```

```
  res.json({ ocr: mock, eligible });
```

```
});
```

```
// Apply Golden Visa (GET form)
app.get("/apply/visa", (req, res) => {
  const user = getUserFromReq(req);
  res.send(
    layout(
      "Apply Golden Visa",
      <nav> <a href="/">Home</a> <a
href="/apply/visa">Golden Visa</a> <a
href="/apply/valuation">Valuation</a>
<a href="/dashboard">Dashboard</a> $
{user ? <a href="/logout">Logout</a> : <a
href="/login">Login</a>}
</nav>
<h1>Investor Visa Application</h1>

<h2>Property & Eligibility</h2>
<form method="post" action="/apply/visa/check-
ocr">
<button class="btn" type="submit">Simulate Title
Deed OCR & Check Eligibility</button>
```

</form>

<h2>Applicant & Dependents</h2>

<form method="post" action="/apply/visa">

<label>

Billing / Investor Name

<input name="billingName" required />

</label>

<label>

Ownership Type

<select name="ownershipType">

<option value="FULL">Full</option>

<option value="MORTGAGED">Mortgaged</option>

<option value="OFFPLAN">Off-plan</option>

<option value="SHARED">Shared</option>

</select>

</label>

<label>

Number of Dependents

```
<input name="dependentsCount" type="number"
min="0" value="0" />
```

```
</label>
```

```
<p>Dependents will be entered on the next
screen.</p>
```

```
<label>
```

Referral Code (optional)

```
<input name="referralCode" />
```

```
</label>
```

```
<button class="btn" type="submit">Next:
Dependents & Summary</button>
```

```
</form>
```

```
<p>Pricing:</p>
```

```
<ul>
```

```
<li>Investor Visa: $
```

```
{INVESTOR_VISA_PRICE_AED} AED</li>
```

```
<li>Dependent Visa: $
```

```
{DEPENDENT_VISA_PRICE_AED} AED per
person</li>
```


,

)

);

});

// Show OCR result (simple page)

app.post("/apply/visa/check-ocr", (req, res) => {

const mock = {

valueAed: [2100000](#),

developer: "Sample Developer",

project: "Sample Project",

purchaseDate: new Date().toISOString(),

mortgageStatus: "MORTGAGED",

offplanStatus: "READY",

paymentPlan: "Completed",

confidence: 0.92,

};

const eligible = mock.valueAed >= 2000000;

res.send(

layout(

"OCR Result",

<nav> Home Back to Visa </

nav> <h1>OCR Result (Mock)</h1>

<div class="card"> <p>Value:\$

{mock.valueAed} AED</p>

<p>Developer:

mock.developer</p> <p>Project:

{mock.project}</p>

<p>Purchase Date:

newDate(mock.purchaseDate).toLocaleDateString()</p> <p>Mortgage:

{mock.mortgageStatus}</p>

<p>Off-plan/Ready:

mock.offplanStatus</p> <p>Payment Plan:

{mock.paymentPlan}</p>

<p>Confidence:

*(mock.confidence * 100).toFixed(1)*

```
{eligible ? "#059669" : "#b91c1c"}">
```

```
  ${eligible ? "Eligible: property value meets the  
AED 2,000,000 minimum." : "Not eligible:  
property value below AED 2,000,000."} &lt;/p>  
)  
);  
});
```

```
// Investor visa POST -> dependents screen  
app.post("/apply/visa", (req, res) => {  
  const user = requireUser(req, res);  
  if (!user) return;
```

```
  const billingName = req.body.billingName;  
  const ownershipType = req.body.ownershipType  
  || "FULL";  
  const dependentsCount =  
  parseInt(req.body.dependentsCount || "0", 10);  
  const referralCode = req.body.referralCode || "";
```

```
const totalAmount =  
INVESTOR_VISA_PRICE_AED +  
dependentsCount *  
DEPENDENT_VISA_PRICE_AED;
```

```
let dependentsFields = "";  
for (let i = 0; i < dependentsCount; i++) {  
  dependentsFields += <div class="card">  
    <p><strong>Dependent${i + 1}</  
    strong></p>  
    <label>  
      Full Name  
      <input name="dep_
```

latex



```
{i}_name" required /> </label>  
<label> Relationship <select  
name="dep_
```

```
{i}_rel">
```

```
<option value="WIFE">Wife</option>
<option value="HUSBAND">Husband</option>
<option value="SON">Son</option>
<option value="DAUGHTER">Daughter</option>
<option value="PARENT">Parent</option>
<option value="SISTER">Sister</option>
<option value="SIBLING">Sibling</option>
<option value="SERVANT">Servant</option>
</select>
</label>
</div>
`;
}
```

```
res.send(
  layout(
    "Investor Visa Summary",
    &lt;nav&gt; &lt;a href="/"&gt;Home&lt;/a&gt; &lt;a
href="/apply/visa"&gt;Back&lt;/a&gt; &lt;/nav&gt;
    &lt;h1&gt;Investor Visa - Dependents &
```

```
Summary</h1> <form method="post"
action="/apply/visa/confirm"> <input
type="hidden" name="billingName" value="$
{billingName}" />
<input type="hidden" name="ownershipType"
value="${ownershipType}" /> <input
type="hidden" name="dependentsCount" value="$
{dependentsCount}" />
<input type="hidden" name="referralCode"
value="`${referralCode}" />
```

```
<h2>Dependents</h2>
```

```
${dependentsFields || "<p>No dependents.</p>"}
```

```
<h2>Summary</h2>
```

```
<p>Investor Visa: $
```

```
{INVESTOR_VISA_PRICE_AED} AED</p>
```

```
<p>Dependents: ${dependentsCount} × $
```

```
{DEPENDENT_VISA_PRICE_AED} AED</p>
```

```
<p><strong>Total: ${totalAmount}
```

AED</p>

<h2>Mock Payment</h2>

<label>

Billing Name

<input name="billingNameConfirm" value="`\$
{billingName}" />

</label>

<label>

Payment Method (mock)

<select name="paymentMethod">

<option value="CARD">Card</option>

<option value="BANK_TRANSFER">Bank
Transfer</option>

</select>

</label>

<button class="btn" type="submit">Confirm &
Create Job Orders (Mock)</button>

</form>

```
、  
)  
);  
});
```

```
// Confirm investor visa -> create application +  
job orders
```

```
app.post("/apply/visa/confirm", (req, res) => {  
  const user = requireUser(req, res);  
  if (!user) return;
```

```
  const billingName = req.body.billingName;  
  const dependentsCount =  
    parseInt(req.body.dependentsCount || "0", 10);  
  const referralCode = req.body.referralCode || "";  
  const paymentMethod =  
    req.body.paymentMethod || "CARD";
```

```
  const totalAmount =  
    INVESTOR_VISA_PRICE_AED +
```


dependentsCount *

DEPENDENT_VISA_PRICE_AED;

const appld = applications.length ?

applications[applications.length - 1].id + 1 : 1;

const appRef = INV-\${Date.now()}`;

applications.push({

id: appld,

ref: appRef,

userId: [user.id](#),

type: "INVESTOR_VISA",

billingName,

amountAed: totalAmount,

createdAt: new Date(),

referralCode,

paymentMethod,

});

// Investor job order

const invJobId = jobOrders.length ?

```
jobOrders[jobOrders.length - 1].id + 1 : 1;
const invJobNumber = JOB-${appld}-INV`;
jobOrders.push({
  id: invJobId,
  jobOrderNumber: invJobNumber,
  applicationId: appld,
  userId: user.id,
  kind: "VISA",
  holderName: billingName,
  relationship: "INVESTOR",
  amountAed: INVESTOR_VISA_PRICE_AED,
  docPhase: "AWAITING_UPLOAD",
  stages: {
    dldStatus: "PENDING",
    gdrfaStatus: "PENDING",
    medicalStatus: "PENDING",
    biometricStatus: "PENDING",
    emiratesIdStatus: "NOT_STARTED",
  },
});
```

```
// Dependent job orders
for (let i = 0; i < dependentsCount; i++) {
  const name = req.body[dep_${i}_name] ||
  Dependent ${i + 1};
  const rel = req.body[dep_${i}_rel] || "SON"; const
  jobId = jobOrders[jobOrders.length - 1].id + 1;
  const jobNumber = JOB-${appId}-DEP-${i + 1}`;
  jobOrders.push({
    id: jobId,
    jobOrderNumber: jobNumber,
    applicationId: appId,
    userId: user.id,
    kind: "VISA",
    holderName: name,
    relationship: rel,
    amountAed: DEPENDENT_VISA_PRICE_AED,
    docPhase: "AWAITING_UPLOAD",
    stages: {
      dldStatus: "PENDING",
```

```
gdrfaStatus: "PENDING",  
medicalStatus: "PENDING",  
biometricStatus: "PENDING",  
emiratesIdStatus: "NOT_STARTED",  
},  
));  
}
```

```
res.send(  
  layout(  
    "Investor Visa Created",  
    &lt;nav&gt; &lt;a href="/"&gt;Home&lt;/a&gt; &lt;a  
href="/dashboard"&gt;Dashboard&lt;/a&gt; &lt;/  
nav&gt; &lt;h1&gt;Application Created&lt;/h1&gt;  
&lt;p&gt;Application reference: &lt;strong&gt;$  
{appRef}&lt;/strong>&lt;/p>  
<p>Job orders have been created for the  
investor and each dependent.</p>  
<p>Total amount (mock payment): <strong>$  
{totalAmount} AED&lt;/strong>&lt;/p&gt; &lt;a
```

```
class="btn" href="/dashboard">Go to  
Dashboard</a>  
)  
);  
});
```

```
// Property valuation (GET)
```

```
app.get("/apply/valuation", (req, res) => {  
  const user = getUserFromReq(req);  
  res.send(  
    layout(  
      "Apply Valuation",  
      <nav> <a href="/">Home</a> <a  
href="/apply/visa">Golden Visa</a> <a  
href="/apply/valuation">Valuation</a>  
<a href="/dashboard">Dashboard</a>$  
{user ? <a href="/logout">Logout</a> : <a  
href="/login">Login</a>}  
</nav>  
<h1>Property Valuation</h1>
```

<form method="post" action="/apply/valuation">

<label>

Billing / Owner Name

<input name="billingName" required />

</label>

<label>

Purpose

<select name="purpose">

<option value="GENERAL">General</option>

<option

value="AHEAD_OF_GOLDEN_VISA">Ahead of
Golden Visa</option>

<option value="SALE">Sale</option>

<option value="MORTGAGE">Mortgage</option>

</select>

</label>

<p>Flat fee: \$

{PROPERTY_VALUATION_PRICE_AED} AED</

strong></p> <label> Referral Code

(optional) <input name="referralCode" />

```
</label> <label> Payment Method
(mock) <select name="paymentMethod">
<option value="CARD">Card</option>
<option value="BANK_TRANSFER">Bank
Transfer</option> </select> </
label> <button class="btn"
type="submit">Confirm & Create Valuation
Job Order (Mock)</button> </form>
)
);
});
```

```
// Property valuation POST
```

```
app.post("/apply/valuation", (req, res) => {
  const user = requireUser(req, res);
  if (!user) return;
```

```
  const billingName = req.body.billingName;
  const purpose = req.body.purpose || "GENERAL";
  const referralCode = req.body.referralCode || "";
```

```
const paymentMethod =  
req.body.paymentMethod || "CARD";
```

```
const appld = applications.length ?  
applications[applications.length - 1].id + 1 : 1;  
const appRef = VAL-`${Date.now()}`;  
applications.push({  
  id: appld,  
  ref: appRef,  
  userId: user.id,  
  type: "PROPERTY_VALUATION",  
  billingName,  
  amountAed:  
    PROPERTY_VALUATION_PRICE_AED,  
  createdAt: new Date(),  
  referralCode,  
  paymentMethod,  
  purpose,  
});
```



```
const jobId = jobOrders.length ?
jobOrders[jobOrders.length - 1].id + 1 : 1;
const jobNumber = JOB-`${appld}-VAL`;
jobOrders.push({
  id: jobId,
  jobOrderNumber: jobNumber,
  applicationId: appld,
  userId: user.id,
  kind: "VALUATION",
  holderName: billingName,
  relationship: "PROPERTY_OWNER",
  amountAed:
PROPERTY_VALUATION_PRICE_AED,
  docPhase: "AWAITING_UPLOAD",
  stages: {
    valuationStage: "RECEIVED",
    reportValueAed: null,
    reportNotes: null,
  },
});
```

```
res.send(
  layout(
    "Valuation Created",
    <nav> <a href="/">Home</a> <a
href="/dashboard">Dashboard</a> </
nav> <h1>Valuation Application
Created</h1> <p>Application
reference: <strong>${appRef}</strong></p>
<p>Job order created for valuation.</p>
<p>Amount (mock payment): <strong>$
{PROPERTY_VALUATION_PRICE_AED} AED</
strong></p> <a class="btn" href="/
dashboard">Go to Dashboard</a>
  )
);
});
```

```
// User dashboard
```

```
app.get("/dashboard", (req, res) => {
```

```
const user = requireUser(req, res);
```

```
if (!user) return;
```

```
const myJobs = jobOrders.filter((j) => j.userId  
=== user.id);
```

```
let jobsHtml = "";
```

```
if (!myJobs.length) {
```

```
jobsHtml = "<p>No job orders yet.</p>";
```

```
} else {
```

```
jobsHtml = myJobs
```

```
.map((job) => {
```

```
return <a href="/dashboard/job/${job.id}"
```

```
class="card">
```

```
<p><strong>
```

```
job.jobOrderNumber</strong> —
```

```
{job.kind}</p>
```

```
<p>Holder:
```

```
job.holderName</p><p>Amount:
```

```
{job.amountAed} AED</p>
```

```
<p>Doc phase: ${job.docPhase}&lt;/p> &lt;/a>;
```

```
})
```

```
.join("");
```

```
}
```

```
res.send(
```

```
layout(
```

```
"Dashboard",
```

```
&lt;nav&gt; &lt;a href="/"&gt;Home&lt;/a&gt; &lt;a
```

```
href="/apply/visa"&gt;Golden Visa&lt;/a&gt; &lt;a
```

```
href="/apply/valuation"&gt;Valuation&lt;/a&gt;
```

```
&lt;a href="/dashboard"&gt;Dashboard&lt;/a&gt;
```

```
&lt;a href="/logout"&gt;Logout&lt;/a&gt; &lt;/
```

```
nav&gt; &lt;h1&gt;Your Job Orders&lt;/h1&gt;${
```

```
{jobsHtml}
```

```
,
```

```
)
```

```
);
```

```
});
```

```
// Job order detail
```

```
app.get("/dashboard/job/:id", (req, res) => {
```

```
  const user = requireUser(req, res);
```

```
  if (!user) return;
```

```
  const id = parseInt(req.params.id, 10);
```

```
  const job = jobOrders.find((j) => j.id === id &&
```

```
    j.userId === user.id);
```

```
  if (!job) return res.status(404).send("Not found");
```

```
  let stagesHtml = "";
```

```
  if (job.kind === "VISA") {
```

```
    stagesHtml = <h2>Visa Stages</h2>
```

```
    <ul> <li>DLD: ${job.stages.dldStatus}</
```

```
li>
```

```
    <li>GDRFA: ${job.stages.gdrfaStatus}</li>
```

```
    <li>Medical: ${job.stages.medicalStatus}</
```

```
li>
```

```
<li>Biometric: ${job.stages.biometricStatus}&lt;/li>
</li> &lt;/li></li>Emirates ID: $
${job.stages.emiratesIdStatus}</li>
</ul>
; } else { stagesHtml =
<h2>Valuation Progress</h2>
<p>Stage: ${job.stages.valuationStage ||
"RECEIVED"}&lt;/p> &lt;p>Report value: $
${job.stages.reportValueAed || "N/A"} AED</p>
<p>Notes: ${job.stages.reportNotes || "N/A"}&lt;/p>
p>;
}
```

```
res.send(
layout(
"Job Order Detail",
&lt;nav&gt; &lt;a href="/dashboard"&gt;Back to
Dashboard&lt;/a&gt; &lt;/nav&gt; &lt;h1&gt;Job
Order ${job.jobOrderNumber}</h1>
<p>Holder: ${job.holderName}&lt;/p>
```

<p>Kind: \${job.kind}</p>

<p>Amount: \${job.amountAed} AED</p>

<p>Doc phase: \${job.docPhase}</p>

\${stagesHtml} <h2>Documents</h2>

<p>Document upload will be wired to S3/R2 later; currently mocked.</p>

)

);

});

// Admin overview

app.get("/admin/overview", (req, res) => {

const admin = requireAdmin(req, res);

if (!admin) return;

const totalRevenue = applications.reduce((sum, a) => sum + (a.amountAed || 0), 0);

const visaCount = jobOrders.filter((j) => j.kind === "VISA").length;

const valCount = jobOrders.filter((j) => j.kind ===

```
"VALUATION").length;
```

```
res.send(
```

```
layout(
```

```
"Admin Overview",
```

```
&lt;nav&gt; &lt;a href="/"&gt;Home&lt;/a&gt; &lt;a
```

```
href="/admin/overview"&gt;Overview&lt;/a&gt;
```

```
&lt;a href="/admin/job-orders"&gt;Job Orders&lt;/
```

```
a&gt; &lt;/nav&gt; &lt;h1&gt;Admin Overview&lt;/
```

```
h1&gt; &lt;p&gt;Total revenue (mock):
```

```
&lt;strong&gt;${totalRevenue} AED</strong></p>
```

```
<ul>
```

```
<li>Visa job orders: ${visaCount}&lt;/li>
```

```
&lt;li>Valuation job orders: ${valCount}</li>
```

```
</ul>
```

```
,
```

```
)
```

```
);
```

```
});
```



```
// Admin job orders
app.get("/admin/job-orders", (req, res) => {
  const admin = requireAdmin(req, res);
  if (!admin) return;

  const jobsHtml = jobOrders
    .map((job) => {
      return <div class="card">
        <p><strong>${job.jobOrderNumber}</strong> – job.kind<lt; /p> <lt; p> <lt; p> Holder:
        {job.holderName}</p>
        <p>Amount:
          job.amount <lt; A <lt; E D<lt; /p> <lt; p> <lt; p> Docphase:
          {job.docPhase}</p>
        </div>
      `;
    })
    .join("");
```

```
res.send(  
  layout(  
    "Admin Job Orders",  
    &lt;nav&gt; &lt;a href="/"&gt;Home&lt;/a&gt; &lt;a  
    href="/admin/overview"&gt;Overview&lt;/a&gt;  
    &lt;a href="/admin/job-orders"&gt;Job Orders&lt;/  
    a&gt; &lt;/nav&gt; &lt;h1&gt;Job Orders  
    Queue&lt;/h1&gt; ${jobsHtml || "&lt;p&gt;No job  
    orders yet.&lt;/p&gt;"}  
  )  
);  
});
```