

Standard Lookup Load – Axiom Pro 4.x

Last Update: 12/19/2023

Introduction

To improve consistency, reduce maintenance, and make integration easier a standard data extract lookup load process has been designed and built into Axiom Pro. This process has been designed so that loading information is straightforward, consistent, and only utilizes tools and formats available on all platforms.

Below are the conventions to be followed for the Axiom Pro standard data load to function properly.

Load Processing

A data extract file is placed in the predetermined SFTP location. Axiom Pro will pick up the file and process it based on the following processing guidelines. This may take some time, usually under an hour, depending on the amount of data in the file and the number of documents in Axiom Pro. This process is typically scheduled overnight.

Update (Partial) Load File

An update load that includes the changed lookup data since the last full or partial load. The action taken for each record in the data file must be explicitly specified. Partial files are the recommended standard in most cases. A partial file can be sent at any time during the day with any frequency and will be run immediately upon receipt. Because this file contains changed or new values only, it is less taxing on the system resources.

Partial files are recommended because they are lightweight and only contain the changed or new records. They are often coupled with a full file at least during the initial load. The first full file most commonly contains all historical records. Thereafter, partial files will be sent daily containing changes and new records.

DATA FILE CONVENTIONS

- The filename of the data file must end with: **.partial**
- The location of the data file must be in a predefined location (SFTP).
- The values in the data file must be sanitized and formatted to match the expected values in Axiom Pro.

imageapi.com

- The contents of the data file must be formatted according to the following conventions:
 - o **Record Action:** Beginning of each record will include one of the following actions: **Update** or **Delete**.
 - o The field values for each record are included, in order after the action type value, as defined by the field configuration in Axiom Pro.
 - o **Field Delimiter:** Each field value, including the special action type field value, for a record is separated by a field string delimiter “|” (pipe) as defined in Axiom Pro.
 - o **Record Delimiter:** Each record is separated by a record string delimiter as defined in Axiom Pro (CR+LF).

Here is an example **PARTIAL** data file with the “|” (pipe) string delimiter and the “\r\n” (CR+LF) record string delimiter:

The field definitions for Sample Lookup records are:

SSN|employeeType|lastName|firstName|middleInitial|employeeID|positionNumber|separationDate|classCode|classification|restrictedPosition|restrictedEmployee|restrictedRelative|active|county

Sample Filename: Sample_Lookup_20231215.partial (*column header not included*)

State Employee:

Update|222222222|State|DOE|JOHN|S|123456|ABC123|03/14/2013|100|OPS|N|N|N|N||

County Employee:

Update|333333333|County|SMITH|JANE|S|234567|DEF234|04/15/2013|200|CLERK|||Y|Desoto

Note: When a value is NULL leave that field empty

Update (Full) Load File

A full load will replace all the current lookup data stored in Axiom Pro with the data in the new lookup file. This means that any records that are not included in the new lookup file will cause any documents associated with the missing record to lose their lookup data and be flagged as a lookup exception. This will include records added via the Supplemental Lookup feature in Axiom Pro if they are not included in the lookup file when loaded. Full files are typically used when there is not a clean way to cut delta files containing only changed or newly added records.

imageapi.com

A full load is useful, even if partial loads are being done, to ensure that all of the correct data is synchronized. When using partial loads, it is still advised to periodically do a full load to handle cases where a partial load was missed or failed.

DATA FILE CONVENTIONS

- The file name must end with: **.full**
- It must be in the root of the configured SFTP path (Source Path)
- It must have the correct data inside of it formatted and sanitized as expected by Axiom Pro
- The contents must be properly formatted and meet these rules
 - o **Field Delimiter:** Each field value, including the special action type field value, for a record is separated by a field string delimiter “|” (pipe) as defined in Axiom Pro.
 - o **Record Delimiter:** Each record is separated by a record string delimiter as defined in Axiom Pro (CR+LF).

Here is an example **FULL** data file with the “|” (pipe) string delimiter and the “\r\n” (CR+LF) record string delimiter:

The field definitions for Sample Lookup records are:

SSN|employeeType|lastName|firstName|middleInitial|employeeID|positionNumber|separationDate|classCode|classification|restrictedPosition|restrictedEmployee|restrictedRelative|active|county

Sample Filename: Sample_Lookup_20231025.full (*column header not included*)

State Employee:

222222222|State|DOE|JOHN|S|123456|ABC123|03/14/2013|100|OPS|N|N|N|N||

County Employee:


333333333|County|SMITH|JANE|S|234567|DEF234|04/15/2013|200|CLERK|||Y|Desoto

Note: When a value is NULL leave that field empty

Sanitized Values for Sample lookup data:

FIELD	Data Type	Expected Values	Format & Notes	Source
SSN	Text	Alphanumeric w/ no leading spaces	SSN of the employee	Employee Database
Employee Type	Text	Alphanumeric w/ no leading spaces	Employee type (State or County)	Employee Database
Last Name	Text	Alphanumeric w/ no leading spaces	Last name of the employee	Employee Database
First Name	Text	Alphanumeric w/ no leading spaces	First name of the employee	Employee Database
Middle Initial	Text	Alphanumeric w/ no leading spaces	Middle initial of the employee	Employee Database
Employee ID	Text	Alphanumeric w/ no leading spaces	Current/most recent employee ID (State: Appointment ID)	Employee Database
Position Number	Text	Alphanumeric w/ no leading spaces	Current/most recent position Number	Employee Database
Separation Date	Date	Date in MM/DD/YYYY format	Latest separation date	Employee Database
Class Code	Text	Alphanumeric w/ no leading spaces	Current/most recent classification code	Employee Database
Classification	Text	Alphanumeric w/ no leading spaces	Current/most recent job classification	Employee Database
Restricted Position	Text	Alphanumeric w/ no leading spaces	Does the employee currently have a restricted position (Y or N)?	Employee Database
Restricted Employee	Text	Alphanumeric w/ no leading spaces	Does the employee have Restricted status (Y or N)?	Employee Database
Restricted Relative	Text	Alphanumeric w/ no leading spaces	Does the employee have Restricted Relative status (Y or N)?	Employee Database
Active	Text	Alphanumeric w/ no leading spaces	Is the employee active (Y or N)?	Employee Database

imageapi.com



County	Text	Alphanumeric w/ no leading spaces	The county that currently employs the employee (Desoto, Manatee, Sarasota)	Employee Database