



# CNOC

(CONSOLIDATED NATIONAL OPERATIONS CENTER)

## Amtrak Status Report

Thursday, June 18, 2026

Rules: 1-34



*This report contains Confidential Information as defined in Amtrak's Confidential Information Policy. A failure to comply with Amtrak's Confidential Information Policy may lead to denial of access to Amtrak information, discipline up to and including termination of employment, and legal prosecution.*

Amtrak or Commuter: **Amtrak**

Initial terminal tolerance = 0 minutes.  
Report calculates based on scheduled departure date.



# Information Management

## Customer On Time Performance

26-FOI-00551 00000007878 "UNCLASSIFIED" 6/23/2026

| Service                           | Day        |                 |                |            | Month to Date    |                |            | FY to Date        |                  |            |
|-----------------------------------|------------|-----------------|----------------|------------|------------------|----------------|------------|-------------------|------------------|------------|
|                                   | Target     | Total Customers | Late Customers | Score      | Total Customers  | Late Customers | Score      | Total Customers   | Late Customers   | Score      |
| <b>Amtrak System</b>              | <b>80%</b> | <b>104,297</b>  | <b>36,642</b>  | <b>65%</b> | <b>1,817,129</b> | <b>581,729</b> | <b>68%</b> | <b>25,458,782</b> | <b>6,070,100</b> | <b>76%</b> |
| <b>Northeast Corridor</b>         | <b>81%</b> | <b>47,172</b>   | <b>14,429</b>  | <b>69%</b> | <b>799,364</b>   | <b>239,878</b> | <b>70%</b> | <b>11,208,490</b> | <b>2,643,627</b> | <b>76%</b> |
| Acela                             | 83%        | 9,964           | 3,542          | 64%        | 161,772          | 45,417         | 72%        | 2,210,521         | 582,904          | 74%        |
| Northeast Regional                | 79%        | 37,208          | 10,887         | 71%        | 637,592          | 194,461        | 70%        | 8,997,969         | 2,060,723        | 77%        |
| Richmond / Newport News / Norfolk | 77%        | 10,934          | 5,853          | 46%        | 192,332          | 82,632         | 57%        | 2,792,350         | 760,491          | 73%        |
| Springfield Shuttles              | 89%        | 670             | 110            | 84%        | 12,301           | 3,575          | 71%        | 158,870           | 22,790           | 86%        |
| Roanoke                           | 79%        | 3,757           | 850            | 77%        | 61,188           | 14,718         | 76%        | 843,941           | 164,741          | 80%        |
| On Spine Northeast Regional       | 80%        | 21,847          | 4,074          | 81%        | 371,771          | 93,536         | 75%        | 5,202,808         | 1,112,701        | 79%        |
| <b>State Supported</b>            | <b>80%</b> | <b>45,256</b>   | <b>14,620</b>  | <b>68%</b> | <b>800,766</b>   | <b>209,993</b> | <b>74%</b> | <b>11,109,794</b> | <b>2,197,111</b> | <b>80%</b> |
| Borealis                          | 80%        | 543             | 0              | 100%       | 9,785            | 1,959          | 80%        | 142,778           | 29,479           | 79%        |
| Capitol Corridor                  | 90%        | 3,953           | 631            | 84%        | 68,252           | 8,655          | 87%        | 950,731           | 120,887          | 87%        |
| Carolinian                        | 70%        | 838             | 709            | 15%        | 18,132           | 11,462         | 37%        | 294,904           | 107,239          | 64%        |
| Cascades                          | 75%        | 2,996           | 1,423          | 53%        | 50,917           | 20,982         | 59%        | 642,369           | 175,257          | 73%        |
| Downeaster                        | 82%        | 1,414           | 34             | 98%        | 26,047           | 1,101          | 96%        | 373,475           | 41,441           | 89%        |
| Empire                            | 78%        | 6,110           | 3,113          | 49%        | 99,088           | 32,774         | 67%        | 1,372,136         | 285,195          | 79%        |
| Adirondack                        | 72%        | 371             | 275            | 26%        | 6,082            | 1,258          | 79%        | 80,890            | 23,589           | 71%        |
| Ethan Allen Express               | 70%        | 572             | 273            | 52%        | 9,906            | 6,242          | 37%        | 142,897           | 41,885           | 71%        |
| Maple Leaf                        | 70%        | 917             | 905            | 1%         | 14,198           | 6,525          | 54%        | 163,519           | 61,091           | 63%        |
| New York - Albany                 | 85%        | 3,035           | 1,024          | 66%        | 46,305           | 11,330         | 76%        | 640,551           | 95,008           | 85%        |
| New York - Niagara Falls          | 75%        | 1,215           | 636            | 48%        | 21,607           | 6,729          | 69%        | 343,289           | 62,932           | 82%        |
| Berkshire Flyer                   | 60%        | 0               | 0              | -          | 990              | 690            | 30%        | 990               | 690              | 30%        |
| Gold Runner                       | 73%        | 1,992           | 899            | 55%        | 43,703           | 19,861         | 55%        | 637,553           | 216,817          | 66%        |
| Heartland Flyer                   | 70%        | 170             | 163            | 4%         | 4,100            | 1,301          | 68%        | 51,904            | 19,248           | 63%        |
| Hiawatha                          | 90%        | 1,775           | 181            | 90%        | 32,693           | 3,257          | 90%        | 429,682           | 46,952           | 89%        |
| Illinois                          | 78%        | 1,932           | 874            | 55%        | 44,421           | 15,274         | 66%        | 625,489           | 163,982          | 74%        |
| Carl Sandburg / Illinois Zephyr   | 85%        | 374             | 326            | 13%        | 7,998            | 2,541          | 68%        | 102,789           | 25,724           | 75%        |
| Illini / Saluki                   | 85%        | 518             | 195            | 62%        | 14,045           | 4,327          | 69%        | 221,471           | 49,291           | 78%        |
| Lincoln Service                   | 70%        | 1,040           | 353            | 66%        | 22,378           | 8,406          | 62%        | 301,229           | 88,967           | 70%        |
| Keystone                          | 92%        | 10,004          | 1,094          | 89%        | 145,706          | 9,247          | 94%        | 1,953,266         | 202,112          | 90%        |
| Lincoln / Missouri                | 70%        | 821             | 616            | 25%        | 14,315           | 8,795          | 39%        | 195,181           | 94,819           | 51%        |
| Mardi Gras Service                | 80%        | 356             | 287            | 19%        | 6,508            | 2,942          | 55%        | 105,137           | 19,852           | 81%        |
| Michigan                          | 70%        | 2,069           | 965            | 53%        | 37,991           | 16,905         | 56%        | 487,014           | 151,645          | 69%        |
| Blue Water                        | 70%        | 502             | 501            | 0%         | 8,735            | 5,339          | 39%        | 112,980           | 39,682           | 65%        |
| Pere Marquette                    | 85%        | 153             | 0              | 100%       | 4,741            | 1,415          | 70%        | 63,015            | 12,200           | 81%        |
| Wolverine                         | 70%        | 1,414           | 464            | 67%        | 24,515           | 10,151         | 59%        | 311,019           | 99,763           | 68%        |
| Missouri                          | 80%        | 249             | 84             | 66%        | 4,091            | 1,266          | 69%        | 55,925            | 12,340           | 78%        |
| Pacific Surfliner                 | 85%        | 7,238           | 2,263          | 69%        | 144,864          | 30,837         | 79%        | 1,938,043         | 301,291          | 84%        |
| Pennsylvanian                     | 80%        | 759             | 72             | 91%        | 14,877           | 4,743          | 68%        | 226,738           | 39,884           | 82%        |
| Piedmont                          | 80%        | 870             | 478            | 45%        | 14,790           | 7,035          | 52%        | 298,784           | 75,556           | 75%        |
| Vermont                           | 75%        | 1,167           | 734            | 37%        | 20,486           | 11,597         | 43%        | 328,685           | 93,115           | 72%        |
| <b>Long Distance</b>              | <b>70%</b> | <b>11,869</b>   | <b>7,593</b>   | <b>36%</b> | <b>216,999</b>   | <b>131,858</b> | <b>39%</b> | <b>3,101,231</b>  | <b>1,226,899</b> | <b>60%</b> |
| Auto Train                        | 70%        | 763             | 362            | 53%        | 13,117           | 5,676          | 57%        | 197,012           | 65,752           | 67%        |
| California Zephyr                 | 70%        | 985             | 797            | 19%        | 16,286           | 8,052          | 51%        | 246,319           | 75,862           | 69%        |
| Cardinal                          | 70%        | 288             | 288            | 0%         | 4,270            | 2,604          | 39%        | 60,770            | 27,943           | 54%        |
| City Of New Orleans               | 75%        | 583             | 583            | 0%         | 9,791            | 6,983          | 29%        | 170,043           | 44,738           | 74%        |
| Coast Starlight                   | 70%        | 1,201           | 653            | 46%        | 20,557           | 10,649         | 48%        | 286,981           | 97,718           | 66%        |
| Crescent                          | 70%        | 762             | 442            | 42%        | 16,069           | 7,912          | 51%        | 236,274           | 66,713           | 72%        |
| Empire Builder                    | 70%        | 1,228           | 631            | 49%        | 19,361           | 13,441         | 31%        | 238,137           | 108,385          | 54%        |
| Floridian                         | 60%        | 1,420           | 1,420          | 0%         | 27,195           | 24,246         | 11%        | 409,006           | 263,962          | 35%        |
| Lake Shore Ltd                    | 73%        | 1,084           | 248            | 77%        | 17,931           | 7,106          | 60%        | 237,494           | 66,746           | 72%        |
| Palmetto                          | 70%        | 814             | 199            | 76%        | 15,599           | 8,923          | 43%        | 235,458           | 60,833           | 74%        |
| Silver Meteor                     | 70%        | 908             | 582            | 36%        | 17,340           | 11,237         | 35%        | 258,294           | 102,111          | 60%        |
| Southwest Chief                   | 60%        | 1,003           | 994            | 1%         | 16,588           | 13,346         | 20%        | 205,736           | 127,837          | 38%        |
| Sunset Ltd                        | 70%        | 330             | 249            | 25%        | 5,665            | 3,185          | 44%        | 73,930            | 24,664           | 67%        |
| Texas Eagle                       | 70%        | 500             | 145            | 71%        | 17,230           | 8,498          | 51%        | 245,777           | 93,635           | 62%        |
| <b>Seasonal Trains</b>            | <b>%</b>   | <b>0</b>        | <b>0</b>       | <b>-</b>   | <b>0</b>         | <b>0</b>       | <b>-</b>   | <b>39,267</b>     | <b>2,463</b>     | <b>94%</b> |
| Winter Park Express               | 75%        | 0               | 0              | -          | 0                | 0              | -          | 39,267            | 2,463            | 94%        |

Note: "This report contains preliminary data and is intended to be used for trend analysis. This report should not be used for outside reporting"



## Amtrak Caused Delay Per 10K Train Miles - By Department

26 FOI 00551 00000007070 "UNCLASSIFIED" 6/20/2026

Train Index Dates Through June 17, 2026

| Service       | Month to Date |             |             |                | FY to Date  |             |                |
|---------------|---------------|-------------|-------------|----------------|-------------|-------------|----------------|
|               | Target        | ACD Minutes | Train Miles | ACD per 10K TM | ACD Minutes | Train Miles | ACD per 10K TM |
| Amtrak System | 585           | 114,545     | 1,854,666   | 618            | 1,483,720   | 27,228,052  | 545            |

| Department               | Month to Date |             |             |                | FY to Date  |             |                |
|--------------------------|---------------|-------------|-------------|----------------|-------------|-------------|----------------|
|                          | Target        | ACD Minutes | Train Miles | ACD per 10K TM | ACD Minutes | Train Miles | ACD per 10K TM |
| INFRASTRUCTURE UNPLANNED | 107           | 6,590       | 542,255     | 122            | 70,727      | 7,797,242   | 91             |
| INFRASTRUCTURE PLANNED   | 135           | 9,704       | 542,255     | 179            | 71,972      | 7,797,242   | 92             |
| FLEET RELIABILITY        | 90            | 13,031      | 1,854,666   | 70             | 239,991     | 27,228,052  | 88             |
| TRAIN OPERATIONS         | 424           | 85,143      | 1,854,666   | 459            | 1,100,906   | 27,228,052  | 404            |

Note: "This report contains preliminary data and is intended to be used for trend analysis. This report should not be used for outside reporting"



Amtrak or Commuter: **Amtrak**

Initial terminal tolerance = 0 minutes.  
Report calculates based on scheduled departure date.

## Information Management

## Initial Terminal Performance By Terminal

Scheduled Departure Date: 06/17/2026

Amtrak or Commuter: Amtrak

| Location           | Target | ITP 06/17/2026 |      |        | ITP June 2026 To Date |      |        | ITP Fiscal Year 2026 To Date |        |       |
|--------------------|--------|----------------|------|--------|-----------------------|------|--------|------------------------------|--------|-------|
|                    |        | Operated       | Late | ITP    | Operated              | Late | ITP    | Operated                     | Late   | ITP   |
| <b>System</b>      | 84.0%  | 323            | 50   | 84.5%  | 5,322                 | 740  | 86.1%  | 77,287                       | 10,578 | 86.3% |
| Central Division   | 88.0%  | 67             | 6    | 91.0%  | 1,141                 | 127  | 88.9%  | 17,113                       | 1,725  | 89.9% |
| CDL                | 95.0%  | 2              | 0    | 100.0% | 37                    | 2    | 94.6%  | 491                          | 16     | 96.7% |
| CHI                | 86.0%  | 27             | 3    | 88.9%  | 464                   | 59   | 87.3%  | 6,891                        | 812    | 88.2% |
| CHM                | -      | -              | -    | -      | -                     | -    | -      | 13                           | 5      | 61.5% |
| DEN                | -      | -              | -    | -      | 1                     | 1    | 0.0%   | 58                           | 3      | 94.8% |
| DER                | -      | -              | -    | -      | -                     | -    | -      | 1                            | 1      | 0.0%  |
| EUG                | 86.5%  | 2              | 0    | 100.0% | 34                    | 1    | 97.1%  | 510                          | 51     | 90.0% |
| EVR                | -      | -              | -    | -      | -                     | -    | -      | 2                            | 2      | 0.0%  |
| GRR                | 95.5%  | 1              | 0    | 100.0% | 16                    | 0    | 100.0% | 247                          | 8      | 96.8% |
| KCY                | 92.0%  | 2              | 0    | 100.0% | 33                    | 2    | 93.9%  | 512                          | 38     | 92.6% |
| MEM                | -      | -              | -    | -      | -                     | -    | -      | 1                            | 1      | 0.0%  |
| MHL                | -      | -              | -    | -      | -                     | -    | -      | 28                           | 11     | 60.7% |
| MKE                | 92.0%  | 6              | 0    | 100.0% | 100                   | 7    | 93.0%  | 1,522                        | 93     | 93.9% |
| MSP                | 96.5%  | 1              | 0    | 100.0% | 17                    | 1    | 94.1%  | 253                          | 5      | 98.0% |
| PDX                | 86.0%  | 5              | 0    | 100.0% | 84                    | 17   | 79.8%  | 1,273                        | 157    | 87.7% |
| PNT                | 88.0%  | 3              | 0    | 100.0% | 50                    | 1    | 98.0%  | 665                          | 55     | 91.7% |
| PTH                | 93.0%  | 1              | 0    | 100.0% | 17                    | 0    | 100.0% | 248                          | 10     | 96.0% |
| QCY                | 91.0%  | 2              | 1    | 50.0%  | 33                    | 3    | 90.9%  | 506                          | 37     | 92.7% |
| SEA                | 85.0%  | 8              | 2    | 75.0%  | 136                   | 26   | 80.9%  | 2,037                        | 288    | 85.9% |
| SPK                | 90.0%  | 1              | 0    | 100.0% | 17                    | 1    | 94.1%  | 253                          | 18     | 92.9% |
| STL                | 89.0%  | 4              | 0    | 100.0% | 68                    | 4    | 94.1%  | 1,005                        | 88     | 91.2% |
| TOL                | -      | -              | -    | -      | -                     | -    | -      | 2                            | 2      | 0.0%  |
| TRM                | -      | -              | -    | -      | -                     | -    | -      | 34                           | 5      | 85.3% |
| VAC                | 97.0%  | 2              | 0    | 100.0% | 34                    | 2    | 94.1%  | 504                          | 14     | 97.2% |
| WIP                | -      | -              | -    | -      | -                     | -    | -      | 57                           | 5      | 91.2% |
| Northeast Division | 82.0%  | 104            | 21   | 79.8%  | 1,713                 | 258  | 84.9%  | 24,392                       | 3,838  | 84.3% |
| ALB                | 88.5%  | 8              | 0    | 100.0% | 134                   | 7    | 94.8%  | 1,914                        | 159    | 91.7% |
| BON                | 87.5%  | 5              | 0    | 100.0% | 85                    | 6    | 92.9%  | 1,248                        | 134    | 89.3% |
| BOS                | 85.5%  | 17             | 0    | 100.0% | 299                   | 26   | 91.3%  | 4,412                        | 547    | 87.6% |
| BRK                | 92.5%  | 2              | 0    | 100.0% | 82                    | 9    | 89.0%  | 1,236                        | 75     | 93.9% |
| BTN                | 82.0%  | 1              | 0    | 100.0% | 17                    | 1    | 94.1%  | 246                          | 38     | 84.6% |
| DOV                | -      | -              | -    | -      | -                     | -    | -      | 3                            | 2      | 33.3% |
| GFD                | 88.0%  | 2              | 0    | 100.0% | 33                    | 4    | 87.9%  | 505                          | 49     | 90.3% |
| HFD                | -      | 2              | 0    | 100.0% | 26                    | 0    | 100.0% | 129                          | 7      | 94.6% |
| MTR                | 79.0%  | 1              | 0    | 100.0% | 17                    | 2    | 88.2%  | 243                          | 43     | 82.3% |
| NFL                | 93.5%  | 2              | 0    | 100.0% | 34                    | 0    | 100.0% | 524                          | 22     | 95.8% |
| NFS                | -      | -              | -    | -      | -                     | -    | -      | 6                            | 5      | 16.7% |
| NHV                | 78.0%  | 5              | 0    | 100.0% | 85                    | 5    | 94.1%  | 1,342                        | 221    | 83.5% |
| NYP                | 75.5%  | 49             | 19   | 61.2%  | 775                   | 183  | 76.4%  | 10,454                       | 2,346  | 77.6% |
| PIT                | 76.0%  | -              | -    | -      | 2                     | 2    | 0.0%   | 2                            | 2      | 0.0%  |
| POR                | -      | 3              | 2    | 33.3%  | 3                     | 2    | 33.3%  | 8                            | 5      | 37.5% |
| ROC                | -      | -              | -    | -      | -                     | -    | -      | 2                            | 2      | 0.0%  |
| SAB                | 98.0%  | 1              | 0    | 100.0% | 16                    | 2    | 87.5%  | 247                          | 4      | 98.4% |
| SAO                | -      | -              | -    | -      | -                     | -    | -      | 1                            | 1      | 0.0%  |



## Information Management

## Initial Terminal Performance By Terminal

Scheduled Departure Date: 06/17/2026

Amtrak or Commuter: Amtrak

| Location           | Target | ITP 06/17/2026 |      |        | ITP June 2026 To Date |      |        | ITP Fiscal Year 2026 To Date |        |        |
|--------------------|--------|----------------|------|--------|-----------------------|------|--------|------------------------------|--------|--------|
|                    |        | Operated       | Late | ITP    | Operated              | Late | ITP    | Operated                     | Late   | ITP    |
| <b>System</b>      | 84.0%  | 323            | 50   | 84.5%  | 5,322                 | 740  | 86.1%  | 77,287                       | 10,578 | 86.3%  |
| Northeast Division | 82.0%  | 104            | 21   | 79.8%  | 1,713                 | 258  | 84.9%  | 24,392                       | 3,838  | 84.3%  |
| SAR                | -      | -              | -    | -      | -                     | -    | -      | 2                            | 2      | 0.0%   |
| SPG                | 92.5%  | 5              | 0    | 100.0% | 88                    | 7    | 92.0%  | 1,581                        | 87     | 94.5%  |
| STS                | -      | -              | -    | -      | -                     | -    | -      | 1                            | 1      | 0.0%   |
| TWO                | 73.0%  | 1              | 0    | 100.0% | 17                    | 2    | 88.2%  | 246                          | 54     | 78.0%  |
| WEM                | -      | -              | -    | -      | -                     | -    | -      | 20                           | 12     | 40.0%  |
| WOB                | -      | -              | -    | -      | -                     | -    | -      | 20                           | 20     | 0.0%   |
| Southeast Division | 83.0%  | 74             | 8    | 89.2%  | 1,189                 | 150  | 87.4%  | 17,658                       | 2,557  | 85.5%  |
| ATL                | -      | -              | -    | -      | -                     | -    | -      | 35                           | 5      | 85.7%  |
| CLT                | 91.5%  | 5              | 1    | 80.0%  | 82                    | 16   | 80.5%  | 1,276                        | 125    | 90.2%  |
| GRO                | -      | -              | -    | -      | 8                     | 3    | 62.5%  | 25                           | 8      | 68.0%  |
| HAR                | 79.5%  | 13             | 1    | 92.3%  | 197                   | 14   | 92.9%  | 2,878                        | 491    | 82.9%  |
| JAX                | -      | -              | -    | -      | -                     | -    | -      | 4                            | 1      | 75.0%  |
| LOR                | 84.0%  | 1              | 0    | 100.0% | 17                    | 1    | 94.1%  | 256                          | 32     | 87.5%  |
| MIA                | 89.5%  | 2              | 1    | 50.0%  | 34                    | 9    | 73.5%  | 513                          | 55     | 89.3%  |
| MOE                | 97.5%  | 2              | 0    | 100.0% | 34                    | 0    | 100.0% | 519                          | 7      | 98.7%  |
| NFK                | 84.5%  | 2              | 1    | 50.0%  | 34                    | 11   | 67.6%  | 595                          | 103    | 82.7%  |
| NOL                | 94.5%  | 5              | 0    | 100.0% | 73                    | 2    | 97.3%  | 1,096                        | 47     | 95.7%  |
| NPN                | 93.0%  | 2              | 0    | 100.0% | 34                    | 2    | 94.1%  | 487                          | 31     | 93.6%  |
| PGH                | 93.0%  | 1              | 0    | 100.0% | 17                    | 1    | 94.1%  | 258                          | 18     | 93.0%  |
| PHL                | 48.0%  | 5              | 3    | 40.0%  | 81                    | 37   | 54.3%  | 1,339                        | 655    | 51.1%  |
| RGH                | 95.0%  | 4              | 0    | 100.0% | 58                    | 4    | 93.1%  | 1,009                        | 41     | 95.9%  |
| RNK                | 83.5%  | 2              | 0    | 100.0% | 34                    | 4    | 88.2%  | 508                          | 75     | 85.2%  |
| RVM                | 87.5%  | -              | -    | -      | -                     | -    | -      | 113                          | 13     | 88.5%  |
| RVR                | -      | -              | -    | -      | -                     | -    | -      | 5                            | 3      | 40.0%  |
| SAV                | 96.0%  | 1              | 0    | 100.0% | 17                    | 1    | 94.1%  | 255                          | 9      | 96.5%  |
| SFA                | 88.0%  | 1              | 1    | 0.0%   | 17                    | 3    | 82.4%  | 256                          | 33     | 87.1%  |
| WAS                | 84.0%  | 28             | 0    | 100.0% | 452                   | 42   | 90.7%  | 6,231                        | 805    | 87.1%  |
| Southwest Division | 86.0%  | 78             | 15   | 80.8%  | 1,279                 | 205  | 84.0%  | 18,124                       | 2,458  | 86.4%  |
| ARN                | 92.0%  | 1              | 0    | 100.0% | 16                    | 1    | 93.8%  | 258                          | 18     | 93.0%  |
| BFD                | 79.0%  | 7              | 3    | 57.1%  | 113                   | 34   | 69.9%  | 1,599                        | 322    | 79.9%  |
| DAL                | -      | -              | -    | -      | -                     | -    | -      | 1                            | 0      | 100.0% |
| EMY                | 72.0%  | 1              | 0    | 100.0% | 16                    | 6    | 62.5%  | 273                          | 80     | 70.7%  |
| FNO                | -      | -              | -    | -      | -                     | -    | -      | 6                            | 3      | 50.0%  |
| FTW                | 92.5%  | 1              | 0    | 100.0% | 17                    | 2    | 88.2%  | 283                          | 34     | 88.0%  |
| GAC                | -      | -              | -    | -      | -                     | -    | -      | 1                            | 1      | 0.0%   |
| GJT                | -      | -              | -    | -      | 1                     | 0    | 100.0% | 1                            | 0      | 100.0% |
| GTA                | 90.0%  | 3              | 1    | 66.7%  | 51                    | 19   | 62.7%  | 777                          | 102    | 86.9%  |
| IRV                | -      | -              | -    | -      | -                     | -    | -      | 4                            | 2      | 50.0%  |
| LAX                | 89.5%  | 11             | 5    | 54.5%  | 181                   | 22   | 87.8%  | 2,539                        | 261    | 89.7%  |
| MCD                | -      | -              | -    | -      | -                     | -    | -      | 8                            | 7      | 12.5%  |
| OKC                | 97.0%  | 1              | 0    | 100.0% | 17                    | 0    | 100.0% | 254                          | 4      | 98.4%  |
| OKJ                | 74.5%  | 13             | 3    | 76.9%  | 203                   | 49   | 75.9%  | 2,750                        | 684    | 75.1%  |
| RNO                | -      | -              | -    | -      | 1                     | 0    | 100.0% | 2                            | 1      | 50.0%  |

Information Management

Initial Terminal Performance By Terminal

Scheduled Departure Date: 06/17/2026

Amtrak or Commuter: Amtrak

| Location           | Target | ITP 06/17/2026 |      |        | ITP June 2026 To Date |      |       | ITP Fiscal Year 2026 To Date |        |       |
|--------------------|--------|----------------|------|--------|-----------------------|------|-------|------------------------------|--------|-------|
|                    |        | Operated       | Late | ITP    | Operated              | Late | ITP   | Operated                     | Late   | ITP   |
| System             | 84.0%  | 323            | 50   | 84.5%  | 5,322                 | 740  | 86.1% | 77,287                       | 10,578 | 86.3% |
| Southwest Division | 86.0%  | 78             | 15   | 80.8%  | 1,279                 | 205  | 84.0% | 18,124                       | 2,458  | 86.4% |
| SAC                | 88.5%  | 16             | 1    | 93.8%  | 256                   | 39   | 84.8% | 3,614                        | 382    | 89.4% |
| SAN                | 90.5%  | 13             | 0    | 100.0% | 220                   | 15   | 93.2% | 3,075                        | 279    | 90.9% |
| SAS                | 90.5%  | 1              | 0    | 100.0% | 17                    | 3    | 82.4% | 256                          | 26     | 89.8% |
| SBA                | -      | -              | -    | -      | -                     | -    | -     | 2                            | 2      | 0.0%  |
| SJC                | 89.0%  | 7              | 1    | 85.7%  | 119                   | 6    | 95.0% | 1,816                        | 172    | 90.5% |
| SKN                | -      | -              | -    | -      | -                     | -    | -     | 7                            | 6      | 14.3% |
| SLC                | -      | -              | -    | -      | -                     | -    | -     | 1                            | 1      | 0.0%  |
| SLO                | 90.0%  | 3              | 1    | 66.7%  | 51                    | 9    | 82.4% | 542                          | 56     | 89.7% |
| SNC                | -      | -              | -    | -      | -                     | -    | -     | 31                           | 13     | 58.1% |
| SOL                | -      | -              | -    | -      | -                     | -    | -     | 24                           | 2      | 91.7% |

Initial terminal tolerance = 0 minutes.  
Report calculates based on scheduled departure date.



# Amtrak On Time Performance

Trains Arriving Through: 6/17/2026

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

| Train |     | Initial Terminal |      |        |              |      |       | Endpoint      |      |       |              |      |       |
|-------|-----|------------------|------|--------|--------------|------|-------|---------------|------|-------|--------------|------|-------|
|       |     | Month to Date    |      |        | Year to Date |      |       | Month to Date |      |       | Year to Date |      |       |
|       |     | Opr              | Late | Score  | Opr          | Late | Score | Opr           | Late | Score | Opr          | Late | Score |
| 1     | 170 | 8                | 0    | 100.0% | 110          | 7    | 93.6% | 8             | 6    | 25.0% | 110          | 22   | 80.0% |
| 3     | 81  | 17               | 9    | 47.1%  | 258          | 51   | 80.2% | 17            | 10   | 41.2% | 257          | 111  | 56.8% |
| 4     | 483 | 17               | 6    | 64.7%  | 258          | 39   | 84.9% | 17            | 13   | 23.5% | 258          | 170  | 34.1% |
| 5     | 33  | 17               | 3    | 82.4%  | 257          | 41   | 84.0% | 17            | 8    | 52.9% | 253          | 56   | 77.9% |
| 6     | 350 | 17               | 6    | 64.7%  | 256          | 73   | 71.5% | 17            | 7    | 58.8% | 256          | 72   | 71.9% |
| 7     |     | 17               | 1    | 94.1%  | 247          | 29   | 88.3% | 17            | 6    | 64.7% | 240          | 54   | 77.5% |
| 8     | 136 | 17               | 10   | 41.2%  | 247          | 103  | 58.3% | 17            | 16   | 5.9%  | 246          | 138  | 43.9% |
| 11    | 89  | 17               | 3    | 82.4%  | 258          | 45   | 82.6% | 17            | 7    | 58.8% | 252          | 52   | 79.4% |
| 14    | 48  | 17               | 2    | 88.2%  | 259          | 40   | 84.6% | 17            | 12   | 29.4% | 257          | 76   | 70.4% |
| 19    |     | 17               | 4    | 76.5%  | 257          | 60   | 76.7% | 17            | 6    | 64.7% | 256          | 54   | 78.9% |
| 20    | 118 | 17               | 1    | 94.1%  | 257          | 17   | 93.4% | 17            | 8    | 52.9% | 257          | 45   | 82.5% |
| 21    | 222 | 17               | 0    | 100.0% | 254          | 22   | 91.3% | 17            | 3    | 82.4% | 253          | 60   | 76.3% |
| 22    |     | 17               | 3    | 82.4%  | 255          | 24   | 90.6% | 17            | 9    | 47.1% | 253          | 60   | 76.3% |
| 23    | 48  | 17               | 0    | 100.0% | 260          | 5    | 98.1% | 17            | 9    | 47.1% | 259          | 63   | 75.7% |
| 24    | 107 | 17               | 0    | 100.0% | 260          | 14   | 94.6% | 17            | 5    | 70.6% | 259          | 35   | 86.5% |
| 25    |     | 17               | 0    | 100.0% | 259          | 2    | 99.2% | 17            | 10   | 41.2% | 258          | 64   | 75.2% |
| 26    | 40  | 17               | 0    | 100.0% | 259          | 3    | 98.8% | 17            | 9    | 47.1% | 258          | 47   | 81.8% |
| 27    |     | 17               | 4    | 76.5%  | 245          | 16   | 93.5% | 17            | 8    | 52.9% | 241          | 73   | 69.7% |
| 28    | 44  | 17               | 10   | 41.2%  | 241          | 56   | 76.8% | 17            | 11   | 35.3% | 241          | 47   | 80.5% |
| 40    | 211 | 17               | 7    | 58.8%  | 253          | 35   | 86.2% | 17            | 15   | 11.8% | 252          | 119  | 52.8% |
| 41    | 246 | 17               | 6    | 64.7%  | 253          | 97   | 61.7% | 17            | 15   | 11.8% | 251          | 183  | 27.1% |
| 42    |     | 17               | 1    | 94.1%  | 259          | 19   | 92.7% | 17            | 3    | 82.4% | 257          | 42   | 83.7% |
| 43    |     | 17               | 2    | 88.2%  | 258          | 39   | 84.9% | 17            | 8    | 52.9% | 258          | 50   | 80.6% |
| 48    |     | 17               | 2    | 88.2%  | 257          | 51   | 80.2% | 17            | 2    | 88.2% | 257          | 37   | 85.6% |
| 49    |     | 17               | 3    | 82.4%  | 257          | 64   | 75.1% | 17            | 4    | 76.5% | 257          | 50   | 80.5% |
| 50    | 82  | 7                | 2    | 71.4%  | 105          | 26   | 75.2% | 7             | 6    | 14.3% | 105          | 58   | 44.8% |
| 52    |     | 17               | 3    | 82.4%  | 256          | 33   | 87.1% | 17            | 5    | 70.6% | 255          | 57   | 77.6% |
| 53    | 165 | 17               | 1    | 94.1%  | 256          | 32   | 87.5% | 17            | 8    | 52.9% | 255          | 79   | 69.0% |
| 55    |     | 12               | 1    | 91.7%  | 159          | 5    | 96.9% | 12            | 6    | 50.0% | 156          | 33   | 78.8% |
| 56    |     | 13               | 1    | 92.3%  | 160          | 21   | 86.9% | 13            | 5    | 61.5% | 158          | 26   | 83.5% |
| 58    | 113 | 17               | 2    | 88.2%  | 249          | 14   | 94.4% | 17            | 12   | 29.4% | 248          | 58   | 76.6% |
| 59    | 313 | 17               | 5    | 70.6%  | 248          | 25   | 89.9% | 17            | 8    | 52.9% | 246          | 40   | 83.7% |
| 63    | 96  | 17               | 7    | 58.8%  | 260          | 114  | 56.2% | 17            | 14   | 17.6% | 256          | 129  | 49.6% |
| 64    | 106 | 17               | 2    | 88.2%  | 258          | 61   | 76.4% | 17            | 13   | 23.5% | 258          | 81   | 68.6% |
| 66    |     | 17               | 2    | 88.2%  | 257          | 53   | 79.4% | 17            | 3    | 82.4% | 255          | 46   | 82.0% |
| 67    |     | 13               | 0    | 100.0% | 178          | 11   | 93.8% | 13            | 1    | 92.3% | 178          | 28   | 84.3% |
| 68    | 58  | 17               | 2    | 88.2%  | 260          | 52   | 80.0% | 17            | 4    | 76.5% | 260          | 99   | 61.9% |
| 69    |     | 17               | 7    | 58.8%  | 247          | 53   | 78.5% | 17            | 3    | 82.4% | 243          | 26   | 89.3% |
| 71    | 43  | 17               | 0    | 100.0% | 255          | 3    | 98.8% | 17            | 7    | 58.8% | 254          | 63   | 75.2% |
| 72    | 24  | 17               | 5    | 70.6%  | 255          | 27   | 89.4% | 17            | 10   | 41.2% | 254          | 52   | 79.5% |
| 73    |     | 17               | 5    | 70.6%  | 259          | 16   | 93.8% | 16            | 9    | 43.8% | 257          | 124  | 51.8% |
| 74    | 28  | 15               | 3    | 80.0%  | 257          | 30   | 88.3% | 15            | 12   | 20.0% | 255          | 91   | 64.3% |



# Amtrak On Time Performance

Trains Arriving Through: 6/17/2026

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

| Train | Late  | Initial Terminal |      |        |              |      |       | Endpoint      |      |        |              |      |       |
|-------|-------|------------------|------|--------|--------------|------|-------|---------------|------|--------|--------------|------|-------|
|       |       | Month to Date    |      |        | Year to Date |      |       | Month to Date |      |        | Year to Date |      |       |
|       |       | Opr              | Late | Score  | Opr          | Late | Score | Opr           | Late | Score  | Opr          | Late | Score |
| 75    |       | 16               | 2    | 87.5%  | 257          | 12   | 95.3% | 16            | 10   | 37.5%  | 253          | 120  | 52.6% |
| 76    |       | 16               | 0    | 100.0% | 257          | 25   | 90.3% | 16            | 4    | 75.0%  | 250          | 102  | 59.2% |
| 77    | 26    | 16               | 0    | 100.0% | 256          | 17   | 93.4% | 16            | 11   | 31.3%  | 254          | 103  | 59.4% |
| 78    |       | 17               | 4    | 76.5%  | 255          | 18   | 92.9% | 17            | 5    | 70.6%  | 254          | 45   | 82.3% |
| 79    | 59    | 17               | 5    | 70.6%  | 257          | 52   | 79.8% | 17            | 11   | 35.3%  | 256          | 77   | 69.9% |
| 80    | Cncld | 17               | 4    | 76.5%  | 257          | 26   | 89.9% | 16            | 7    | 56.3%  | 255          | 43   | 83.1% |
| 84    | 22    | 13               | 0    | 100.0% | 153          | 11   | 92.8% | 13            | 4    | 69.2%  | 151          | 30   | 80.1% |
| 85    |       | 13               | 1    | 92.3%  | 161          | 16   | 90.1% | 13            | 8    | 38.5%  | 161          | 58   | 64.0% |
| 86    | 46    | 13               | 1    | 92.3%  | 161          | 12   | 92.5% | 13            | 13   | 0.0%   | 160          | 96   | 40.0% |
| 89    |       | 17               | 4    | 76.5%  | 255          | 56   | 78.0% | 17            | 6    | 64.7%  | 253          | 65   | 74.3% |
| 90    |       | 17               | 1    | 94.1%  | 255          | 9    | 96.5% | 17            | 8    | 52.9%  | 254          | 34   | 86.6% |
| 93    |       | 13               | 0    | 100.0% | 160          | 18   | 88.8% | 13            | 4    | 69.2%  | 159          | 34   | 78.6% |
| 94    |       | 13               | 5    | 61.5%  | 191          | 47   | 75.4% | 13            | 3    | 76.9%  | 189          | 64   | 66.1% |
| 95    |       | 13               | 0    | 100.0% | 160          | 3    | 98.1% | 13            | 6    | 53.8%  | 160          | 54   | 66.3% |
| 97    |       | 17               | 11   | 35.3%  | 257          | 161  | 37.4% | 17            | 10   | 41.2%  | 255          | 70   | 72.5% |
| 98    | 41    | 17               | 2    | 88.2%  | 257          | 19   | 92.6% | 17            | 10   | 41.2%  | 255          | 75   | 70.6% |
| 110   |       | 12               | 9    | 25.0%  | 157          | 92   | 41.4% | 12            | 1    | 91.7%  | 154          | 16   | 89.6% |
| 111   |       | 13               | 2    | 84.6%  | 151          | 30   | 80.1% | 13            | 1    | 92.3%  | 149          | 19   | 87.2% |
| 112   |       | 13               | 0    | 100.0% | 151          | 15   | 90.1% | 13            | 0    | 100.0% | 150          | 16   | 89.3% |
| 113   |       | 13               | 5    | 61.5%  | 82           | 20   | 75.6% | 13            | 1    | 92.3%  | 81           | 9    | 88.9% |
| 119   |       | 13               | 4    | 69.2%  | 151          | 40   | 73.5% | 13            | 1    | 92.3%  | 149          | 19   | 87.2% |
| 125   | 47    | 13               | 0    | 100.0% | 161          | 8    | 95.0% | 13            | 8    | 38.5%  | 161          | 62   | 61.5% |
| 129   |       | 13               | 3    | 76.9%  | 160          | 43   | 73.1% | 13            | 4    | 69.2%  | 160          | 23   | 85.6% |
| 130   |       | 13               | 2    | 84.6%  | 151          | 16   | 89.4% | 13            | 1    | 92.3%  | 149          | 13   | 91.3% |
| 131   |       | 13               | 3    | 76.9%  | 153          | 43   | 71.9% | 13            | 2    | 84.6%  | 153          | 29   | 81.0% |
| 134   |       | 13               | 1    | 92.3%  | 161          | 19   | 88.2% | 13            | 0    | 100.0% | 160          | 23   | 85.6% |
| 136   |       | 13               | 1    | 92.3%  | 161          | 19   | 88.2% | 12            | 2    | 83.3%  | 159          | 17   | 89.3% |
| 137   | 32    | 13               | 2    | 84.6%  | 158          | 30   | 81.0% | 13            | 6    | 53.8%  | 158          | 49   | 69.0% |
| 138   | 18    | 13               | 5    | 61.5%  | 161          | 34   | 78.9% | 13            | 6    | 53.8%  | 160          | 24   | 85.0% |
| 141   |       | 13               | 0    | 100.0% | 160          | 3    | 98.1% | 13            | 1    | 92.3%  | 159          | 27   | 83.0% |
| 148   |       | 13               | 1    | 92.3%  | 160          | 16   | 90.0% | 13            | 1    | 92.3%  | 158          | 28   | 82.3% |
| 151   | 70    | 17               | 7    | 58.8%  | 256          | 82   | 68.0% | 17            | 6    | 64.7%  | 255          | 80   | 68.6% |
| 170   |       | 13               | 0    | 100.0% | 156          | 11   | 92.9% | 13            | 0    | 100.0% | 155          | 28   | 81.9% |
| 171   | 29    | 13               | 0    | 100.0% | 161          | 10   | 93.8% | 13            | 7    | 46.2%  | 161          | 55   | 65.8% |
| 172   |       | 13               | 0    | 100.0% | 160          | 14   | 91.3% | 13            | 6    | 53.8%  | 158          | 51   | 67.7% |
| 173   |       | 13               | 0    | 100.0% | 156          | 21   | 86.5% | 13            | 6    | 53.8%  | 155          | 67   | 56.8% |
| 174   | 49    | 13               | 3    | 76.9%  | 161          | 20   | 87.6% | 13            | 5    | 61.5%  | 161          | 32   | 80.1% |
| 175   | 19    | 13               | 1    | 92.3%  | 161          | 20   | 87.6% | 13            | 5    | 61.5%  | 161          | 52   | 67.7% |
| 176   |       | 13               | 2    | 84.6%  | 156          | 13   | 91.7% | 13            | 1    | 92.3%  | 154          | 15   | 90.3% |
| 177   |       | 13               | 1    | 92.3%  | 161          | 23   | 85.7% | 13            | 1    | 92.3%  | 161          | 43   | 73.3% |
| 178   |       | 13               | 1    | 92.3%  | 161          | 23   | 85.7% | 12            | 1    | 91.7%  | 159          | 23   | 85.5% |
| 179   |       | 13               | 4    | 69.2%  | 161          | 18   | 88.8% | 12            | 7    | 41.7%  | 160          | 55   | 65.6% |



**Amtrak On Time Performance**

Trains Arriving Through: 6/17/2026

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

| Train |     | Initial Terminal |      |        |              |      |       | Endpoint      |      |        |              |      |       |
|-------|-----|------------------|------|--------|--------------|------|-------|---------------|------|--------|--------------|------|-------|
|       |     | Month to Date    |      |        | Year to Date |      |       | Month to Date |      |        | Year to Date |      |       |
|       |     | Opr              | Late | Score  | Opr          | Late | Score | Opr           | Late | Score  | Opr          | Late | Score |
| 181   | 19  | 13               | 9    | 30.8%  | 157          | 53   | 66.2% | 13            | 2    | 84.6%  | 155          | 11   | 92.9% |
| 182   |     | 13               | 2    | 84.6%  | 151          | 27   | 82.1% | 13            | 0    | 100.0% | 149          | 14   | 90.6% |
| 183   |     | 13               | 4    | 69.2%  | 160          | 48   | 70.0% | 13            | 0    | 100.0% | 158          | 32   | 79.7% |
| 184   |     | 13               | 0    | 100.0% | 161          | 26   | 83.9% | 13            | 0    | 100.0% | 160          | 21   | 86.9% |
| 185   | 25  | 13               | 1    | 92.3%  | 161          | 35   | 78.3% | 13            | 1    | 92.3%  | 161          | 11   | 93.2% |
| 186   |     | 13               | 1    | 92.3%  | 160          | 15   | 90.6% | 13            | 6    | 53.8%  | 159          | 36   | 77.4% |
| 190   |     | 13               | 4    | 69.2%  | 160          | 58   | 63.8% | 13            | 3    | 76.9%  | 159          | 37   | 76.7% |
| 192   |     | 13               | 0    | 100.0% | 158          | 19   | 88.0% | 13            | 1    | 92.3%  | 158          | 14   | 91.1% |
| 193   | 19  | 13               | 7    | 46.2%  | 160          | 67   | 58.1% | 13            | 9    | 30.8%  | 159          | 74   | 53.5% |
| 196   | 23  | 13               | 3    | 76.9%  | 160          | 16   | 90.0% | 13            | 2    | 84.6%  | 159          | 15   | 90.6% |
| 197   | 24  | 13               | 4    | 69.2%  | 161          | 67   | 58.4% | 13            | 7    | 46.2%  | 161          | 50   | 68.9% |
| 198   |     | 13               | 3    | 76.9%  | 93           | 14   | 84.9% | 12            | 3    | 75.0%  | 92           | 15   | 83.7% |
| 230   |     | 17               | 0    | 100.0% | 94           | 4    | 95.7% | 17            | 0    | 100.0% | 94           | 5    | 94.7% |
| 232   |     | 17               | 1    | 94.1%  | 260          | 11   | 95.8% | 17            | 1    | 94.1%  | 260          | 17   | 93.5% |
| 233   | 34  | 15               | 5    | 66.7%  | 242          | 54   | 77.7% | 15            | 12   | 20.0%  | 242          | 65   | 73.1% |
| 234   | 52  | 17               | 0    | 100.0% | 260          | 19   | 92.7% | 17            | 1    | 94.1%  | 260          | 22   | 91.5% |
| 235   |     | 17               | 5    | 70.6%  | 184          | 26   | 85.9% | 17            | 5    | 70.6%  | 184          | 35   | 81.0% |
| 236   | 28  | 17               | 0    | 100.0% | 244          | 7    | 97.1% | 17            | 5    | 70.6%  | 244          | 33   | 86.5% |
| 237   |     | 16               | 2    | 87.5%  | 258          | 51   | 80.2% | 16            | 3    | 81.3%  | 256          | 42   | 83.6% |
| 238   |     | 17               | 2    | 88.2%  | 184          | 19   | 89.7% | 17            | 4    | 76.5%  | 183          | 14   | 92.3% |
| 239   |     | 17               | 4    | 76.5%  | 259          | 71   | 72.6% | 17            | 3    | 82.4%  | 258          | 27   | 89.5% |
| 240   | 22  | 17               | 1    | 94.1%  | 259          | 19   | 92.7% | 16            | 9    | 43.8%  | 257          | 37   | 85.6% |
| 241   |     | 17               | 3    | 82.4%  | 260          | 66   | 74.6% | 17            | 6    | 64.7%  | 260          | 62   | 76.2% |
| 243   | 81  | 17               | 4    | 76.5%  | 196          | 55   | 71.9% | 16            | 2    | 87.5%  | 195          | 26   | 86.7% |
| 244   |     | 15               | 1    | 93.3%  | 242          | 10   | 95.9% | 15            | 2    | 86.7%  | 242          | 36   | 85.1% |
| 245   |     | 17               | 4    | 76.5%  | 141          | 25   | 82.3% | 17            | 1    | 94.1%  | 140          | 14   | 90.0% |
| 280   |     | 17               | 0    | 100.0% | 260          | 11   | 95.8% | 17            | 6    | 64.7%  | 260          | 46   | 82.3% |
| 281   | 28  | 17               | 2    | 88.2%  | 260          | 27   | 89.6% | 17            | 5    | 70.6%  | 260          | 41   | 84.2% |
| 283   | 73  | 17               | 7    | 58.8%  | 260          | 59   | 77.3% | 17            | 3    | 82.4%  | 260          | 46   | 82.3% |
| 284   |     | 17               | 0    | 100.0% | 260          | 10   | 96.2% | 17            | 3    | 82.4%  | 258          | 37   | 85.7% |
| 290   |     | 17               | 1    | 94.1%  | 260          | 47   | 81.9% | 17            | 11   | 35.3%  | 258          | 82   | 68.2% |
| 291   | 33  | 17               | 10   | 41.2%  | 259          | 66   | 74.5% | 17            | 10   | 41.2%  | 257          | 48   | 81.3% |
| 300   |     | 17               | 0    | 100.0% | 244          | 18   | 92.6% | 17            | 3    | 82.4%  | 242          | 52   | 78.5% |
| 301   |     | 17               | 1    | 94.1%  | 258          | 9    | 96.5% | 17            | 5    | 70.6%  | 255          | 48   | 81.2% |
| 302   |     | 17               | 2    | 88.2%  | 245          | 30   | 87.8% | 16            | 5    | 68.8%  | 241          | 68   | 71.8% |
| 305   | 37  | 17               | 2    | 88.2%  | 248          | 28   | 88.7% | 17            | 8    | 52.9%  | 244          | 97   | 60.2% |
| 306   | 46  | 17               | 2    | 88.2%  | 256          | 15   | 94.1% | 17            | 9    | 47.1%  | 255          | 67   | 73.7% |
| 307   |     | 17               | 2    | 88.2%  | 248          | 32   | 87.1% | 17            | 5    | 70.6%  | 245          | 66   | 73.1% |
| 311   |     | 17               | 0    | 100.0% | 258          | 23   | 91.1% | 16            | 2    | 87.5%  | 253          | 47   | 81.4% |
| 316   | 46  | 16               | 0    | 100.0% | 255          | 16   | 93.7% | 16            | 7    | 56.3%  | 252          | 59   | 76.6% |
| 318   | 95  | 17               | 2    | 88.2%  | 259          | 24   | 90.7% | 17            | 12   | 29.4%  | 256          | 114  | 55.5% |
| 319   | 124 | 17               | 3    | 82.4%  | 260          | 17   | 93.5% | 17            | 12   | 29.4%  | 258          | 134  | 48.1% |



# Amtrak On Time Performance

Trains Arriving Through: 6/17/2026

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

| Train | Late   | Initial Terminal |      |        |              |      |       | Endpoint      |      |        |              |      |       |
|-------|--------|------------------|------|--------|--------------|------|-------|---------------|------|--------|--------------|------|-------|
|       |        | Month to Date    |      |        | Year to Date |      |       | Month to Date |      |        | Year to Date |      |       |
|       |        | Opr              | Late | Score  | Opr          | Late | Score | Opr           | Late | Score  | Opr          | Late | Score |
| 329   |        | 13               | 1    | 92.3%  | 183          | 8    | 95.6% | 13            | 0    | 100.0% | 183          | 12   | 93.4% |
| 330   |        | 15               | 0    | 100.0% | 220          | 4    | 98.2% | 15            | 0    | 100.0% | 220          | 13   | 94.1% |
| 331   |        | 17               | 2    | 88.2%  | 260          | 28   | 89.2% | 17            | 2    | 88.2%  | 260          | 38   | 85.4% |
| 332   |        | 17               | 1    | 94.1%  | 260          | 13   | 95.0% | 17            | 3    | 82.4%  | 260          | 37   | 85.8% |
| 334   |        | 17               | 2    | 88.2%  | 260          | 8    | 96.9% | 17            | 4    | 76.5%  | 259          | 33   | 87.3% |
| 335   |        | 17               | 0    | 100.0% | 260          | 27   | 89.6% | 17            | 1    | 94.1%  | 258          | 40   | 84.5% |
| 336   | 11     | 17               | 0    | 100.0% | 260          | 8    | 96.9% | 17            | 3    | 82.4%  | 258          | 22   | 91.5% |
| 337   |        | 17               | 0    | 100.0% | 260          | 17   | 93.5% | 17            | 2    | 88.2%  | 256          | 31   | 87.9% |
| 338   |        | 17               | 2    | 88.2%  | 260          | 39   | 85.0% | 17            | 6    | 64.7%  | 258          | 76   | 70.5% |
| 339   | 16     | 17               | 3    | 82.4%  | 260          | 45   | 82.7% | 17            | 4    | 76.5%  | 260          | 46   | 82.3% |
| 341   |        | 17               | 2    | 88.2%  | 250          | 33   | 86.8% | 16            | 3    | 81.3%  | 246          | 34   | 86.2% |
| 342   |        | 17               | 2    | 88.2%  | 260          | 21   | 91.9% | 17            | 4    | 76.5%  | 258          | 48   | 81.4% |
| 350   |        | 17               | 1    | 94.1%  | 241          | 16   | 93.4% | 17            | 13   | 23.5%  | 236          | 128  | 45.8% |
| 351   | 17     | 17               | 1    | 94.1%  | 243          | 23   | 90.5% | 17            | 4    | 76.5%  | 242          | 66   | 72.7% |
| 352   | 21     | 17               | 0    | 100.0% | 228          | 17   | 92.5% | 17            | 5    | 70.6%  | 223          | 68   | 69.5% |
| 353   |        | 17               | 0    | 100.0% | 203          | 12   | 94.1% | 17            | 4    | 76.5%  | 197          | 34   | 82.7% |
| 354   |        | 17               | 4    | 76.5%  | 241          | 23   | 90.5% | 17            | 5    | 70.6%  | 237          | 81   | 65.8% |
| 355   |        | 16               | 0    | 100.0% | 254          | 26   | 89.8% | 15            | 8    | 46.7%  | 247          | 84   | 66.0% |
| 364   | 62     | 17               | 4    | 76.5%  | 249          | 54   | 78.3% | 17            | 11   | 35.3%  | 243          | 81   | 66.7% |
| 365   | 39     | 17               | 0    | 100.0% | 248          | 10   | 96.0% | 17            | 10   | 41.2%  | 246          | 82   | 66.7% |
| 370   | 94     | 17               | 3    | 82.4%  | 251          | 32   | 87.3% | 15            | 7    | 53.3%  | 245          | 61   | 75.1% |
| 371   |        | 16               | 0    | 100.0% | 247          | 8    | 96.8% | 16            | 2    | 87.5%  | 246          | 26   | 89.4% |
| 380   | 52     | 16               | 0    | 100.0% | 246          | 23   | 90.7% | 16            | 3    | 81.3%  | 246          | 45   | 81.7% |
| 381   | 72     | 17               | 1    | 94.1%  | 260          | 10   | 96.2% | 17            | 4    | 76.5%  | 260          | 42   | 83.8% |
| 382   | 94     | 17               | 3    | 82.4%  | 260          | 14   | 94.6% | 17            | 10   | 41.2%  | 260          | 81   | 68.8% |
| 383   | 20     | 17               | 1    | 94.1%  | 249          | 24   | 90.4% | 17            | 10   | 41.2%  | 247          | 97   | 60.7% |
| 390   |        | 17               | 0    | 100.0% | 242          | 15   | 93.8% | 17            | 4    | 76.5%  | 241          | 56   | 76.8% |
| 391   | 80     | 17               | 1    | 94.1%  | 245          | 7    | 97.1% | 17            | 9    | 47.1%  | 242          | 55   | 77.3% |
| 392   | 21     | 17               | 1    | 94.1%  | 259          | 5    | 98.1% | 17            | 9    | 47.1%  | 257          | 75   | 70.8% |
| 393   | Cncl'd | 17               | 0    | 100.0% | 260          | 15   | 94.2% | 16            | 6    | 62.5%  | 257          | 70   | 72.8% |
| 417   |        | 13               | 3    | 76.9%  | 171          | 35   | 79.5% | 13            | 1    | 92.3%  | 162          | 15   | 90.7% |
| 425   |        | 12               | 0    | 100.0% | 173          | 6    | 96.5% | 12            | 0    | 100.0% | 173          | 7    | 96.0% |
| 448   |        | 17               | 3    | 82.4%  | 190          | 37   | 80.5% | 17            | 7    | 58.8%  | 188          | 65   | 65.4% |
| 449   |        | 17               | 2    | 88.2%  | 188          | 29   | 84.6% | 17            | 5    | 70.6%  | 188          | 34   | 81.9% |
| 470   |        | 14               | 3    | 78.6%  | 184          | 34   | 81.5% | 13            | 2    | 84.6%  | 178          | 23   | 87.1% |
| 471   |        | 13               | 0    | 100.0% | 174          | 5    | 97.1% | 13            | 0    | 100.0% | 174          | 2    | 98.9% |
| 473   |        | 13               | 0    | 100.0% | 180          | 13   | 92.8% | 13            | 0    | 100.0% | 177          | 8    | 95.5% |
| 474   | 31     | 14               | 6    | 57.1%  | 175          | 50   | 71.4% | 13            | 10   | 23.1%  | 163          | 44   | 73.0% |
| 475   |        | 12               | 2    | 83.3%  | 178          | 5    | 97.2% | 12            | 4    | 66.7%  | 178          | 10   | 94.4% |
| 478   |        | 13               | 1    | 92.3%  | 172          | 27   | 84.3% | 13            | 3    | 76.9%  | 170          | 19   | 88.8% |
| 479   |        | 13               | 3    | 76.9%  | 179          | 28   | 84.4% | 13            | 3    | 76.9%  | 177          | 19   | 89.3% |
| 486   | 28     | 13               | 2    | 84.6%  | 183          | 27   | 85.2% | 13            | 7    | 46.2%  | 177          | 49   | 72.3% |



# Amtrak On Time Performance

Trains Arriving Through: 6/17/2026

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

| Train | Late | Initial Terminal |      |        |              |      |       | Endpoint      |      |        |              |      |       |
|-------|------|------------------|------|--------|--------------|------|-------|---------------|------|--------|--------------|------|-------|
|       |      | Month to Date    |      |        | Year to Date |      |       | Month to Date |      |        | Year to Date |      |       |
|       |      | Opr              | Late | Score  | Opr          | Late | Score | Opr           | Late | Score  | Opr          | Late | Score |
| 494   |      | 13               | 2    | 84.6%  | 184          | 33   | 82.1% | 13            | 1    | 92.3%  | 178          | 42   | 76.4% |
| 495   |      | 13               | 0    | 100.0% | 169          | 3    | 98.2% | 13            | 0    | 100.0% | 167          | 3    | 98.2% |
| 500   |      | 16               | 0    | 100.0% | 251          | 15   | 94.0% | 16            | 2    | 87.5%  | 249          | 30   | 88.0% |
| 502   |      | 17               | 1    | 94.1%  | 258          | 14   | 94.6% | 17            | 2    | 88.2%  | 255          | 55   | 78.4% |
| 503   | 28   | 17               | 2    | 88.2%  | 256          | 22   | 91.4% | 17            | 7    | 58.8%  | 250          | 66   | 73.6% |
| 504   | 18   | 17               | 0    | 100.0% | 260          | 16   | 93.8% | 17            | 8    | 52.9%  | 258          | 78   | 69.8% |
| 505   | 33   | 17               | 2    | 88.2%  | 258          | 32   | 87.6% | 17            | 7    | 58.8%  | 255          | 69   | 72.9% |
| 506   |      | 17               | 2    | 88.2%  | 255          | 35   | 86.3% | 16            | 5    | 68.8%  | 250          | 40   | 84.0% |
| 507   | 190  | 17               | 5    | 70.6%  | 260          | 33   | 87.3% | 17            | 8    | 52.9%  | 260          | 81   | 68.8% |
| 508   |      | 17               | 1    | 94.1%  | 255          | 39   | 84.7% | 17            | 7    | 58.8%  | 252          | 59   | 76.6% |
| 509   | 20   | 17               | 1    | 94.1%  | 257          | 12   | 95.3% | 17            | 8    | 52.9%  | 257          | 62   | 75.9% |
| 511   |      | 17               | 1    | 94.1%  | 252          | 21   | 91.7% | 17            | 4    | 76.5%  | 251          | 45   | 82.1% |
| 516   |      | 17               | 2    | 88.2%  | 252          | 26   | 89.7% | 17            | 11   | 35.3%  | 251          | 114  | 54.6% |
| 517   | 40   | 17               | 1    | 94.1%  | 260          | 8    | 96.9% | 16            | 12   | 25.0%  | 256          | 101  | 60.5% |
| 518   | 85   | 17               | 4    | 76.5%  | 260          | 33   | 87.3% | 17            | 16   | 5.9%   | 258          | 174  | 32.6% |
| 519   |      | 17               | 1    | 94.1%  | 252          | 9    | 96.4% | 17            | 3    | 82.4%  | 250          | 60   | 76.0% |
| 520   |      | 13               | 4    | 69.2%  | 141          | 22   | 84.4% | 13            | 0    | 100.0% | 138          | 8    | 94.2% |
| 521   |      | 13               | 1    | 92.3%  | 179          | 7    | 96.1% | 13            | 1    | 92.3%  | 179          | 21   | 88.3% |
| 522   |      | 13               | 5    | 61.5%  | 179          | 33   | 81.6% | 13            | 1    | 92.3%  | 176          | 17   | 90.3% |
| 523   |      | 13               | 0    | 100.0% | 179          | 6    | 96.6% | 13            | 2    | 84.6%  | 178          | 22   | 87.6% |
| 524   |      | 13               | 0    | 100.0% | 179          | 11   | 93.9% | 12            | 2    | 83.3%  | 177          | 20   | 88.7% |
| 525   |      | 13               | 1    | 92.3%  | 177          | 11   | 93.8% | 12            | 1    | 91.7%  | 174          | 13   | 92.5% |
| 526   |      | 13               | 4    | 69.2%  | 153          | 27   | 82.4% | 12            | 1    | 91.7%  | 150          | 12   | 92.0% |
| 527   |      | 13               | 1    | 92.3%  | 179          | 7    | 96.1% | 13            | 2    | 84.6%  | 179          | 31   | 82.7% |
| 528   |      | 13               | 0    | 100.0% | 179          | 13   | 92.7% | 13            | 0    | 100.0% | 178          | 29   | 83.7% |
| 529   | 28   | 13               | 0    | 100.0% | 179          | 10   | 94.4% | 13            | 4    | 69.2%  | 178          | 46   | 74.2% |
| 530   |      | 13               | 0    | 100.0% | 133          | 12   | 91.0% | 13            | 1    | 92.3%  | 133          | 23   | 82.7% |
| 531   |      | 13               | 1    | 92.3%  | 153          | 11   | 92.8% | 13            | 1    | 92.3%  | 153          | 11   | 92.8% |
| 532   |      | 13               | 4    | 69.2%  | 179          | 39   | 78.2% | 13            | 3    | 76.9%  | 179          | 26   | 85.5% |
| 534   |      | 13               | 1    | 92.3%  | 138          | 20   | 85.5% | 12            | 1    | 91.7%  | 136          | 12   | 91.2% |
| 535   |      | 13               | 2    | 84.6%  | 166          | 23   | 86.1% | 13            | 0    | 100.0% | 161          | 20   | 87.6% |
| 536   |      | 13               | 2    | 84.6%  | 179          | 45   | 74.9% | 13            | 0    | 100.0% | 176          | 35   | 80.1% |
| 537   | 16   | 13               | 3    | 76.9%  | 150          | 16   | 89.3% | 13            | 2    | 84.6%  | 145          | 13   | 91.0% |
| 538   |      | 13               | 1    | 92.3%  | 179          | 22   | 87.7% | 12            | 1    | 91.7%  | 178          | 33   | 81.5% |
| 539   |      | 13               | 5    | 61.5%  | 133          | 17   | 87.2% | 13            | 7    | 46.2%  | 133          | 59   | 55.6% |
| 540   |      | 13               | 3    | 76.9%  | 179          | 35   | 80.4% | 13            | 1    | 92.3%  | 172          | 17   | 90.1% |
| 541   |      | 13               | 4    | 69.2%  | 178          | 21   | 88.2% | 11            | 2    | 81.8%  | 173          | 33   | 80.9% |
| 542   |      | 13               | 0    | 100.0% | 178          | 20   | 88.8% | 13            | 2    | 84.6%  | 176          | 31   | 82.4% |
| 543   | 45   | 13               | 2    | 84.6%  | 179          | 17   | 90.5% | 13            | 3    | 76.9%  | 179          | 48   | 73.2% |
| 544   | 15   | 13               | 1    | 92.3%  | 177          | 20   | 88.7% | 13            | 1    | 92.3%  | 174          | 15   | 91.4% |
| 545   | 14   | 13               | 2    | 84.6%  | 179          | 14   | 92.2% | 13            | 4    | 69.2%  | 177          | 22   | 87.6% |
| 547   |      | 13               | 2    | 84.6%  | 179          | 35   | 80.4% | 13            | 3    | 76.9%  | 179          | 43   | 76.0% |



# Amtrak On Time Performance

Trains Arriving Through: 6/17/2026

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

| Train | Late | Initial Terminal |      |        |              |      |       | Endpoint      |      |        |              |      |       |
|-------|------|------------------|------|--------|--------------|------|-------|---------------|------|--------|--------------|------|-------|
|       |      | Month to Date    |      |        | Year to Date |      |       | Month to Date |      |        | Year to Date |      |       |
|       |      | Opr              | Late | Score  | Opr          | Late | Score | Opr           | Late | Score  | Opr          | Late | Score |
| 548   |      | 12               | 0    | 100.0% | 178          | 20   | 88.8% | 12            | 1    | 91.7%  | 177          | 14   | 92.1% |
| 549   | 20   | 13               | 2    | 84.6%  | 174          | 23   | 86.8% | 11            | 2    | 81.8%  | 168          | 16   | 90.5% |
| 550   | 15   | 13               | 0    | 100.0% | 133          | 13   | 90.2% | 13            | 5    | 61.5%  | 133          | 28   | 78.9% |
| 551   |      | 13               | 3    | 76.9%  | 175          | 18   | 89.7% | 13            | 2    | 84.6%  | 167          | 16   | 90.4% |
| 562   |      | 17               | 0    | 100.0% | 252          | 18   | 92.9% | 17            | 1    | 94.1%  | 249          | 28   | 88.8% |
| 564   | 34   | 17               | 3    | 82.4%  | 252          | 16   | 93.7% | 17            | 4    | 76.5%  | 244          | 30   | 87.7% |
| 566   | 45   | 17               | 0    | 100.0% | 250          | 16   | 93.6% | 17            | 1    | 94.1%  | 247          | 31   | 87.4% |
| 567   |      | 17               | 2    | 88.2%  | 137          | 8    | 94.2% | 17            | 0    | 100.0% | 135          | 5    | 96.3% |
| 572   | 20   | 17               | 0    | 100.0% | 247          | 21   | 91.5% | 17            | 7    | 58.8%  | 242          | 59   | 75.6% |
| 573   |      | 17               | 2    | 88.2%  | 250          | 37   | 85.2% | 17            | 4    | 76.5%  | 243          | 41   | 83.1% |
| 579   |      | 17               | 0    | 100.0% | 137          | 8    | 94.2% | 17            | 3    | 82.4%  | 132          | 24   | 81.8% |
| 580   |      | 17               | 2    | 88.2%  | 252          | 13   | 94.8% | 17            | 1    | 94.1%  | 248          | 20   | 91.9% |
| 581   |      | 17               | 2    | 88.2%  | 252          | 40   | 84.1% | 17            | 4    | 76.5%  | 250          | 49   | 80.4% |
| 584   |      | 17               | 2    | 88.2%  | 136          | 15   | 89.0% | 17            | 12   | 29.4%  | 133          | 75   | 43.6% |
| 587   |      | 17               | 1    | 94.1%  | 247          | 15   | 93.9% | 17            | 4    | 76.5%  | 238          | 34   | 85.7% |
| 588   |      | 17               | 2    | 88.2%  | 137          | 11   | 92.0% | 16            | 3    | 81.3%  | 136          | 20   | 85.3% |
| 591   |      | 17               | 1    | 94.1%  | 251          | 16   | 93.6% | 17            | 3    | 82.4%  | 246          | 26   | 89.4% |
| 593   |      | 17               | 1    | 94.1%  | 246          | 34   | 86.2% | 16            | 2    | 87.5%  | 229          | 26   | 88.6% |
| 595   | 17   | 17               | 2    | 88.2%  | 248          | 40   | 83.9% | 16            | 3    | 81.3%  | 245          | 43   | 82.4% |
| 600   |      | 13               | 0    | 100.0% | 188          | 9    | 95.2% | 13            | 0    | 100.0% | 186          | 14   | 92.5% |
| 601   |      | 13               | 1    | 92.3%  | 171          | 71   | 58.5% | 13            | 0    | 100.0% | 168          | 23   | 86.3% |
| 605   |      | 13               | 7    | 46.2%  | 178          | 112  | 37.1% | 13            | 0    | 100.0% | 174          | 19   | 89.1% |
| 607   |      | 13               | 3    | 76.9%  | 187          | 22   | 88.2% | 13            | 1    | 92.3%  | 184          | 22   | 88.0% |
| 609   |      | 13               | 0    | 100.0% | 178          | 22   | 87.6% | 13            | 0    | 100.0% | 177          | 14   | 92.1% |
| 622   |      | 11               | 0    | 100.0% | 96           | 29   | 69.8% | 11            | 0    | 100.0% | 95           | 5    | 94.7% |
| 626   |      | 13               | 0    | 100.0% | 92           | 11   | 88.0% | 13            | 1    | 92.3%  | 90           | 15   | 83.3% |
| 639   |      | 13               | 4    | 69.2%  | 159          | 37   | 76.7% | 13            | 0    | 100.0% | 158          | 18   | 88.6% |
| 640   | 14   | 13               | 1    | 92.3%  | 178          | 7    | 96.1% | 13            | 4    | 69.2%  | 176          | 74   | 58.0% |
| 641   | 31   | 13               | 4    | 69.2%  | 160          | 32   | 80.0% | 13            | 2    | 84.6%  | 160          | 24   | 85.0% |
| 642   | 22   | 13               | 1    | 92.3%  | 176          | 7    | 96.0% | 13            | 1    | 92.3%  | 175          | 23   | 86.9% |
| 643   |      | 13               | 0    | 100.0% | 190          | 39   | 79.5% | 13            | 0    | 100.0% | 188          | 31   | 83.5% |
| 644   |      | 13               | 0    | 100.0% | 182          | 26   | 85.7% | 13            | 1    | 92.3%  | 180          | 45   | 75.0% |
| 645   |      | 13               | 3    | 76.9%  | 190          | 38   | 80.0% | 13            | 4    | 69.2%  | 188          | 37   | 80.3% |
| 646   |      | 13               | 0    | 100.0% | 179          | 45   | 74.9% | 13            | 2    | 84.6%  | 177          | 85   | 52.0% |
| 647   |      | 13               | 0    | 100.0% | 190          | 31   | 83.7% | 13            | 2    | 84.6%  | 189          | 41   | 78.3% |
| 648   |      | 13               | 2    | 84.6%  | 186          | 49   | 73.7% | 13            | 0    | 100.0% | 186          | 31   | 83.3% |
| 649   |      | 13               | 3    | 76.9%  | 191          | 34   | 82.2% | 13            | 0    | 100.0% | 188          | 31   | 83.5% |
| 650   |      | 13               | 1    | 92.3%  | 190          | 39   | 79.5% | 13            | 3    | 76.9%  | 187          | 29   | 84.5% |
| 651   |      | 13               | 1    | 92.3%  | 190          | 16   | 91.6% | 13            | 2    | 84.6%  | 188          | 38   | 79.8% |
| 652   |      | 13               | 1    | 92.3%  | 191          | 26   | 86.4% | 13            | 1    | 92.3%  | 187          | 32   | 82.9% |
| 653   |      | 13               | 2    | 84.6%  | 179          | 30   | 83.2% | 13            | 2    | 84.6%  | 177          | 33   | 81.4% |
| 654   |      | 13               | 0    | 100.0% | 180          | 36   | 80.0% | 13            | 0    | 100.0% | 177          | 16   | 91.0% |



# Amtrak On Time Performance

Trains Arriving Through: 6/17/2026

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

| Train | Late  | Initial Terminal |      |        |              |      |       | Endpoint      |      |        |              |      |       |
|-------|-------|------------------|------|--------|--------------|------|-------|---------------|------|--------|--------------|------|-------|
|       |       | Month to Date    |      |        | Year to Date |      |       | Month to Date |      |        | Year to Date |      |       |
|       |       | Opr              | Late | Score  | Opr          | Late | Score | Opr           | Late | Score  | Opr          | Late | Score |
| 655   |       | 13               | 5    | 61.5%  | 188          | 68   | 63.8% | 13            | 6    | 53.8%  | 186          | 66   | 64.5% |
| 656   |       | 13               | 4    | 69.2%  | 190          | 44   | 76.8% | 13            | 0    | 100.0% | 189          | 21   | 88.9% |
| 657   |       | 13               | 1    | 92.3%  | 179          | 26   | 85.5% | 13            | 3    | 76.9%  | 178          | 26   | 85.4% |
| 658   |       | 13               | 2    | 84.6%  | 190          | 32   | 83.2% | 13            | 1    | 92.3%  | 188          | 30   | 84.0% |
| 680   |       | 13               | 1    | 92.3%  | 184          | 8    | 95.7% | 13            | 0    | 100.0% | 183          | 22   | 88.0% |
| 681   |       | 13               | 1    | 92.3%  | 184          | 13   | 92.9% | 13            | 5    | 61.5%  | 179          | 67   | 62.6% |
| 682   |       | 13               | 0    | 100.0% | 183          | 3    | 98.4% | 13            | 0    | 100.0% | 183          | 31   | 83.1% |
| 683   | 13    | 13               | 0    | 100.0% | 166          | 15   | 91.0% | 13            | 4    | 69.2%  | 165          | 46   | 72.1% |
| 684   |       | 13               | 4    | 69.2%  | 165          | 23   | 86.1% | 13            | 2    | 84.6%  | 165          | 35   | 78.8% |
| 685   | 27    | 13               | 2    | 84.6%  | 180          | 27   | 85.0% | 13            | 2    | 84.6%  | 178          | 42   | 76.4% |
| 686   |       | 13               | 2    | 84.6%  | 185          | 32   | 82.7% | 13            | 1    | 92.3%  | 185          | 35   | 81.1% |
| 687   |       | 13               | 0    | 100.0% | 185          | 29   | 84.3% | 13            | 2    | 84.6%  | 184          | 29   | 84.2% |
| 688   |       | 13               | 4    | 69.2%  | 183          | 9    | 95.1% | 13            | 2    | 84.6%  | 183          | 29   | 84.2% |
| 701   |       | 17               | 4    | 76.5%  | 192          | 19   | 90.1% | 17            | 4    | 76.5%  | 189          | 17   | 91.0% |
| 702   | 30    | 17               | 3    | 82.4%  | 259          | 29   | 88.8% | 16            | 5    | 68.8%  | 257          | 56   | 78.2% |
| 703   |       | 17               | 11   | 35.3%  | 260          | 73   | 71.9% | 17            | 8    | 52.9%  | 259          | 66   | 74.5% |
| 704   |       | 17               | 3    | 82.4%  | 191          | 30   | 84.3% | 16            | 1    | 93.8%  | 186          | 35   | 81.2% |
| 710   |       | 17               | 2    | 88.2%  | 260          | 66   | 74.6% | 17            | 8    | 52.9%  | 256          | 68   | 73.4% |
| 711   |       | 17               | 4    | 76.5%  | 251          | 26   | 89.6% | 17            | 4    | 76.5%  | 235          | 40   | 83.0% |
| 712   | 21    | 17               | 6    | 64.7%  | 257          | 66   | 74.3% | 17            | 9    | 47.1%  | 249          | 81   | 67.5% |
| 713   | 57    | 11               | 0    | 100.0% | 137          | 13   | 90.5% | 11            | 5    | 54.5%  | 124          | 55   | 55.6% |
| 714   | 185   | 16               | 6    | 62.5%  | 142          | 50   | 64.8% | 14            | 10   | 28.6%  | 132          | 52   | 60.6% |
| 715   | 86    | 17               | 5    | 70.6%  | 259          | 57   | 78.0% | 13            | 9    | 30.8%  | 240          | 118  | 50.8% |
| 716   | 74    | 17               | 3    | 82.4%  | 260          | 101  | 61.2% | 17            | 8    | 52.9%  | 255          | 98   | 61.6% |
| 717   |       | 17               | 6    | 64.7%  | 246          | 58   | 76.4% | 14            | 6    | 57.1%  | 229          | 64   | 72.1% |
| 718   |       | 17               | 9    | 47.1%  | 260          | 128  | 50.8% | 17            | 7    | 58.8%  | 258          | 85   | 67.1% |
| 719   |       | 17               | 4    | 76.5%  | 260          | 83   | 68.1% | 16            | 3    | 81.3%  | 247          | 67   | 72.9% |
| 757   |       | 17               | 1    | 94.1%  | 45           | 2    | 95.6% | 17            | 1    | 94.1%  | 45           | 2    | 95.6% |
| 761   |       | 17               | 2    | 88.2%  | 256          | 11   | 95.7% | 17            | 1    | 94.1%  | 253          | 33   | 87.0% |
| 765   |       | 17               | 0    | 100.0% | 256          | 24   | 90.6% | 17            | 1    | 94.1%  | 256          | 36   | 85.9% |
| 769   |       | 17               | 0    | 100.0% | 256          | 23   | 91.0% | 17            | 4    | 76.5%  | 250          | 47   | 81.2% |
| 770   |       | 17               | 1    | 94.1%  | 256          | 21   | 91.8% | 17            | 7    | 58.8%  | 254          | 69   | 72.8% |
| 774   |       | 17               | 0    | 100.0% | 256          | 16   | 93.8% | 17            | 4    | 76.5%  | 255          | 53   | 79.2% |
| 777   | No OS | 17               | 0    | 100.0% | 141          | 9    | 93.6% | 17            | 4    | 76.5%  | 141          | 34   | 75.9% |
| 782   | 29    | 17               | 16   | 5.9%   | 141          | 44   | 68.8% | 17            | 3    | 82.4%  | 136          | 13   | 90.4% |
| 785   |       | 17               | 3    | 82.4%  | 256          | 16   | 93.8% | 17            | 4    | 76.5%  | 256          | 43   | 83.2% |
| 786   | 54    | 17               | 7    | 58.8%  | 45           | 12   | 73.3% | 17            | 9    | 47.1%  | 44           | 21   | 52.3% |
| 790   |       | 17               | 2    | 88.2%  | 256          | 26   | 89.8% | 16            | 3    | 81.3%  | 253          | 29   | 88.5% |
| 794   | 70    | 17               | 2    | 88.2%  | 256          | 31   | 87.9% | 16            | 4    | 75.0%  | 253          | 55   | 78.3% |
| 821   | 20    | 17               | 0    | 100.0% | 254          | 4    | 98.4% | 17            | 7    | 58.8%  | 254          | 100  | 60.6% |
| 822   | 19    | 17               | 2    | 88.2%  | 256          | 14   | 94.5% | 17            | 7    | 58.8%  | 254          | 111  | 56.3% |
| 1333  |       | 17               | 0    | 100.0% | 256          | 26   | 89.8% | 17            | 6    | 64.7%  | 253          | 85   | 66.4% |



# Amtrak On Time Performance

Trains Arriving Through: 6/17/2026

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

| Train |       | Initial Terminal |      |        |              |      |       | Endpoint      |      |        |              |      |       |
|-------|-------|------------------|------|--------|--------------|------|-------|---------------|------|--------|--------------|------|-------|
|       |       | Month to Date    |      |        | Year to Date |      |       | Month to Date |      |        | Year to Date |      |       |
|       |       | Opr              | Late | Score  | Opr          | Late | Score | Opr           | Late | Score  | Opr          | Late | Score |
| 1340  |       | 17               | 1    | 94.1%  | 255          | 5    | 98.0% | 17            | 2    | 88.2%  | 255          | 41   | 83.9% |
| 1689  |       | 9                | 0    | 100.0% | 67           | 5    | 92.5% | 8             | 1    | 87.5%  | 66           | 7    | 89.4% |
| 2102  |       | 13               | 4    | 69.2%  | 37           | 12   | 67.6% | 13            | 1    | 92.3%  | 36           | 3    | 91.7% |
| 2103  |       | 13               | 1    | 92.3%  | 101          | 10   | 90.1% | 13            | 3    | 76.9%  | 100          | 9    | 91.0% |
| 2104  |       | 13               | 0    | 100.0% | 127          | 9    | 92.9% | 13            | 0    | 100.0% | 125          | 9    | 92.8% |
| 2107  |       | 13               | 3    | 76.9%  | 158          | 29   | 81.6% | 13            | 1    | 92.3%  | 155          | 19   | 87.7% |
| 2108  |       | 13               | 2    | 84.6%  | 158          | 25   | 84.2% | 13            | 1    | 92.3%  | 152          | 17   | 88.8% |
| 2110  |       | 13               | 1    | 92.3%  | 37           | 2    | 94.6% | 13            | 1    | 92.3%  | 37           | 5    | 86.5% |
| 2113  | 24    | 13               | 0    | 100.0% | 37           | 2    | 94.6% | 13            | 1    | 92.3%  | 37           | 5    | 86.5% |
| 2115  |       | 13               | 1    | 92.3%  | 37           | 3    | 91.9% | 13            | 1    | 92.3%  | 37           | 4    | 89.2% |
| 2121  |       | 13               | 3    | 76.9%  | 154          | 29   | 81.2% | 13            | 3    | 76.9%  | 152          | 26   | 82.9% |
| 2122  |       | 13               | 0    | 100.0% | 156          | 16   | 89.7% | 13            | 2    | 84.6%  | 156          | 14   | 91.0% |
| 2123  | 52    | 13               | 2    | 84.6%  | 37           | 5    | 86.5% | 13            | 6    | 53.8%  | 37           | 13   | 64.9% |
| 2124  |       | 13               | 1    | 92.3%  | 130          | 20   | 84.6% | 13            | 2    | 84.6%  | 129          | 12   | 90.7% |
| 2126  | 18    | 13               | 4    | 69.2%  | 95           | 23   | 75.8% | 13            | 2    | 84.6%  | 94           | 20   | 78.7% |
| 2150  | 49    | 13               | 0    | 100.0% | 151          | 22   | 85.4% | 13            | 3    | 76.9%  | 148          | 67   | 54.7% |
| 2151  | 44    | 13               | 2    | 84.6%  | 100          | 6    | 94.0% | 13            | 4    | 69.2%  | 98           | 27   | 72.4% |
| 2155  | 20    | 13               | 1    | 92.3%  | 160          | 14   | 91.3% | 13            | 7    | 46.2%  | 157          | 89   | 43.3% |
| 2159  | 21    | 13               | 0    | 100.0% | 153          | 9    | 94.1% | 13            | 5    | 61.5%  | 152          | 45   | 70.4% |
| 2162  | Cncld | 13               | 1    | 92.3%  | 160          | 12   | 92.5% | 12            | 6    | 50.0%  | 155          | 77   | 50.3% |
| 2163  | 16    | 13               | 0    | 100.0% | 160          | 17   | 89.4% | 13            | 7    | 46.2%  | 154          | 67   | 56.5% |
| 2166  | 20    | 13               | 0    | 100.0% | 156          | 13   | 91.7% | 13            | 7    | 46.2%  | 154          | 39   | 74.7% |
| 2167  |       | 13               | 0    | 100.0% | 150          | 18   | 88.0% | 13            | 3    | 76.9%  | 150          | 35   | 76.7% |
| 2170  | 21    | 13               | 0    | 100.0% | 130          | 38   | 70.8% | 13            | 9    | 30.8%  | 126          | 55   | 56.3% |
| 2171  |       | 13               | 1    | 92.3%  | 87           | 8    | 90.8% | 13            | 1    | 92.3%  | 84           | 18   | 78.6% |
| 2172  |       | 13               | 0    | 100.0% | 132          | 10   | 92.4% | 13            | 0    | 100.0% | 131          | 28   | 78.6% |
| 2190  |       | 13               | 1    | 92.3%  | 159          | 24   | 84.9% | 13            | 1    | 92.3%  | 157          | 22   | 86.0% |
| 2192  |       | 13               | 5    | 61.5%  | 85           | 19   | 77.6% | 13            | 1    | 92.3%  | 85           | 4    | 95.3% |



# Amtrak Endpoint OTP Details

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For

Region: ALL

Service: ALL

Arriving On: 6/17/2026

| Train | Terminal | Late             | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                                                                                                                              |
|-------|----------|------------------|----------|------|-----------------------|------|---------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |          |                  | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                                                                                                                                 |
| 2113  | WAS      | 24               | POL      | 17   | POL                   | 9    | BAL-BWI | AM   | On-train police or DEA activity, Held A/C Amtrak 185 stopped for unruly passenger at BWI Station                                                                                                                                             |
| 2123  | WAS      | 52               | ENG      | 31   | ENG                   | 31   | NYP-NYP | AM   | PTC - On Board Cab Signal or PTC Failure, 2124 NG NP, NECESSARY TO OPR THROUGH THE LOOP BEFORE DEPARTURE A/C ACSES ISSUES                                                                                                                    |
| 2126  | NYP      | 18               | MTI      | 20   | MTI                   | 13   | WIL-WIL | AM   | Disabled train ahead, Control Point, WIL, PICKING UP TRAVEL FROM DISABLED 80                                                                                                                                                                 |
| 2150  | BOS      | 49               | CTI      | 22   | CAR                   | 9    | NYP-NYP | AM   | Door, 0000, UNSPECIFIED DOOR & TILT ISSUS                                                                                                                                                                                                    |
| 2151  | WAS      | 44               | DBB      | 52   | DBB                   | 52   | XGX-NHV | AM   | Stuck open bridges, Bridge, Conn River                                                                                                                                                                                                       |
| 2155  | WAS      | 20               | CTI      | 14   | CAR                   | 9    | PVD-PVD | AM   | Door, all consist, Door unable to close                                                                                                                                                                                                      |
| 2159  | WAS      | 21               | CTI      | 25   | CTI                   | 17   | NHV-STM | MN   | Follow metro north, Milepost, 42.0, 33.6                                                                                                                                                                                                     |
| 2162  | BOS      | Trn<br>Cancelled | OTH      | 7    | DSR                   | 4    | PHL-XHM | AM   | Per dispatcher (radio/phone), Milepost, 60, 60, 60, 2, OPERATE 3 TRACK A/C S/R ON NYP DIVISION                                                                                                                                               |
| 2163  | WAS      | 16               | CTI      | 14   | CTI                   | 10   | NHV-STM | MN   | Follow MN, Milepost, 39, 34                                                                                                                                                                                                                  |
| 2166  | BOS      | 20               | OTH      | 9    | SMW                   | 9    | NYP-XSH | AM   | Scheduled in track usage program, Other, F-INT, FLWD LI1966 IN LINE 3 A/C LINE 2 OOS                                                                                                                                                         |
| 2170  | BOS      | 21               | CTI      | 18   | DSR                   | 9    | STM-NHV | MN   | Per bulletin Milepost, 41.7, 42.0, 15, 4                                                                                                                                                                                                     |
| 84    | NYP      | 22               | BSP      | 18   | BSP                   | 11   | XHM-TRE | AM   | Bridge strike, Other, CEDAR AVE                                                                                                                                                                                                              |
| 86    | BOS      | 46               | CTI      | 23   | CTI                   | 15   | WDB-ALX | CS   | Follow VRE, 31017, Other, ALL                                                                                                                                                                                                                |
| 125   | NPN      | 47               | CTI      | 47   | CTI                   | 12   | XVG-ALX | CS   | Follow vre, 329, Milepost, 112.2, 105.1                                                                                                                                                                                                      |
| 137   | WAS      | 32               | MTI      | 32   | MTI                   | 32   | PHL-WIL | AM   | Disabled train ahead, Control Point, WIL , DISABLED 80 AHEAD                                                                                                                                                                                 |
| 138   | NYP      | 18               | WTR      | 30   | DCS                   | 20   | ALX-XVG | AM   | Restrictive signal(s) from unknown cause Stop, Control Point, xvg                                                                                                                                                                            |
| 151   | RNK      | 70               | PTI      | 59   | PTI                   | 55   | CVS-LYH | NS   | Meet Track circuit issue impacting signals from Rivermont to McGyver. 178 and 20 given priority over us and had to be talked by stop signal at Rivermont and then ran on restricting signals until McGyver., 178, 20, Control Point, McGyver |
| 171   | RNK      | 29               | CTI      | 26   | CTI                   | 10   | XVG-ALX | CS   | Follow VRE, Milepost, 112.1, 105.1                                                                                                                                                                                                           |
| 174   | BOS      | 49               | CAR      | 30   | CAR                   | 30   | PHL-PHL | AM   | HEP, 82561 AX AS, NO POWER, MET BY MECHANICAL                                                                                                                                                                                                |



# Amtrak Endpoint OTP Details

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For

Region: ALL

Service: ALL

Arriving On: 6/17/2026

|       |          |               | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                                                                                                                              |
|-------|----------|---------------|----------|------|-----------------------|------|---------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Train | Terminal | Late          | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                                                                                                                                 |
| 175   | WAS      | 19            | CTI      | 28   | CTI                   | 28   | NHV-STM | MN   | Follow metro, Other, enroute                                                                                                                                                                                                                 |
| 181   | WAS      | 19            | SVS      | 41   | SVS                   | 41   | NYP-NYP | AM   | Water, commissary, toilet/trash dumping, LATE RELEASE BY CATERING                                                                                                                                                                            |
| 185   | WAS      | 25            | POL      | 29   | POL                   | 29   | BWI-BWI | AM   | Removal of passenger by police, unruly passenger                                                                                                                                                                                             |
| 193   | WAS      | 19            | SMW      | 15   | SMW                   | 9    | ABE-BAL | AM   | Scheduled in track usage program, Milepost, 79.3, ., held for 192, 192 opr 3 trk a/c 2 trk o/s between River and Gunpow, 554 on 1 trk                                                                                                        |
| 196   | NYP      | 23            | MTI      | 28   | MTI                   | 15   | XPV-WIL | AM   | Disabled train ahead, Milepost, 26.8, ., 80 disabled ahead in Wilmington                                                                                                                                                                     |
| 197   | WAS      | 24            | MTI      | 24   | MTI                   | 22   | PHL-WIL | AM   | Disabled train ahead, Control Point, WIL, TRAIN 80 ON FIRE IN THE STATION                                                                                                                                                                    |
| 474   | SPG      | 31            | CON      | 29   | CON                   | 29   | NHV-NHV | AM   | Hold for connecting train, AM474 was being held for late AM174, but ultimately was not held for AM474 and sent out                                                                                                                           |
| 486   | GFD      | 28            | CON      | 26   | CON                   | 26   | NHV-NHV | AM   | Hold for connecting train, AM486 delayed due to late connection of AM86                                                                                                                                                                      |
| 53    | SFA      | 165           | WTR      | 159  | WTR                   | 159  | XPX-XDD | CS   | Trees down Milepost w/Letters, A743.7, A743.7                                                                                                                                                                                                |
| 79    | CLT      | 59            | PTI      | 76   | SYS                   | 31   | NYP-NYP | AM   | Other late crew, LATE F/SSYD A/C LATE CREW                                                                                                                                                                                                   |
| 80    | XHM      | Trn Cancelled | MTI      | 156  | MTI                   | 156  | WIL-WIL | AM   | Disabled train ahead, Control Point, WIL, TRAIN ON FIRE IN STATION                                                                                                                                                                           |
| 640   | NYP      | 14            | CTI      | 23   | CTI                   | 11   | NWK-NYP | AM   | Follow, NJT, NJ6318, Other, SWIFT-NYP                                                                                                                                                                                                        |
| 641   | HAR      | 31            | PTI      | 27   | SYS                   | 19   | NYP-NYP | AM   | Other late crew, LATE F/SSYD A/C LATE CREW                                                                                                                                                                                                   |
| 642   | NYP      | 22            | CTP      | 29   | CTP                   | 18   | PAR-DOW | AM   | Delay due to mechanical problems on a Commuter train, OPERATE 4 TRACK AROUND DISABLED S9590                                                                                                                                                  |
| 20    | NYP      | 118           | FTI      | 190  | FTI                   | 131  | ATN-ATN | NS   | N152 in emergency. N152, Other, Anniston Station                                                                                                                                                                                             |
| 683   | POR      | 13            | PTI      | 12   | PTI                   | 12   | EXR-DHM | CS   | Meet 684, Control Point, rockingham                                                                                                                                                                                                          |
| 685   | BRK      | 27            | DMW      | 26   | DMW                   | 26   | POR-FRE | CS   | Waiting for MW clearance Control Point, royal                                                                                                                                                                                                |
| 63    | TWO      | 96            | CTI      | 62   | CTI                   | 53   | CRT-POU | MN   | Cross Traffic Held at CP39 for 3 southbound trains to clear the single track after MN809 went north and cleared the single track between CP39 and CP46, Metro North, 809, Amtrak, 234, Metro North, 844, Metro North, 846, Control Point, 39 |



# Amtrak Endpoint OTP Details

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For

Region: ALL

Service: ALL

Arriving On: 6/17/2026

|       |          |      | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                                                                                                   |  |
|-------|----------|------|----------|------|-----------------------|------|---------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Train | Terminal | Late | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                                                                                                      |  |
| 64    | NYP      | 106  | POL      | 80   | POL                   | 80   | XSD-NYP | AM   | Fire department hold, HELD IN INWOOD DUE TO FIRE DEPARTMENTHOLD ON ALL TRACKS BETWEEN INWOOD AND EMPIRE DUE TO BRUSH FIRE.                                                                                        |  |
| 68    | NYP      | 58   | POL      | 62   | POL                   | 29   | YNY-YNV | MN   | Fire department hold Trash fire in overbuild, hold on all tracks                                                                                                                                                  |  |
| 233   | ALB      | 34   | ITI      | 16   | ITI                   | 16   | NYP-NYP | AM   | Service, turn, or wye train, 236, LATE TURN OFF AM236                                                                                                                                                             |  |
| 234   | NYP      | 52   | PTI      | 36   | PTI                   | 21   | POU-CRT | MN   | Meet Was held at CP 46 while MN was single tracking between CP 39 and 46 for mobile unit 401 to do their work on Track 1. Waited for 809 and 63 to come to 46 and cross over., MN 809, AMTK 63, Control Point, 46 |  |
| 236   | NYP      | 28   | DSR      | 34   | DSR                   | 29   | POU-CRT | MN   | Per dispatcher (radio/phone) Hold at garrison station for Am63, Am68 and metro 813 north bound trains to go by, Milepost, 49.9, 49.9, 0, 2                                                                        |  |
| 240   | NYP      | 22   | CTI      | 20   | CTI                   | 18   | POU-CRT | MN   | Meet man, ?, Control Point, 46                                                                                                                                                                                    |  |
| 243   | ALB      | 81   | POL      | 79   | POL                   | 77   | NYP-NYP | AM   | Fire department hold, HELD IN STATION A/C FIRE DEPARTMENT HOLD ON ALL TRACKS BETWEEN EMPIRE AND INWOOD DUE TO BRUSH FIRE.                                                                                         |  |
| 281   | NFL      | 28   | FTI      | 30   | ITI                   | 21   | NYP-NYP | AM   | Service, turn, or wye train, 234, LATE TURN OFF AM234                                                                                                                                                             |  |
| 283   | NFL      | 73   | FTI      | 59   | CAR                   | 46   | NYP-NYP | AM   | Air / Brake / Wheel, 00000, LATE F/SSYD SHOPPED UNSPECIFIED CAR FOR UNSPECIFIED REASON                                                                                                                            |  |
| 291   | BTN      | 33   | CTI      | 25   | CTI                   | 25   | CRT-POU | MN   | Meet Held do to single track from mp 40.8 to mp 42.0, metro, 870, Amtrak, 290, Control Point, 39                                                                                                                  |  |
| 71    | CLT      | 43   | TRS      | 45   | TRS                   | 45   | DNC-GRO | NS   | Vehicle on track ahead Other, 20.6NC                                                                                                                                                                              |  |
| 72    | RGH      | 24   | ITI      | 8    | ITI                   | 8    | CLT-CLT | NS   | Service, turn, or wye train 71                                                                                                                                                                                    |  |
| 74    | RGH      | 28   | FTI      | 29   | FTI                   | 20   | HPT-GRO | NS   | Meet #NS13r, Control Point, Cox                                                                                                                                                                                   |  |
| 77    | CLT      | 26   | DCS      | 30   | DCS                   | 30   | RGH-CYN | NS   | Power switch failure Control Point, Fetner                                                                                                                                                                        |  |
| 98    | NYP      | 41   | CAR      | 71   | CAR                   | 61   | MIA-HOL | FL   | Water leaking from diner 68000                                                                                                                                                                                    |  |
| 40    | CHI      | 211  | DCS      | 135  | ITI                   | 77   | MIA-MIA | FL   | Service, turn, or wye train 4111, Late arrival into Miami                                                                                                                                                         |  |
| 41    | MIA      | 246  | FTI      | 144  | FTI                   | 39   | COV-CUM | CS   | Follow I116, E780, Milepost, 266.8, 244.3, Milepost, 178.9, 178.9                                                                                                                                                 |  |
| 23    | NOL      | 48   | FTI      | 56   | FTI                   | 40   | MOE-PAG | CS   | Meet L520, Siding, orange grove                                                                                                                                                                                   |  |



# Amtrak Endpoint OTP Details

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For

Region: ALL

Service: ALL

Arriving On: 6/17/2026

|       |          |      | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                      |
|-------|----------|------|----------|------|-----------------------|------|---------|------|----------------------------------------------------------------------------------------------------------------------|
| Train | Terminal | Late | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                         |
| 24    | MOE      | 107  | FTI      | 88   | FTI                   | 88   | PAG-MOE | CS   | Follow CSX 606, Milepost, 696.9, 666.6                                                                               |
| 26    | MOE      | 40   | FTI      | 34   | FTI                   | 12   | XNO-BAS | CS   | Meet L801, Siding, lake cathrine                                                                                     |
| 5     | EMY      | 33   | FTI      | 99   | FTI                   | 34   | OTM-OSC | BN   | Meet BNSF 5761, BNSF 1637, Control Point, 3569                                                                       |
| 6     | CHI      | 350  | FTI      | 246  | FTI                   | 98   | WIP-XXP | UP   | Cross over or go around Freight train lost PTC went into emergency, up5456, Milepost, 26.7, 26.7                     |
| 529   | SJC      | 28   | FTI      | 18   | FTI                   | 18   | DAV-FFV | UP   | Meet 6688 broken down ahead. Wait for 528 to pass. Single tracking., 6688, Control Point, pitt                       |
| 537   | OKJ      | 16   |          |      | PTI                   | 14   | FMT-GAC | UP   | Meet 544, Siding, albrea                                                                                             |
| 543   | SJC      | 45   | PTI      | 25   | POL                   | 12   | OAC-OAC | UP   | Right of Way police hold Police activity at OKJ                                                                      |
| 544   | SAC      | 15   | POL      | 25   | PTI                   | 9    | BKY-EMY | UP   | Juveniles on tracks                                                                                                  |
| 545   | OKJ      | 14   | PTI      | 16   | PTI                   | 9    | BKY-EMY | UP   | Meet Amtk 542, Control Point, RV007                                                                                  |
| 549   | OKJ      | 20   | MBO      | 27   | MBO                   | 27   | SUI-MTZ | UP   | For maritime traffic Bridge, Suisun Bay Bridge                                                                       |
| 550   | SAC      | 15   | PTI      | 13   | PTI                   | 8    | FMT-HAY | UP   | Meet 547, Control Point, shinn                                                                                       |
| 50    | NYP      | 82   | DSR      | 45   | DCS                   | 30   | X40-X4S | ME   | Restrictive signal(s) from known wayside signal failure Stop signal , Control Point, 59th st, Control Point, 74th st |
| 503   | EUG      | 28   | ENG      | 33   | ENG                   | 33   | SEA-SEA | BN   | Loading problem 1404                                                                                                 |
| 504   | SEA      | 18   | FTI      | 18   | FTI                   | 9    | ORC-PDX | UP   | Follow Running on signals following UP 7902 from Clackamas to Willsburg Jct, UP 7902, Milepost, 759, 765.0           |
| 505   | PDX      | 33   | FTI      | 21   | FTI                   | 21   | XNI-OLW | BN   | Meet bnsf, Control Point, 31                                                                                         |
| 507   | EUG      | 190  | SVS      | 106  | SVS                   | 106  | TUK-XA4 | BN   | Unplanned Wye Wyed the train at Stacy Yard due to non functioning horn on lead unit., Other, Stacy Yard              |
| 509   | PDX      | 20   | PTI      | 13   | FTI                   | 11   | TAC-XNI | BN   | Meet bnsf6191, Control Point, nisqually                                                                              |
| 517   | PDX      | 40   | MBO      | 16   | MBO                   | 16   | VAN-PDX | BN   | For maritime traffic Bridge, WILLAMETTE RIVER BRIDGE                                                                 |
| 518   | VAC      | 85   | RTE      | 33   | RTE                   | 23   | XNI-TAC | ST   | Line power switch and frog Main 2 to main track at Nisqually Control Point, Nisqually                                |
| 58    | CHI      | 113  | FTI      | 69   | SYS                   | 60   | MEM-NBN | CC   | PTC problem or failure (cause unknown) PTC went in active unable to contact moc support, Control Point, lucy jct     |



# Amtrak Endpoint OTP Details

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For

Region: ALL

Service: ALL

Arriving On: 6/17/2026

|       |          |      | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                                                                                                                                                                                             |
|-------|----------|------|----------|------|-----------------------|------|---------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Train | Terminal | Late | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                                                                                                                                                                                                |
| 59    | NOL      | 313  | ENG      | 194  | ENG                   | 181  | CHI-CHI | AM   | Set out defective locomotive 341                                                                                                                                                                                                                                                                            |
| 11    | LAX      | 89   | PTI      | 142  | PTI                   | 127  | SBA-SBA | UP   | Meet 777, Other, SBA Station                                                                                                                                                                                                                                                                                |
| 14    | SEA      | 48   | FTI      | 60   | SYS                   | 30   | PDX-PDX | BN   | Initializing issue; cycled breaker                                                                                                                                                                                                                                                                          |
| 8     | CHI      | 136  | ENG      | 100  | ENG                   | 100  | SEA-SEA | BN   | Set out defective locomotive 306                                                                                                                                                                                                                                                                            |
| 28    | SPK      | 44   | FTI      | 70   | FTI                   | 54   | PSC-XPW | BN   | Follow Red signal at Hatton, Talked by after 20 minutes. Restricted speed 101.2 to 90.8, crossover main 1 to main 2 at Beatrice. Go around the 3 freights we were following., BNSF 4730, BNSF 4644, BNSF 5871, Control Point, Hatton, Control Point, Beatrice                                               |
| 821   | FTW      | 20   | FTI      | 21   | DSR                   | 14   | GLE-FTW | BN   | Per bulletin Milepost, 403.2, 402.7, 75, main, Milepost, 400.9, 400.6, 60, main, Milepost, 396.3, 396.2, 30, main, Milepost, 392.4, 392.2, 60, main, Milepost, 383.6, 383.4, 60, main, Milepost, 378.3, 377.5, 75, main, Milepost, 374.1, 374, 60, main, Milepost, 370.7, 370.6, 30, main, Milepost, 365.1, |
| 822   | OKC      | 19   | FTI      | 35   | FTI                   | 23   | GLE-ADM | BN   | Meet BN 3852, Siding, 60&1                                                                                                                                                                                                                                                                                  |
| 336   | CHI      | 11   | PTI      | 9    | PTI                   | 9    | SVT-XRO | CP   | Meet Amtrak 335, Control Point, Wadsworth                                                                                                                                                                                                                                                                   |
| 339   | MKE      | 16   | CTI      | 25   | CTI                   | 25   | GLN-XRO | ME   | Follow Stopped due to mechanical problems with Metra 2148, Metra, 2148/2135, Other, gln-xro                                                                                                                                                                                                                 |
| 351   | CHI      | 17   | DBS      | 18   | DBS                   | 18   | XGO-KAL | MI   | Debris strike Tree, Other, 128.8                                                                                                                                                                                                                                                                            |
| 352   | PNT      | 21   | DCS      | 41   | DCS                   | 14   | X90-KAL | AM   | Issue with automatic road crossing protection Other, 147.3                                                                                                                                                                                                                                                  |
| 364   | PTH      | 62   | DSR      | 40   | DCS                   | 25   | KAL-XGO | MI   | Issue with automatic road crossing protection 137.52 N 30th St; name of street did not match, street sign, bungalow sign, crossing help line sign.<br>K st was the actual crossing, n 30th st was 100ft ahead not crossing the tracks, Control Point, 137.52 N 30th ST                                      |
| 365   | CHI      | 39   | DSR      | 40   | ADA                   | 9    | KAL-KAL | AM   | Wheelchair                                                                                                                                                                                                                                                                                                  |
| 370   | GRR      | 94   | FTI      | 60   | FTI                   | 41   | XTF-XH6 | NS   | Follow 10R, Milepost, 518, 509                                                                                                                                                                                                                                                                              |
| 564   | SAN      | 34   | CTI      | 18   | CTI                   | 14   | XRJ-FUL | BN   | Follow metrolink, Milepost, 160.0, 165.0                                                                                                                                                                                                                                                                    |
| 566   | SAN      | 45   | CTI      | 41   | CTI                   | 18   | XRJ-FUL | BN   | Follow Scax, Mtk 606, Other, Cp Valley View to CP Ful Jct                                                                                                                                                                                                                                                   |
| 572   | SAN      | 20   | FTI      | 10   | FTI                   | 10   | IRV-SNC | SC   | Meet unknown, Control Point, trabucco                                                                                                                                                                                                                                                                       |
| 595   | LAX      | 17   | FTI      | 20   | FTI                   | 15   | SOL-OSD | SN   | Meet 6681, Control Point, swami                                                                                                                                                                                                                                                                             |



# Amtrak Endpoint OTP Details

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For

Region: ALL

Service: ALL

Arriving On: 6/17/2026

|       |          |           | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                                                                                     |
|-------|----------|-----------|----------|------|-----------------------|------|---------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Train | Terminal | Late      | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                                                                                        |
| 777   | SLO      | No OS Rpt | CTI      | 14   | CTI                   | 9    | SOL-OSD | SN   | Meet coaster, Control Point, swami                                                                                                                                                                  |
| 782   | SAN      | 29        | PTI      | 36   | TRS                   | 27   | IRV-IRV | SC   | Unticketed or fare evading passenger Other, irv                                                                                                                                                     |
| 786   | SAN      | 54        | PTI      | 71   | PTI                   | 59   | GUA-LPS | UP   | Meet 14, Siding, tangair                                                                                                                                                                            |
| 794   | SAN      | 70        | PTI      | 49   | PTI                   | 49   | SNC-X98 | SC   | Meet 593, 595, Control Point, serra                                                                                                                                                                 |
| 702   | BFD      | 30        | FTI      | 59   | FTI                   | 24   | HNF-COC | BN   | Follow Stop signals at Calabrese and West Corcoran, Restricted Proceed at 955-2, Approach signals at West Guernsey, East Guernsey, 957-2 and Corcoran Lap., Other, HNF-COC, BNSF 6633 East, ZNBYWSP |
| 712   | BFD      | 21        | DCS      | 19   | DCS                   | 17   | COC-WAC | BN   | Restrictive signal(s) from unknown cause Flagging from E COC to MP945., STOP, Control Point, E COC                                                                                                  |
| 713   | OKJ      | 57        | FTI      | 45   | FTI                   | 35   | COC-HNF | BN   | Meet Held while BNSF 5807 cleared through form b limits 961.2-961.3 at 10mph, bnsf 5807, Siding, Guernsey                                                                                           |
| 714   | BFD      | 185       | FTI      | 53   | HLD                   | 18   | COC-COC | BN   | Multiple spots Combined 714/716 double spot and transferred 716 passengers to 714 train set.                                                                                                        |
| 715   | OKJ      | 86        | FTI      | 45   | FTI                   | 42   | WAC-COC | BN   | Follow Instructed by BFD SF dispatcher to go into Allensworth siding behind SF 3821 wait for signal follow SF out of siding, Control Point, Allensworth, SF 3821, Z train                           |
| 716   | BFD      | 74        | PTI      | 56   | PTI                   | 44   | HNF-COC | BN   | Rescued train 714 714, Siding, guernsey                                                                                                                                                             |
| 3     | LAX      | 81        | FTI      | 96   | DCS                   | 41   | RIV-FUL | BN   | Restrictive signal(s) from known wayside signal failure Red, Control Point, Atwood                                                                                                                  |
| 4     | CHI      | 483       | DTR      | 480  | DTR                   | 480  | XC7-GBB | BN   | Derailment XC7, GBB                                                                                                                                                                                 |
| 1     | LAX      | 170       | FTI      | 416  | FTI                   | 121  | XEA-XFA | UP   | Was held back cause freight train was in emergency between no 99.0 and 101.0 then follow train from mp 99.0 to mp 120.1. Milepost, 99.0, 120.1, UP 8398                                             |
| 21    | SAS      | 222       | FTI      | 217  | FTI                   | 146  | TAY-AUS | UP   | Meet Train had lost power. Waited in light power move to hook up and pull train out of way at the siding of Round Rock., Siding, Round Rock, UP 9098, Manifest                                      |
| 305   | STL      | 37        | DCS      | 58   | DCS                   | 39   | SPI-CRV | UP   | Restrictive signal(s) from unknown cause Stop, Control Point, iles                                                                                                                                  |
| 306   | CHI      | 46        | DMW      | 25   | DMW                   | 25   | CRV-SPI | UP   | Unable to contact dispatcher / MW foreman Control Point, Hazeldell                                                                                                                                  |
| 380   | CHI      | 52        | CTI      | 20   | CTI                   | 14   | LAG-XUA | BN   | Follow metra, Control Point, congress                                                                                                                                                               |



# Amtrak Endpoint OTP Details

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For

Region: ALL

Service: ALL

Arriving On: 6/17/2026

|       |          |                  | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                                                                                                                                |
|-------|----------|------------------|----------|------|-----------------------|------|---------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Train | Terminal | Late             | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                                                                                                                                   |
| 381   | QCY      | 72               | DBS      | 33   | FTI                   | 33   | NPV-PLO | BN   | Meet bnsf4187, bnsf3925, Control Point, aurora                                                                                                                                                                                                 |
| 382   | CHI      | 94               | PTI      | 46   | WTR                   | 34   | QCY-QCY | BN   | Storm Held for tornado warning, Control Point, quincy yard                                                                                                                                                                                     |
| 383   | QCY      | 20               | PTI      | 18   | PTI                   | 18   | KEE-GBB | BN   | Meet 4, 382, Control Point, Galva                                                                                                                                                                                                              |
| 391   | CDL      | 80               | DCS      | 44   | DCS                   | 44   | CEN-DQN | CC   | Power switch failure EWVRR power derails lost power. Were given authority to override interlock. Didn't work, CN maintainers showed up, told us about the derails, put them back on power and got us through., Control Point, Ashley Interlock |
| 392   | CHI      | 21               | DSR      | 21   | FTI                   | 12   | RTL-GLM | CC   | Meet Z 194, Control Point, N Paxton                                                                                                                                                                                                            |
| 393   | CDL      | Trn<br>Cancelled | WTR      | 240  | WTR                   | 236  | CHM-MAT | CC   | Trees down Multiple trees down on track., Milepost, 169.9, 169.9                                                                                                                                                                               |
| 316   | STL      | 46               | FTI      | 51   | FTI                   | 36   | WAR-SED | UP   | Meet MASNP, UP8862, Siding, Drezden                                                                                                                                                                                                            |
| 318   | CHI      | 95               | OTH      | 77   | OTH                   | 46   | LCN-LCN | UP   | Inspected rear axel for flat spot Car id 4209                                                                                                                                                                                                  |
| 319   | KCY      | 124              | DCS      | 56   | DCS                   | 46   | SED-WAR | UP   | Restrictive signal(s) from known wayside signal failure Talked by signal at 198, restricted speed to 211.7 for first clear signal, Stop, Milepost, 198, 211.7                                                                                  |



**Amtrak Initial Terminal Details**

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For:

Region: ALL

Division: ALL

Data Through: 6/17/2026

| Terminal | Train | Date  | Late | Delay | Cause                                                                                                                     |
|----------|-------|-------|------|-------|---------------------------------------------------------------------------------------------------------------------------|
| CLT      | 72    | 06/17 | 8    | 8     | Service, turn, or wye train 71                                                                                            |
| HAR      | 656   | 06/17 | 1    |       |                                                                                                                           |
| MIA      | 40    | 06/17 | 7    | 7     | HEP 62520                                                                                                                 |
| NFK      | 94    | 06/17 | 5    | 5     | Cross Traffic F20, Other, NFK                                                                                             |
| PHL      | 110   | 06/17 | 4    | 4     | Door, 82577 AX AS, A END DOOR BYPASS                                                                                      |
| PHL      | 151   | 06/17 | 8    | 8     | Door, 82543 AX AS, met mechanical a/c bad window seals in car 82543 and 82652                                             |
| PHL      | 190   | 06/17 | 3    | 3     | Meet, NJ TRANSIT, ., Control Point, ., HELD FOR NJ4608 AHEAD                                                              |
| SFA      | 52    | 06/17 | 89   | 89    | Service, turn, or wye train 53                                                                                            |
| NYP      | 63    | 06/17 | 36   | 36    | Other late crew, LATE F/SSYD A/C LATE CREW                                                                                |
| NYP      | 79    | 06/17 | 31   | 31    | Other late crew, LATE F/SSYD A/C LATE CREW                                                                                |
| NYP      | 97    | 06/17 | 2    | 2     | Passenger and/or baggage, LOADING                                                                                         |
| NYP      | 111   | 06/17 | 3    | 3     | Passenger and/or baggage, LATE BOARDING PSGRS                                                                             |
| NYP      | 113   | 06/17 | 8    | 8     | Other late crew, LATE F/SSYD A/C LATE CREW                                                                                |
| NYP      | 181   | 06/17 | 41   | 41    | Water, commissary, toilet/trash dumping, LATE RELEASE BY CATERING                                                         |
| NYP      | 183   | 06/17 | 9    | 9     | Other late crew, LATE F/SSYD A/C LATE CREW                                                                                |
| NYP      | 233   | 06/17 | 16   | 16    | Service, turn, or wye train, 236, LATE TURN OFF AM236                                                                     |
| NYP      | 243   | 06/17 | 77   | 77    | Fire department hold, HELD IN STATION A/C FIRE DEPARTMENT HOLD ON ALL TRACKS BETWEEN EMPIRE AND INWOOD DUE TO BRUSH FIRE. |
| NYP      | 245   | 06/17 | 16   | 16    | Fire department hold, LATE TURN OFF OF AM68, HELD IN YONKER AND INWOOD DUE TO BRUSH FIRE BETWEEN INWOOD AND EMPIRE.       |
| NYP      | 281   | 06/17 | 21   | 21    | Service, turn, or wye train, 234, LATE TURN OFF AM234                                                                     |
| NYP      | 283   | 06/17 | 46   | 46    | Air / Brake / Wheel, 00000, LATE F/SSYD SHOPPED UNSPECIFIED CAR FOR UNSPECIFIED REASON                                    |
| NYP      | 291   | 06/17 | 14   | 14    | Service, turn, or wye train, 240, LATE TURN OFF AM240                                                                     |
| NYP      | 639   | 06/17 | 6    | 6     | Door, 82560, DOOR ISSUES                                                                                                  |
| NYP      | 641   | 06/17 | 19   | 19    | Other late crew, LATE F/SSYD A/C LATE CREW                                                                                |
| NYP      | 649   | 06/17 | 6    | 6     | Dispatcher hold, Other, NYP, DELAYED AT DEPARTURE A/C DSPR CONFUSED BY TRAIN SCHEDULE                                     |
| NYP      | 655   | 06/17 | 3    | 3     | Wet / slippery rail, Other, NYP, HELD TO WAIT FOR DELAYED AM137 RTD AHD A/C WEATHER ISSUES ON BBY-OSB                     |
| NYP      | 2121  | 06/17 | 2    | 2     | Passenger and/or baggage, LOADING                                                                                         |



# Amtrak Initial Terminal Details

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For:

Region: ALL

Division: ALL

Data Through: 6/17/2026

| Terminal | Train | Date  | Late       | Delay | Cause                                                                                                                                                                              |
|----------|-------|-------|------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NYP      | 2123  | 06/17 | 31         | 31    | PTC - On Board Cab Signal or PTC Failure, 2124 NG NP, NECESSARY TO OPR THROUGH THE LOOP BEFORE DEPARTURE A/C ACSES ISSUES                                                          |
| POR      | 684   | 06/17 | 9          | 9     | Waiting for bus due to track work been BRK and POR                                                                                                                                 |
| POR      | 686   | 06/17 | 6          | 6     | Hold for thruway bus Bus from BRK and FRE                                                                                                                                          |
| CHI      | 3     | 06/17 | (Trn Cxld) |       | Freight Derailment                                                                                                                                                                 |
| CHI      | 7     | 06/17 | 71         | 71    | This delay goes under CAR, every time I enter the car #'s it goes back to Home Screen CAR #'s are 33011 & 32070<br>Once again this delay belongs under CAR                         |
| CHI      | 41    | 06/17 | 1          | 1     | Service, turn, or wye train 40                                                                                                                                                     |
| QCY      | 382   | 06/17 | 34         | 34    | Storm Held for tornado warning, Control Point, quincy yard                                                                                                                         |
| SEA      | 8     | 06/17 | 33         | 33    | Seattle added engine in yard for Spokane protect number 306                                                                                                                        |
| SEA      | 503   | 06/17 | 33         | 33    | Loading problem 1404                                                                                                                                                               |
| BFD      | 701   | 06/17 | 4          | 4     | Had to move over equipment from depot track 3 to depot track 1 Other, bfd depot                                                                                                    |
| BFD      | 703   | 06/17 | 2          | 1     | Service, turn, or wye train 712                                                                                                                                                    |
| BFD      | 703   | 06/17 | 2          | 1     | Door C9301, Door will not trainline closed.                                                                                                                                        |
| BFD      | 715   | 06/17 | 11         | 11    | HEP Engine hep issues plus door problems<br>Per road foreman Sam run train without door lights and lock out car 1 and 2, 2005                                                      |
| GTA      | 782   | 06/17 | 12         | 12    | Meet 14, Control Point, S. Elwood                                                                                                                                                  |
| LAX      | 2     | 06/17 | 10         |       |                                                                                                                                                                                    |
| LAX      | 4     | 06/17 | 42         | 1     | Meet Metrolink departed track 13 in front of us, Metrolink, Unknown, Control Point, Terminal                                                                                       |
| LAX      | 4     | 06/17 | 42         | 41    | Loco 176 Selecting ENG crashes EDR, Loco 176 failure to fully release brakes. Mechanical troubleshooting                                                                           |
| LAX      | 14    | 06/17 | 1          | 1     | Hold for connecting train Receiving pax from train 4<br>Red Cap enroute<br>10:51 OK to go<br>Calling dispatcher, 3                                                                 |
| LAX      | 564   | 06/17 | 11         | 11    | Service, turn, or wye train 564, Released from the yard late. Arrived at union station at 7:15                                                                                     |
| LAX      | 580   | 06/17 | 1          | 1     | Restrictive signal(s) from unknown cause Attempted to show on time by moving train up to red signal, but it did not work., Stop, Control Point, Terminal                           |
| OKJ      | 522   | 06/17 | 1          |       |                                                                                                                                                                                    |
| OKJ      | 536   | 06/17 | 11         | 11    | This isn't the delay code I would use but my delay report is having issue incident report number is inc0691068 late yard release flags dropped at 14:45 due to HEP AND DOOR ISSUES |
| OKJ      | 718   | 06/17 | 9          | 3     | Waiting for signals to timeout Control Point, N. Jack London                                                                                                                       |



**Amtrak Initial Terminal Details**

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

Late Trains For:

Region: ALL

Division: ALL

Data Through: 6/17/2026

| Terminal | Train | Date  | Late | Delay | Cause                                                                                                                                                            |
|----------|-------|-------|------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OKJ      | 718   | 06/17 | 9    | 6     | Service, turn, or wye train 713                                                                                                                                  |
| SAC      | 543   | 06/17 | 1    |       |                                                                                                                                                                  |
| SJC      | 538   | 06/17 | 2    | 2     | Removal of passenger by police Disorderly conduct 26008411                                                                                                       |
| SLO      | 786   | 06/17 | 8    | 4     | PTC- IETMS incorrect consist Other, slo station                                                                                                                  |
| SLO      | 786   | 06/17 | 8    | 4     | Engine issues with bottled air in brake system, I keep trying to use the correct code but it crashes the delay report app every time I select the engine numbers |



# Eastern Region

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

## Commuter Services

| Service Type | OTP Goal | OTP Day | OTP MTD | OTP Prior Month | Trains Operated | Trains Late |
|--------------|----------|---------|---------|-----------------|-----------------|-------------|
| MBTA         | 95.0     | 100.0   | 99.0    | 94.8            | 342             | 0           |
| CDOT         | 95.0     | 75.0    | 89.7    | 92.4            | 20              | 5           |
| MARC         | 95.0     | No Data | No Data | 90.2            | No Data         | No Data     |
| SEPTA        | 95.0     | No Data | No Data | 91.5            | No Data         | No Data     |
| NJT-NED      | 95.0     | 97.6    | 90.3    | 88.6            | 345             | 8           |
| NJT-SED      | 95.0     | No Data | No Data | 97.2            | No Data         | No Data     |

## Operating Highlights

### *Train 52(17) North of Charleston, SC - Freight Train Interference*

18JUN26: Train 52(17) with engines 360, 354, 44 cars, and 428 customers onboard was delayed at milepost 362.4, 25 miles north of Charleston, SC on the CSX Charleston subdivision due to meeting CSX freight train IO37. Once the freight train cleared, train 52(17) was able to advance.

| Train  | Delay | Comment |
|--------|-------|---------|
| 52(17) | 34"   |         |

### *Train 97(17) North of Florence, SC - Passenger Train Interference*

18JUN26: Train 97(17) with engines 331, 151, 11 cars, and 250 customers was delayed at milepost 286.2, 6 miles north of Florence, SC on the CSX South End subdivision due to meeting train 52(17). Once the passenger train passed, train 97(17) advanced to the next station.

| Train  | Delay | Comment |
|--------|-------|---------|
| 97(17) | 40"   |         |

### *Train 49/449(17) Albany-Rensselaer, NY - Servicing*

17JUN26: Train 49/449(17) with engines 119, 118, 10 cars, and 186 customers onboard was delayed departing Albany, NY on the Amtrak HUD line due to scheduled change to the consist. Once the changes were made and the necessary tests performed, train 49/449(17) departed Albany to advance to the next station.

| Train      | Delay | Comment |
|------------|-------|---------|
| 49/449(17) | 32"   |         |



### CSX Heat Orders - Weather

17JUN26: Trains were delayed between 11:00 AM-ET and 1:00 PM-ET due to heat orders implemented on the following CSX subdivisions: Cumberland, Keystone, Metropolitan, Old Main Line, Peninsula, RF&P, Richmond Terminal, Auburndale, Carters, Jacksonville Terminal, Lakeland, North End, and Tampa Terminal.

| Train   | Delay | Comment |
|---------|-------|---------|
| 125(17) | 10"   |         |
| 41(16)  | 37"   |         |
| 53(17)  | 44"   |         |
| 186(17) | 23"   |         |
| 95(17)  | 22"   |         |
| 79(17)  | 28"   |         |
| 40(16)  | 47"   |         |
| 40(17)  | 1'04" |         |
| 90(17)  | 44"   |         |
| 98(17)  | 03"   |         |
| 89(17)  | 46"   |         |
| 138(17) | 30"   |         |
| 97(16)  | 26"   |         |
| 80(17)  | 20"   |         |
| 178(17) | 02"   |         |

### Hudson Line New York, NY - Fire Reported Near Tracks

17JUN26: At 9:41 PM-ET, FDNY requested a hold on all tracks around milepost 2.84, 3 miles north of New York, NY on the Amtrak Hudson Line. It was reported that there was a fire near the tracks. The fire department responded to the scene and extinguished the fire. The fire department reported clear of the tracks at 10:45 PM-ET. Train 243(17) was held in New York for a clear route. Train 64(17) was held at milepost 6.5. Train 68(17) was held at Yonkers, NY.

| Train   | Delay | Comment |
|---------|-------|---------|
| 243(17) | 1'17" |         |
| 64(17)  | 1'20" |         |
| 68(17)  | 1'02" |         |

### Train 89(17) North of Fayetteville, NC - Freight Train Interference

17JUN26: Train 89(17) with engine 139, 7 cars, and 206 customers onboard was delayed at milepost 209.1, half a mile north of Fayetteville, NC on the CSX South End subdivision due to meeting CSX freight train M491. The freight train was disabled due to air hose issues. Once the freight train was able to rectify the issue and cleared out of the way, train 89(17) was able to advance to the next station.

| Train  | Delay | Comment |
|--------|-------|---------|
| 89(17) | 1'21" |         |



### **Train 80(17) Wilmington, DE - Excessive Smoke due to Debris**

17JUN26: Train 80(17) with engines 192, 343, 10 cars, and 192 customers onboard was stopped at Wilmington, DE on the Amtrak PW line due to excessive smoke coming from underneath the baggage car. The fire department and ET responded to the scene. It was found that there was debris stuck in one of the trucks. The power was taken from tracks 1 and 2 from Ragan to Wine. It was also taken on track 2 from Wine to Holly. This created single track conditions through the area. The customers were transferred to trains 2126(17) and 196(17). Train 80(17) was terminated in Wilmington. Once the smoke was extinguished and the power was restored, train 80 deadheaded to New York making stops in Philadelphia for a recrew and in Trenton and Newark to drop off baggage.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 2126(17)     | 20"          |                |
| 196(17)      | 28"          |                |
| 80(17)       | 2'36"        |                |
| 137(17)      | 32"          |                |
| 55(17)       | 14"          |                |
| 2123(17)     | 13"          |                |
| 197(17)      | 24"          |                |
| 90(17)       | 05"          |                |
| 2171(17)     | 17"          |                |
| 55(17)       | 14"          |                |
| 192(17)      | 05"          |                |

### **Train 41(16) South of Alexandria, VA - Freight Train Interference**

17JUN26: Train 41(16) with engines 192, 343, 10 cars, and 190 customers onboard was delayed beginning at milepost 104.3, 1 mile south of Alexandria, VA on the CSX RF&P subdivision due to following CSX freight train 305 from milepost 104.3 to milepost 61.0. Once the freight train was clear, train 41(16) was able to advance to the next station.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 41(16)       | 38"          |                |

### **Train 69(17) North of Westport, NY - Passenger Train Interference**

17JUN26: Train 69(17) with engine 111, 4 cars, and 51 customers onboard was delayed at milepost 131.8, 4 miles north of Westport, NY on the Canadian Pacific Canadian subdivision due to meeting train 68(17). Once the passenger train passed, train 69(17) was able to advance to the next station.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 69(17)       | 32"          |                |

### **Train 2123(17) New York, NY - Initial Terminal Delay**

17JUN26: Train 2123(17) operating Next Gen Acela Set 12 with 301 customers onboard was delayed departing New York, NY on the Amtrak NYT line due to power car 2133 not being able to lead. The train was looped and was able to depart the station at 6:31 PM-ET.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 2123(17)     | 31"          |                |



### **Train 449(17) West of Worcester, MA - Freight Train Interference**

17JUN26: Train 449(17) 26-FOI-00551 en000000787818, "UNCLASSIFIED" 3 6/23/2026 and 63 customers onboard was delayed beginning at milepost 48.3, 4 miles west of Worcester, MA on the CSX Boston subdivision due to crossing over to go around a CSX freight train. Once the train went around the freight, train 449(17) advanced to the next station.

| Train   | Delay | Comment |
|---------|-------|---------|
| 449(17) | 53"   |         |

### **Multiple Trains - NYP Line - Bridge Strike**

17JUN26: Multiple trains were delayed as a result of a reported bridge Strike at Cedar Road MP 69.29 on the NYP Line. A B&B inspector responded and okayed the bridge for normal service.

| Train   | Delay | Comment |
|---------|-------|---------|
| 174(17) | 17"   |         |
| 84(17)  | 18"   |         |
| 131(17) | 08"   |         |

### **Train 77(17) South of Raleigh, NC - Switch Issue**

17JUN26: Train 77(17) operating with locomotives NC1893-NC1984, 4 cars and 49 customers onboard was delayed at MP 73 on the NS Goldsboro-Greensboro subdivision due to power switch failure at Fetner. NS signal maintainers responded and were able to restore the function of the switch and allow it to operate in the normal position. After the switch issue was resolved train 77(17) was able to proceed.

| Train  | Delay | Comment |
|--------|-------|---------|
| 77(17) | 30"   |         |

### **Train 89(17) South of Alexandria, VA - Freight Train Interference**

17JUN26: Train 89(17) operating with locomotive 139, 7 cars and 257 customers onboard was delayed beginning at MP 102 on the CSX RF&P subdivision following CSX I031-17 from Alexandria to Richmond. Train 79(17) was delayed following train 89(17).

| Train  | Delay | Comment       |
|--------|-------|---------------|
| 89(17) | 18"   |               |
| 79(17) | 15"   | Follow I031   |
| 79(17) | 25"   | Follow 89(17) |



### **Train 2162(17) Newark, NJ - Engine Failure**

17JUN26: At 12:14 pm 26-FOI-00551 aia00008007878 (17) "UNCLASSIFIED" 6/23/2026 Legacy Acela TS-19 and 208 customers onboard became disabled while in the station at Newark, NJ when the crew reported they lost tractive effort and HEP. The crew was in contact with HSR Mechanical and received assistance with resetting the trainset. Tractive effort and HEP were able to be restored and the crew was able to successfully perform a class II brake test and attempt to resume operation. When departing for the second time the train lost all functionality including HEP and tractive effort. Train 2162(17) was terminated at Newark and all customers were transferred to 182(17) and 2108(17) on the station platform. All customers were provided the opportunity to rebook to next available travel options. After all passengers were transferred and moving toward their destinations the trainset restored tractive effort and HEP for a second time and departed Newark as a deadhead move to New York. The equipment quickly became disabled a third time blocking the routing at REA Interlocking. A rescue motor dispatched out of New York was added to the East end and the set was towed to New York Sunnyside Yard for Repairs.

As a result of the termination of 2162(17) train and no replacement equipment available in Boston, 2193(17) was cancelled in its entirety.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 2162(17)     |              | Term NWK       |
| 2193(17)     |              | Cancelled      |

### **Train 283(17) Initial Terminal Delay - Car Failure**

17JUN26: Train 283(17) operating with locomotive 89-707 and 5 cars was delayed at the initial terminal of New York due to the shopping of car 48174 and needing to be replaced with car 48172. Car 48172 needed to be fully stocked and serviced prior to the release of the equipment from the yard. Once all servicing was completed the trainset was released and moved into New York Terminal where 236 customers were boarded and the train was able to depart.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 283(17)      | 46"          |                |

### **Train 174(17) Philadelphia, PA - Car Failure**

17JUN26: Train 174(17) operating with locomotive 635, 9 cars and 536 customers onboard was delayed at Philadelphia due to mechanical meeting the train for HVAC failure in car 82561. Mechanical was able to successfully reset the system and allow train 174(17) to proceed.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 174(17)      | 30"          |                |

### **Train 151(17) North of Lynchburg, VA - Signal**

17JUN26: Train 151(17) operating with locomotive 329, 5 cars and 66 customers onboard was delayed at MP 164 on the NS Alexandria-Montview subdivision due to a track circuit between Mclvor and Rivermont. Train 151(17) was held for trains 178(17) and 20(16) to pass. Once there was an open route established train 151(17) was able to proceed and was required to operate with verbal authority to pass a stop signal and operate at restricted speed for nearly 7 miles.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 151(17)      | 1'12"        |                |



### **Train 2151(17) East of Old Saybrook, CT - Drawbridge Opening**

17JUN26: Train 2151(17) operating with locomotives 638-635 and 9 cars was delayed at MP 106 on the Amtrak New Haven to Boston Line due to the Conn River Bridge being opened and unable to seat into the locked position. The Bridge Tender reported they were unable to recycle the bridge and B&B personnel were dispatched to trouble shoot. Once personnel arrived they were and to secure the bridge and allow rail traffic to resume. After the passing of train 2151(17) further troubleshooting and repairs were made that did not affect traffic.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 2151(17)     | 52"          |                |

### **Train 181(17) New York, NY - Initial Terminal Delay - Servicing**

17JUN26: Train 181(17) operating with locomotives 638-635 and 9 cars was delayed at the initial terminal of New York due to a late release of equipment from the yard and catering. Once the equipment was positioned in the station 186 customers were boarded and train 1818(17) departed New York at 6:26 am-et.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 181(17)      | 41"          |                |

### **Multiple Amtrak Trains - New York, NY - Initial Terminal Delay - Crew Related**

17JUN26: Multiple Amtrak trains were delayed at the initial terminal of New York due to necessary crew moves between Sunnyside Yard and New York Terminal. Due to the late release of trains 89(17) and 181(17) the runback crews were out of position requiring delayed moves back to Sunnyside Yard from the Terminal, resulting in late equipment moves back to the terminal.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 63(17)       | 36"          |                |
| 641(17)      | 19"          |                |
| 113(17)      | 08"          |                |
| 79(17)       | 31"          |                |
| 183(17)      | 09"          |                |

### **Train 71(17) Burlington, NC - Vehicle on Tracks**

17JUN26: Train 71(17) operating with locomotives nc1893-nc1984, 4 cars and 55 customers onboard was delayed at Burlington station due to a vehicle on the tracks blocking the main line. Local authorities responded and an NS track inspector responded to clear the tracks for operations to resume. Once the vehicle had been removed and the tracks were cleared for operations to resume train 71(17) was able to proceed.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 71(17)       | 45"          |                |



Train 53(15) North of DeLand, FL - Downed Tree

17JUN26: Train 53(16) 26-FOI-00551 00000007878 UNCLASSIFIED 52-382-887, 16 passenger cars, 26 auto carriers and 355 customers onboard was delayed at MP 743 on the CSX Sanford Subdivision due to a downed tree blocking the mainline. An Amtrak Road Foreman and CSX Track inspectors responded to remove the tree. OPnce the tree was removed and the route was cleared for traffic to resume train 53(16) was able to continue the 28 miles into Sanford.

As a result of the late arrival of train 53(16) train 52(17) was delayed at its initial terminal of Sanford, FL.

| Train  | Delay | Comment |
|--------|-------|---------|
| 53(15) | 2'30" |         |
| 52(17) | 1'29" | ITD     |



## **MNRR Hudson Line North of Croton-Harmon, NY - Scheduled M/W Work**

15JUN26-05AUG26: Trains were delayed Monday through Friday between June 15 and August 05 for a tie renewal project on the Metro North Hudson line with MOW work taking place on track 2 between CP 39 and CP 46 and single tracking on track 1.

| Train   | Delay | Comment                          |
|---------|-------|----------------------------------|
| 236(15) | 30"   |                                  |
| 69(15)  | 43"   |                                  |
| 233(15) | 12"   | NYP - late turn of equip 236(15) |
| 240(15) | 20"   |                                  |
| 233(15) | 10"   |                                  |
| 283(15) | 37"   |                                  |
| 69(16)  | 37"   |                                  |
| 236(16) | 33"   |                                  |
| 233(16) | 04"   | NYP - late turn of equip 236(16) |
| 284(16) | 36"   |                                  |
| 290(16) | 44"   |                                  |
| 291(17) | 25"   |                                  |
| 291(17) | 14"   | Initial Terminal                 |
| 234(17) | 36"   |                                  |
| 281(17) | 21"   | Initial Terminal                 |
| 63(17)  | 59"   |                                  |
| 69(17)  | 41"   |                                  |
| 236(17) | 26"   |                                  |
| 240(17) | 18"   |                                  |
| 64(17)  | 30"   |                                  |

## **CSX Trackwork - Empire Division - 5/25 - 11/1 - Scheduled M/W Work**

21MAY26: CSX Albany Division, Buffalo Terminal, Syracuse Terminal, Rochester and Mohawk Subdivision trackwork between MP175 and MP437 from Monday May 25th to Sunday November 1st.

### **AMTRAK OPERATING PLAN:**

To accommodate the above outlined infrastructure work, Amtrak's Empire and Maple Leaf Services will be adjusted as follows:

#### **Eastbound**

- Train 280(25May-1Nov) will depart NFL 10-minutes Earlier, at 3:42am and return to their normal schedule at UCA.
- Train 284(25May-1Nov) will depart NFL 10-minutes Earlier, at 6:37am and return to their normal schedule at UCA.
- Train 64(25May-1Nov) will depart NFL 10-minutes Earlier, at 11:40am and return to their normal schedule at UCA.

#### **Westbound**

- Train 281(25May-1Nov) will have miscellaneous adjustments to add time between UCA and NFL and arrive at NFL 10-minutes Later, at 7:45pm.
- Train 283(25May-1Nov) will have miscellaneous adjustments to add time between UCA and NFL and arrive at NFL 10-minutes Later, at 10:38pm.
- Train 63(25May-1Nov) will have miscellaneous adjustments to add time between UCA and NFL, will arrive at NFL 10-minutes Later, at 4:52pm, will depart NFL 10-minutes Later, at 5:00pm, and subsequently, dwell time at NFS will be 10-minutes less to resume normal schedule departing at 5:45pm.

WBS#: B.TR.100150.6692

## **Amtrak Hartford Line & Valley Flyer Service Adjustments - 4/21 - 10/30 – Trackwork**

09MAR26: Beginning April 21, 2026, and continuing through October 30, 2026, weekday



Work will occur Monday 26 For 00551, 00000007878 - 2 UNCLASSIFIED at W 6/23/2026 Locks (MP 47.4).

EXCEPTIONS - NO WORK ON MAJOR HOLIDAYS:

- Monday, May 25 (Memorial Day)
- Friday, July 3 (Independence Day)
- Monday, September 7 (Labor Day)

AMTRAK OPERATING PLAN:

To accommodate the above outlined infrastructure work, Amtrak's Hartford Line and Valley Flyer Services will be adjusted as follows:

Northbound:

- Train 490 (21Apr-24Apr, 27Apr-1May, 4May-8May, 11May-15May, 18May-22May, 26May-29May, 1Jun-5Jun, 8Jun-12Jun, 15Jun-19Jun, 22Jun-26Jun, 29Jun-2Jul, 6Jul-10Jul, 13Jul-17Jul, 20Jul-24Jul, 27Jul-31Jul, 3Aug-7Aug, 10Aug-14Aug, 17Aug-21Aug, 24Aug-28Aug, 31Aug-4Sep, 8Sep-11Sep, 14Sep-18Sep, 21Sep-25Sep, 28Sep-2Oct, 5Oct-9Oct, 12Oct-16Oct, 19Oct-23Oct, 26Oct-30Oct), which normally operates between NHV and SPG, will be canceled in its entirety and replaced by bus; 1 express and 1 local.
- Train 470 (21Apr-24Apr, 27Apr-1May, 4May-8May, 11May-15May, 18May-22May, 26May-29May, 1Jun-5Jun, 8Jun-12Jun, 15Jun-19Jun, 22Jun-26Jun, 29Jun-2Jul, 6Jul-10Jul, 13Jul-17Jul, 20Jul-24Jul, 27Jul-31Jul, 3Aug-7Aug, 10Aug-14Aug, 17Aug-21Aug, 24Aug-28Aug, 31Aug-4Sep, 8Sep-11Sep, 14Sep-18Sep, 21Sep-25Sep, 28Sep-2Oct, 5Oct-9Oct, 12Oct-16Oct, 19Oct-23Oct, 26Oct-30Oct), which normally operates between NHV and SPG, will terminate at HFD.
- Train 426 (21Apr-24Apr, 27Apr-1May, 4May-8May, 11May-15May, 18May-22May, 26May-29May, 1Jun-5Jun, 8Jun-12Jun, 15Jun-19Jun, 22Jun-26Jun, 29Jun-2Jul, 6Jul-10Jul, 13Jul-17Jul, 20Jul-24Jul, 27Jul-31Jul, 3Aug-7Aug, 10Aug-14Aug, 17Aug-21Aug, 24Aug-28Aug, 31Aug-4Sep, 8Sep-11Sep, 14Sep-18Sep, 21Sep-25Sep, 28Sep-2Oct, 5Oct-9Oct, 12Oct-16Oct, 19Oct-23Oct, 26Oct-30Oct) is a new train that will operate Deadhead between NHV and HFD.

Southbound:

- Train 471 (21Apr-24Apr, 27Apr-1May, 4May-8May, 11May-15May, 18May-22May, 26May-29May, 1Jun-5Jun, 8Jun-12Jun, 15Jun-19Jun, 22Jun-26Jun, 29Jun-2Jul, 6Jul-10Jul, 13Jul-17Jul, 20Jul-24Jul, 27Jul-31Jul, 3Aug-7Aug, 10Aug-14Aug, 17Aug-21Aug, 24Aug-28Aug, 31Aug-4Sep, 8Sep-11Sep, 14Sep-18Sep, 21Sep-25Sep, 28Sep-2Oct, 5Oct-9Oct, 12Oct-16Oct, 19Oct-23Oct, 26Oct-30Oct), which normally operates between SPG and NHV, will originate at HFD.
- Train 473 (21Apr-24Apr, 27Apr-1May, 4May-8May, 11May-15May, 18May-22May, 26May-29May, 1Jun-5Jun, 8Jun-12Jun, 15Jun-19Jun, 22Jun-26Jun, 29Jun-2Jul, 6Jul-10Jul, 13Jul-17Jul, 20Jul-24Jul, 27Jul-31Jul, 3Aug-7Aug, 10Aug-14Aug, 17Aug-21Aug, 24Aug-28Aug, 31Aug-4Sep, 8Sep-11Sep, 14Sep-18Sep, 21Sep-25Sep, 28Sep-2Oct, 5Oct-9Oct, 12Oct-16Oct, 19Oct-23Oct, 26Oct-30Oct), which normally operates between SPG and NHV, will originate at HFD.

ALTERNATE TRANSPORTATION

- Bus 3490 will provide alternate transportation between NHV and SPG making all local stops
- Bus 3590 will provide alternate transportation between NHV and SPG, express, stopping at STS, HFD, and SPG only
- Bus 3470 will provide alternate transportation between HFD and SPG
- Buses 3471 and 3473 will provide alternate transportation between SPG and HFD
- Bus 3125 will provide alternate transportation between SPG and NHV Only if Train 425 is delayed and misses the connection to Train 125 at SPG.



## Eastern Region

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

### Equipment Set Out & Damage Disposition

| Train | Location | Eng  | Car | Reason/Disposition  |
|-------|----------|------|-----|---------------------|
| 9705  | CRT      | 9705 |     | Running gear defect |
|       |          |      |     |                     |

### Leased Freight Locomotives

| Train | Location | Eng | Purpose | Location Returned | Date Returned |
|-------|----------|-----|---------|-------------------|---------------|
| None  |          |     |         |                   |               |

### Pair Only Locomotives

| Loco | Date Failed | Train Failed | Failure | Date OK'd as single | OK'd as single by: |
|------|-------------|--------------|---------|---------------------|--------------------|
| None |             |              |         |                     |                    |



**Eastern Region**

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

**Displaced Guests**

| Train | Number of Guests | Planned (Yes/No) | Details |
|-------|------------------|------------------|---------|
| None  |                  |                  |         |

**Physical Distancing**

| Train | Number of Passengers<br>Re-accommodated | Seating Option Provided<br>(café, dining car, other) | Segment Customer Occupied<br>Temporary Space (stations) |
|-------|-----------------------------------------|------------------------------------------------------|---------------------------------------------------------|
| None  |                                         |                                                      |                                                         |

**Standees**

| Train | Projected Need<br>Cars | Projected Need<br>Seats | Number Operated<br>Cars | Number Operated<br>Seats | Standees | Location |
|-------|------------------------|-------------------------|-------------------------|--------------------------|----------|----------|
|       |                        |                         |                         |                          |          |          |

**Misconnects**

| Station | From Train | To Train | Passengers | Rooms | Cost |
|---------|------------|----------|------------|-------|------|
| None    |            |          |            |       |      |

**Carry-By**

| Train | Location | Passengers | Disposition | Cost |
|-------|----------|------------|-------------|------|
|       |          | 1          |             | N/A  |

**Station Service Recovery**

| Train/Bus | Station | # of Psgr's | Type of Service Recovery | Cost |
|-----------|---------|-------------|--------------------------|------|
| None      |         |             |                          |      |

**Passenger Removals and/or Isolations*****Train 52(17) Passenger Removal at Sanford Florida – Improper Behavior***

17JUN26, Passenger on PNR 47FEE0, traveling from Sanford, FL to Lorton, VA was removed from the train by Police for intoxication and being combative with the crew and other passengers. Amtrak Police notified.

**Delay:**      52 (17)      None



**Operating Highlights*****Train 58(17) South of Memphis, TN - System***

18JUN26: Train 58(17) was delayed at MP60.5, 71.3 miles south of Memphis TN station on the CN Yazoo subdivision holding for a re-crew conductor. The re-crew conductor arrived on site at approximately 815PM CT and completed their briefing. Train 58(17) was back on the move at 829PM CT.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 58(17)       | 1'24"        |                |

***Train 790(17) South of Carpinteria, CA - Passenger Train Interference***

18JUN26: Train 790(17) was delayed 8 miles south of Carpinteria at Seacliff Siding, MP 386.1, Santa Barbara Subdivision, Union Pacific Railroad. This was to allow for the passage of train 777(17), using the single track ahead. Once train 777(17) had safely passed, train 790(17) was able to exit the siding and proceed to Ventura.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 790(17)      | 35"          |                |

***Train 786(17) North of Lompoc-Surf, CA - Passenger Train Interference***

18JUN26: Train 786(17) was delayed at Tangair siding/MP293.6 5.5 miles south of Lompoc, CA/MP299.2 on the UP Santa Barbara subdivision meeting Amtrak train 14(17). Once the route was clear, train 786(17) continued south.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 786(17)      | 59"          |                |

***Train 319(17) East of Lees Summit, MO - Freight Train Interference***

18JUN26: Train 319(17) was delayed holding at MP223.9, 36.78 miles east of Lee's Summit, MO. station on the UPRR Sedalia subdivision picking up conductor from UPRR freight 8862 and dropping him off on the head end of the train.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 319(17)      | 35"          |                |

***Train 14(16) Portland, OR - PTC Issue***

18JUN26: Train 14(16) E/363, E/345, 9 cars, was delayed departing Portland, OR due to unable to initialize PTC. Crew was able to recycle the breaker, which resolved the issue, allowing 14(16) to depart.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 14(16)       | 30"          |                |



**Train 8(17) Seattle, WA - Adding Engine**

18JUN26: Train 8(17) 28-FOI-00551 00000007878 part "UNCLASSIFIED" 6/23/2026 due to needing to add a west facing engine E/306 to the consist, in order to rescue Train 7(16) that was operating with BN5242 into Spokane.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 8(17)        | 33"          |                |

**Train 21/421(16) North of Austin, TX - Freight Train Interference**

18JUN26: Train 21/421(16) with engine 58, 8 cars, and 197 customers onboard was delayed at milepost 161.5, 17 miles north of Austin, TX on the UPRR Austin subdivision due to a disabled UPRR 9098 freight train stopped with mechanical issues ahead. Once the freight train was towed out of the way, train 21/421(16) advanced to the next station.

| <u>Train</u>  | <u>Delay</u> | <u>Comment</u> |
|---------------|--------------|----------------|
| 21/421(16)    | 2'26"        |                |
| 1(17)/421(16) | XX           | ITD            |

**Train 319(17) East of Warrensburg, MO - Signal**

17JUN26: Train 319(17) was delayed beginning at MP198, 21.10 miles east of Warrensburg MO on the UPRR Sedalia subdivision due to restrictive signals from a known wayside failure. Train 319(17) was talked by the signal and operated at restricted speed until MP211.7.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 319(17)      | 46"          |                |

**Train 59(17) North of Champaign-Urbana, IL - Passenger Train Interference**

17JUN26: Train 59(17) was delayed holding in the Delrey siding/MP87.3, 45.9 miles north of Champaign-Urbana IL station on the CN Chicago subdivision for a meet with train 392(17). Train 59(17) was back on the move at 915PM CT.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 59(17)       | 31"          |                |

**Train 4(17) Los Angeles, CA - Miscellaneous Amtrak Responsible**

18JUN26: Train 4(17) E/176, E/78 was delayed departing Los Angeles, CA due to lead engine E/176 with air issue, unable to fully release brakes. Crew worked with mechanical in order to resolve. Once brakes were able to release, Train 4(17) departed Los Angeles, CA.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 4(17)        | 41"          |                |

**Train 305(17) North of Carlinville, IL - Signal**

17JUN26: Train 305(17) was delayed at MP187.1, 37.3 miles north of Carlinville, IL station on the UPRR Springfield subdivision due to restrictive signals from an unknown cause. Train 305(17) was back on the move at 910PM CT. Train 21(17) was also delayed holding at MP187.3 north of Carlinville station due to the same restrictive signal.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 305(17)      | 39"          |                |
| 21(17)       | 34"          |                |



### **Train 6(17) West of Winnemucca, NV - Freight Train Interference**

17JUN26: Train 6(17) was delayed beginning at MP510.4, 74.1 miles west of Winnemucca, NV in the siding at Parren/MP312.2 on the UPRR Nevada Subdivision due to meeting freight unit UP7242.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 6(17)        | 40"          |                |

### **Train 41(17) West of South Bend, IN - Drawbridge Opening**

17JUN26: Train 41(17) was delayed holding at MP510.4, 74.1 miles west of South Bend IN station on the Norfolk Southern Chicago 76 subdivision due to the bridge at CP509 opening for maritime traffic. The bridge closed and train 41(17) was back on the move at 732PM CT.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 41(17)       | 33"          |                |

### **Train 370(17) West of St. Joseph-Benton Harbor, MI - Freight Train Interference**

17JUN26: Train 370(17) was delayed beginning at MP518, 84.96 miles west of St. Joseph-Benton Harbor MI station on the Norfolk Southern Chicago 76 subdivision following Norfolk Southern Freight 10R. Train 370(17) followed the freight until MP509.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 370(17)      | 41"          |                |

### **Train 777(17) North of Carpinteria, CA - Engine Failure**

17JUN26: Train 777(17), E/C2118, 6 cars, with 119 passengers onboard was delayed on single main track, 3 miles north of Carpinteria, CA at MP373.6 on the UPRR Santa Barbara Subdivision with engine issues on E/C2118. Head-end power (HEP) was reported operational. There was an electrician riding onboard at the time who was assisting the crew with troubleshooting the issue, along with Lester mechanical. Trains 11(16) and 794(17) were both held at Santa Barbara with no available route. Train 777(17) had a loss of HEP for less than 30 minutes during this time, while crew was troubleshooting. The train was able to proceed at a maximum speed of 10 mph before setting off the same fault and coming to a stop again. Unable to fully resolve the issue, the decision was made to limp the train into Santa Barbara and where the train was terminated.

All passengers onboard 777(17) were provided alternate bus transportation to San Luis Obispo. Five passengers destined LPS were Ubered. Train 794(17) that was at Santa Barbara holding, was utilized to tow 777's equipment into Los Angeles, CA, where 794(17) also terminated. An on-time section for 794(17) operated out of Los Angeles utilizing 587's equipment. Passengers on the original 794 with destinations beyond LAX were bussed on an extra 5818. Due to the prolonged hold on 11(16), another bus was secured for passenger connections to 2/422(17) that operated SBA-ONA, which caused a delay to 2/422(17) at ONA. Due to this service disruption, Train 774(18) was originated at Los Angeles, CA, cancelled in entirety between SLO-LAX.

WBS#: B.TR.100150.6777

| <u>Train</u> | <u>Delay</u>   | <u>Comment</u>            |
|--------------|----------------|---------------------------|
| 777(17)      | Terminated SBA | 2'42" delay to passengers |
| 794(17)      | 2'44"          | SBA- Rescued 777 equip    |
| 2/422(17)    | 1'00"          | ONA- connecting bus       |
| 11(16)       | 2'07"          | SBA                       |
| 774(18)      | Originated LAX | Cancelled SLO-LAX         |



### **Train 316(17) Sedalia, MO - Freight Train Interference**

17JUN26: Train 316(17) was delayed holding at MP196.6, 6.62 miles west of Sedalia, MO station on the UPRR Sedalia subdivision meeting freight trains MASNP and UP8862. Train 316(17) was back on the move at 626PMCT after both trains cleared.

| Train   | Delay | Comment |
|---------|-------|---------|
| 316(17) | 36"   |         |

### **Train 6(15) Princeton, IL - Freight Train Interference**

17JUN26: Train 6(15) was delayed holding at MP116.7, 12.45 miles south of Princeton IL station on the BNSF Mendota subdivision meeting BNSF trains 5044, 6114 and 6366

| Train | Delay | Comment |
|-------|-------|---------|
| 6(15) | 1'29" |         |

### **Train 714(17) East of Hanford, CA - Third Party Contractor Engine Failure**

17JUN26: Train 714(17) CC/90218, 5 cars, E/C2012, with 46 passengers onboard, was delayed 11 miles east of Hanford, CA at E. Guernsey/MP959.4 on the BNSF Bakersfield Subdivision due to loading issues. The train did have head-end power(HEP). The crew worked with TASI mechanical in order to troubleshoot the issue and was able to clear the fault. After a brake test was complete, Train 714(17) proceeded and shortly came to a stop at MP960.3. Unable to fully resolve the issue, the decision was made to couple with Train 716(17). Once the train was coupled, Train 716(17) side was without HEP. The combined consist proceeded to Corcoran, CA where all 38 passengers on the 716 portion of the train were transferred to the 714 side. Once passenger transfer was complete, Combined Train 714/716(17) continued east.

Due to this service disruption, Train 713(18) was cancelled in entirety.

| Train   | Delay     | Comment            |
|---------|-----------|--------------------|
| 714(17) | 2'41"     | Wi-Tronix Estimate |
| 716(17) | 44"       | Rescued 714        |
| 713(18) | Cancelled |                    |

### **Train 507(17) Tukwila, WA - Horn Failure**

17JUN26: Train 507(17) E/WS1408, 3 cars, CC/90253 with 142 passengers, was delayed at Tukwila, WA with an inoperable horn on E/WS1408. Crew worked with mechanical in order to troubleshoot. Unable to resolve the issue, the plan was for the train to return back to Seattle in order to add an engine. The plan was later changed to wye at Stacy yard/MP1.7 on the BNSF Seattle Subdivision instead of adding the engine. Once the train was wyed, with CC/90253 in the lead, Train 507(17) was able to proceed south.

| Train   | Delay | Comment |
|---------|-------|---------|
| 507(17) | 2'40" |         |

### **Train 391(17) South of Centralia, IL - Signal**

17JUN26: Train 391 (17) was delayed approximately 14 miles south of Centralia, IL (MP 252.3) on the UPRR Centralia Subdivision due to a power switch failure at Ashley (MP 266.3). A signal maintainer responded to the location and successfully restored power, allowing Train 391 (17) to resume movement south.

| Train   | Delay | Comment |
|---------|-------|---------|
| 391(17) | 44"   |         |



### **Train 7/27(17) Chicago, IL - Car Failure**

17JUN26: Train 7/27(17) was delayed starting 13.6 miles south of Chicago, IL due to multiple bad order cars. Car 33011 was bad order for refrigeration and was replaced with 33003. Car 32071 was bad ordered for toilets and replaced with car 32079.

| Train    | Delay | Comment |
|----------|-------|---------|
| 7/27(17) | 1'11" |         |

### **Train 713(17) South of Hanford, CA - Freight Train Interference**

17JUN26: Train 713(17), operating with engine 2010, 8 coaches and 43 customers, was delayed 8 miles south of Hanford, CA, on BNSF Bakersfield subdivision, due to meeting BNSF 5807. Once the freight cleared and a route was made available, train 713(17) was able to proceed.

| Train   | Delay | Comment |
|---------|-------|---------|
| 713(17) | 35"   |         |

### **Train 21(16) Dallas, TX - Commuter Train Interference**

17JUN26: Train 21(16) was held at Dallas, TX (MP 214.4) on the UPRR Dallas Subdivision to meet TRE Train 606. A FIFA World Cup match taking place in Dallas resulted in increased commuter traffic, contributing to the delay. Once underway, the train encountered additional delays at Centerport (MP 628.3) while meeting TRE Trains 1004 and 1007, and again at Dalwar (MP 612.2) while meeting TRE Train 507.

| Train  | Delay | Comment    |
|--------|-------|------------|
| 21(16) | 27"   | DAL        |
| 21(16) | 20"   | Centerport |
| 21(16) | 27"   | Dalwar     |

### **Train 20(17) North of Laurel, MS - Freight Train Interference**

17JUN26: Train 20(17) was delayed starting 54.4 miles north of Laurel, MS (MP56.4), on the NSRR NO&NE Subdivision, following NS 346 from Shops (MP5.0) to 27th Avenue (MP0.4).

| Train  | Delay | Comment |
|--------|-------|---------|
| 20(17) | 40"   |         |

### **Train 715(17) North of Wasco, CA - Freight Train Interference**

17JUN26: Train 715(17) operating with engine 2004, 9 coaches and 94 customers, was delayed 18 miles north of Wasco, CA, on BNSF Bakersfield subdivision, due to meeting and following BNSF 3821, at Control Point Allensworth. Once the freight cleared and a route was made available, train 715(17) was able to proceed.

| Train   | Delay | Comment |
|---------|-------|---------|
| 715(17) | 42"   |         |

### **Train 391(17) South of Effingham, IL - Freight Train Interference**

17JUN26: Train 391(17) was delayed starting 19.4 miles south of Effingham, IL (MP199.2), on the CNRR Champaign Subdivision, following CN 5665 from Laclede (MP218.6) to Tonti (MP238.0).

| Train   | Delay | Comment |
|---------|-------|---------|
| 391(17) | 38"   |         |



### ***Train 24(17) East of Pascagoula, MS - Freight Train Interference***

17JUN26: Train 24(17) 26-FOF00551 00000007878 UNCLASSIFIED 6/23/2026 08:37 miles of Pascagoula, MS (MP706.6), on the CSX NO&M Subdivision, following CSX M606-18 from Pecans (MP696.9) to Mobile, AL (MP666.7).

| Train  | Delay | Comment |
|--------|-------|---------|
| 24(17) | 1'28" |         |

### ***Train 3(15) Riverside-Downtown, CA - Signal***

17JUN26: Train 3(15), operating with engines 176/204, 9 coaches, and 160 customers, was delayed 29 miles west of Riverside-Downtown, CA, on BNSF San Bernardino subdivision, due to restrictive signals from wayside signal failure. .

| Train | Delay | Comment |
|-------|-------|---------|
| 3(15) | 41"   |         |

### ***Train 351(17) East of Kalamazoo, MI - Debris***

17JUN26: At 9:56AM-ET, Train 351(17), E/ID4603-5 Cars, struck a tree 14.6 miles east of Kalamazoo, MI (MP143.4), on the Amtrak Michigan Line, at MP128.8. The strike caused engine ID4603 to shut down with no head end power for a short time but was able to be restarted at 10:05AM-ET. Weather in the area at the time was 62 degrees and rainy. There were no injuries reported to the crew or 210 customers onboard and no damage to the equipment. The tree was knocked clear of the track at impact. At 10:11AM-ET, Train 351(17) was released to continue to Chicago.

| Train   | Delay | Comment |
|---------|-------|---------|
| 351(17) | 18"   |         |

### ***Train 24(17) South of Bay Saint Louis, MS - Passenger Train Interference***

17JUN26: Train 24(17) held 0.2 miles south of Bay Saint Louis, MS (MP754.5), on the CSX NO&M Subdivision, at NE Nicholson Ave (MP754.7) in order to meet Train 23(17).

| Train  | Delay | Comment |
|--------|-------|---------|
| 24(17) | 30"   |         |

### ***Train 503(17) Seattle, WA - Engine Failure***

17JUN26: Train 503(17), operating with engine 1404, 5 coaches, and 83 customers, was delayed departing Seattle, WA, on BNSF Scenic subdivision, due to loading issues with engine 1404. They were to resolve their issue loading issues and depart Seattle, WA.

| Train   | Delay | Comment |
|---------|-------|---------|
| 503(17) | 33"   |         |

### ***Train 381(17) West of Naperville, IL - Freight Train Interference***

17JUN26: Train 381(17) held 9.9 miles west of Naperville, IL (MP28.5), on the BNSF Chicago Subdivision, at Aurora (MP38.4) in order to meet BNSF 4187 and BNSF 3925.

| Train   | Delay | Comment |
|---------|-------|---------|
| 381(17) | 33"   |         |



### **Train 23(17) East of Pascagoula, MS - Freight Train Interference**

17JUN26: Train 23(17) 26-FOI-00551 00000007878 mile UNCLASSIFIED of Pascagoula, MS (MP706.6), on the CSX NO&M Subdivision, at SE Orange Grove (MP701.1) meeting CSX 520-17.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 23(17)       | 40"          |                |

### **Train 8/28(16) East of Sandpoint, ID - Freight Train Interference**

17JUN26: Train 8/28(17) operating with engines 82/346, 10 coaches, and 233 customers, was delayed 17 miles east of Sandpoint, ID, on BNSF Kootenai River subdivision, due to meeting multiple freights. 8/28(16) met BNSF 9209 Control Point Napa street, BNSF 3802 and BNSF 4071 at Leonia Siding, and BNSF 8020, BNSF 3787, BNSF 7592, Yakt Siding.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 8/28(16)     | 1'23"        |                |

### **Train 11(16) Sacramento, CA - Servicing**

17JUN26: Train 11(16), operating with engines 338/371, 9 coaches, and 207 customers, was delayed departing Sacramento, CA, on UP Martinez subdivision, due to general servicing of the equipment. 11(16) had to be watered, restocked, and have the toilets and trash dumped.

| <u>Train</u> | <u>Delay</u> | <u>Comment</u> |
|--------------|--------------|----------------|
| 11(16)       | 40"          |                |

### **Train 1(15)/421(14) East of Yuma, AZ - Freight Train Interference**

17JUN26: Train 1(15)/421(14), operating with engines 18/19, 9 coaches and 208, was delayed 24 miles west of Yuma, AZ, on UP Gila subdivision, due to meeting UP7787 and UP7482. Train 1(15) pulled into West Welton siding to wait for the freight to cleared, and then had to reverse out of the siding.

| <u>Train</u>  | <u>Delay</u> | <u>Comment</u> |
|---------------|--------------|----------------|
| 1(15)/421(14) | 1'20"        |                |



17JUN26: Severe storms affected central IL through the day and overnight expected to bring tornadoes, wind gusts to to 90MPH and flash flooding. This brought delays to many state supported and long distance Amtrak trains traversing the area.

#### State Supported Train Delays:

-Train 381(17) was delayed 27.1 miles east of Macomb, IL (MP202.3), on the BNSF Brookfield Subdivision, at Abingdon (MP175.2) waiting on Maintenance of Way to clear a tree on the tracks ahead. Once a route was established, Train 381(17) was released to continue to Quincy.

-Train 382(17) was delayed departing Quincy IL. station/MP258.6 on the BNSF Brookfield subdivision due to tornado warnings. Train 382(17) was able to depart Quincy IL station after the tornado warnings expired at 604PM CT.

-Train 318(17) struck a downed tree MP 159, 3.65 miles south of Lincoln IL station on the UPRR Springfield subdivision. Train 318(17) proceeded to Lincoln station after striking the tree and found flats spots on car 4209. After speaking with CNOC mechanical it was determined that the flat spots were within tolerance and train 318(17) was able to proceed north with no restrictions.

-Train 393(17) was delayed holding at MP169.9, 4.63 miles north of Mattoon IL station on the CN Champaign subdivision due to multiple trees down on the tracks. Maintainers and equipment responded to the scene to remove the trees. Train 393(17) was back on the move at 1101PM CT. Train 393(17) arrived to Mattoon IL station at 1110PM CT and held at the station for open tracks due to trees and power lines down north of Effingham IL station on the CN Champaign subdivision. Train 393(17) departed Mattoon IL station at 1243AM CT and operated at a reduced speed of 25 miles per hour until MP214.

#### Long Distance Train Delays:

-Train 6(15) was delayed starting 23.8 miles east of Ottumwa, IA (MP279.8), on the BNSF Ottumwa Subdivision, due to flash flood warnings from MP256 to MP195. Operating speeds were reduced to 30MPH through the area.

-Train 21(17) was delayed holding at MP155.1, 2.77 miles north of Lincoln, IL station on the UPRR Springfield subdivision while train 318(17) inspected their consist after a tree strike. Train 21(17) was back on the move once train 318(17) departed the station. Train 21(17) was delayed again routing around maintainers removing trees at MP162.

-Train 59(17) was delayed holding at Champaign, IL station on the CN Champaign subdivision due to downed trees north of Mattoon, IL station and downed power lines north of Effingham IL station. Train 59(17) departed Champaign IL station at 1158PM CT.

-Train 51(17) was delayed at MP649.8, 24.3 miles south of Cincinnati OH station on the CSX Cincinnati subdivision due to a washout reported at MP653.8.

| Train   | Delay | Comment                 |
|---------|-------|-------------------------|
| 381(17) | 33"   | Abingdon                |
| 6(15)   | 1'35" | Flash Flood MP256-MP195 |
| 382(17) | 39"   |                         |
| 21(17)  | 1'37" |                         |
| 59(17)  | 2'30" |                         |
| 393(17) | 3'56" |                         |
| 318(17) | 1'06" |                         |
| 51(17)  | xx    |                         |



17JUN26: At 8:36AM-CT, BNSF reported that "UNCLASSIFIED" modal freight train Z-ALTWSP2-16U (BNSF 3271) had derailed at Milepost 193.1, approximately 39.8 miles east of Fort Madison, IA (MP232.9), on the BNSF Chillicothe Subdivision. The derailment was attributed to severe weather conditions, with reports indicating the train had blown over. Both main tracks were impacted, and approximately 27 to 28 cars were reported on their sides with no reports of hazardous materials involved. The derailment blocked the Southwest Chief route between Fort Madison, IA, and Galesburg, IL. BNSF advised that there was a detour available for Train 4(15), but they would be unable to detour Train 3(17) due to freight interference from rerouted trains in the area and a lack of available pilots to complete the movement. At 3:00PM-CT, BNSF provided an estimate for Main Track 1 to reopen at 12:01AM and Main Track 2 to reopen at 8:00AM-CT on 18JUN. Both estimated were contingent on the weather no degrading overnight. As a result of the derailment, the following operational adjustments were implemented:

-Train 4(15), with 270 customers onboard, came to a stop at 9:46AM-CT approximately 28.9 miles west of La Plata, MO (MP312.7), on the BNSF Marceline Subdivision, at MP341.6. BNSF pilots were secured arriving to the train at 12:45PM-CT. During the delay, Train 4(15) had adequate onboard stock and initiated snack packs and bottled water distribution as part of service recovery efforts. Once the pilots boarded, Train 4(15) detoured via the Bucklin connection from West Ethel (MP330.9) on the Marceline Subdivision to the Brookfield Subdivision at Quincy, IL rejoining the route at Galesburg, IL. This detour bypassed the La Plata, MO and Fort Madison, IA station stops with a bus secured at Galesburg for the seven customers who missed their stop. No alternate transportation was available for customers scheduled to board at Fort Madison or La Plata; those customers were notified and instructed to rebook on the next available service.

-Trains 3(17) and 4(18) were cancelled entirety with no alternate transportation.

-Trains 4(16) and 3(18) were both planned to operate normal however buses were secured as a backup between Kansas City and Chicago in the event the tracks did not reopen on time.

WBS#: B.TR.100150.6773

| Train | Delay | Comment |
|-------|-------|---------|
| 4(15) | 8'00" |         |



16JUN26: A tropical storm forecast spread into Texas and eastward along the Gulf Coast through parts of the Southeast from Tuesday night June 16th through Friday June 19th. Widespread rainfall totals of 1-2 inches are expected across this area. Higher rainfall totals of 4-8 inches expected from coastal Texas through much of Louisiana, southern and central Mississippi and central Alabama. Rainfall totals of 8-16 inches and up to 20 inches possible from southeast Texas through central Louisiana into Mississippi. The heavy rain can lead to significant flash flooding.

#### Crescent Service

-16JUN26: Train 20(16) with 67 customers, delayed at MP163.8, 4 miles north of Slidell, LA, on the NS NO & NE District, due to NS MW inspecting ahead after expiration of a tornado warning in area. Train 20(16) was then further delayed operating through flash flood warnings between Slidell and Hattiesburg, MS between MP 156.5 and MP133.6.

-16JUN26: Train 19(15), with 87 customers, was delayed south of Hattiesburg, MS/MP85.3, on the NS NO & NE District, due to a flood emergency ahead between MP138 and MP156, which required track inspections and reduced speed through the area. Flash flood warning limits also stretched from MP93 to MP159.

#### Mardi Gras Service:

-16JUN26: CSX issued flash flood warnings on the NO & M Subdivision between MP785.9, 30 miles north of New Orleans, LA, and MP767.0 and between MP735.9 and MP714.9, 8 miles south of Pascagoula, MS. Trains 25(16) and 26(16) were delayed operating through the affected area.

-17JUN26: CSX issued flash flood warnings on the NO& M Subdivision through the same limits as the previous day. This caused delays to Amtrak's Mardi Gras Service operating through the area.

| Train  | Delay | Comment                     |
|--------|-------|-----------------------------|
| 20(16) | 42"   | N/SDL, MP163                |
| 20(16) | 30"   | N/SDL, flash flood warnings |
| 25(16) | 22"   | Flash Flood                 |
| 26(16) | 21"   | Flash Flood                 |
| 19(15) | 1'19" | Flash Flood Warning         |
| 25(17) | 08"   |                             |
| 26(17) | 12"   |                             |
| 23(17) | 27"   |                             |
| 24(17) | 26"   |                             |



# Palm Springs, CA Closure - High Winds

13JAN25: Palm Springs Station indicated by 15-788.2 6/23/2026 UNCLASSIFIED  
 26-FOI-00551 0000007878  
 Subdivision, is subject to temporary intermittent closures caused from high winds creating a build up of sand in the switches to enter Garnet Siding. This sand build up prevents the switches from being lined, and causes the internal gear mechanism of the switch to cease up. This prevents train crews from hand lining the switch and being able to access the station platform. Standing policy states that when this occurs trains will bypass the station at Palm Springs and passengers will be transported to the next stop of Ontario, CA or Yuma, AZ, no alternate transportation will be provided.

Work Element WBS Number # B.TR.100150.5622

WBS#: B.TR.100150.5622

| Train                                               | Delay                 | Comment                                 |
|-----------------------------------------------------|-----------------------|-----------------------------------------|
| 1(15NOV)/421(14NOV)                                 | Bypass PSN            |                                         |
| 1(18-21FEB)/421(17-20FEB)                           | BYPASS - Palm Springs | Flooding                                |
| 2/422(18, 20, 22FEB)                                | Bypass Palm Springs   | Flooding                                |
| 1(30)/421(29)(MAR)                                  | Bypass PSN            |                                         |
| 1(01APR)/421(31MAR)                                 | Bypass PSN            |                                         |
| 1(04APR)/421(03APR)                                 | Bypass PSN            |                                         |
| 1(23, 31DEC)421(23, 30DEC)                          | Bypass PSN            | Local Roads Flooded - no station access |
| 2/422(24DEC)                                        | Bypass PSN - Flooding |                                         |
| 1(03, 05JAN)/421(02, 04JAN)                         | BYPASS PSN - flooding |                                         |
| 2/422(04, 07JAN)                                    | BYPASS PSN - flooding |                                         |
| 2/422(01, 03, 05APR)                                | Bypass PSN            |                                         |
| 1(06, 13, 18, 20, 23MAY) 421(05, 12, 17, 19, 22MAY) | Bypass PSN            |                                         |
| 2/422(13, 15, 20, 24MAY)                            | Bypass PSN            |                                         |
| 1(08, 15, 17JUN)421(07, 14, 16JUN)                  | Bypass PSN            |                                         |
| 2/422(17JUN)                                        | Bypass PSN            |                                         |



**BNSF Southwest Chief Service - Scheduled M/W Work 26-049**

13APR26: BNSF will perform multiple track work projects on multiple subdivisions along the entire Southwest Chief route between Los Angeles, CA and Chicago, IL, May 31st, 2026 through October 9th, 2026. Multiple rail, tie, surfacing and undercutting gangs will work multiple curfews throughout this period. To accommodate this infrastructure work, the following Amtrak's Southwest Chief service adjustments are in effect:

- Train 4(29MAY-07OCT) will operate on an adjusted schedule as follows:
  - Depart Los Angeles, CA twenty-four minutes Earlier at 4:55PM-PT,
  - Depart Albuquerque, NM one minute Earlier at 11:31AM-MT,
  - Depart Kansas City, MO twelve minutes Later at 7:13AM-CT,
  - Depart Naperville, IL forty-seven minutes Later at 2:40PM-CT,
  - Arrive at Chicago, IL, forty-seven minutes Later at 3:29PM-CT.

Note: Naperville, IL will be a "discharge only" stop and the train may depart ahead of schedule.
- Train 1003(29MAY) and Train 3(30MAY-07OCT) will operate on an adjusted scheduled as follows:
  - Depart Chicago, IL fifty-five minutes Earlier at 1:30PM-CT,
  - Depart Kansas City, MO forty minutes Earlier at 9:37PM-CT,
  - Depart Albuquerque, NM twenty minutes Earlier at 3:14PM-MT,
  - Depart Fullerton, CA fifteen minutes Later at 7:18AM-PT,
  - Arrive Los Angles, CA fifteen minutes later at 8:12AM-PT.

Note: Fullerton, CA will be a "discharge only " stop and the train may depart ahead of schedule.

WBS#: B.TR.100150.6626

**Metra C&M Subdivision - Scheduled M/W Work 26-055**

16MAY26: Metra has trackwork scheduled on the C&M Subdivision at Western Avenue - Rondout starting on May 16th through November 1st on Saturday and Sundays only. In order to accommodate the outlined infrastructure work, Amtrak's Hiawatha Service will be adjusted as follows:

Northbound

- Train 331 (Saturday and Sunday) will arrive at Milwaukee 10-minutes Later at 10:04am
- Train 335 (Saturday and Sunday) will arrive at Milwaukee 10-minutes Later at 2:44pm

Southbound

- Train 330 (Saturday ONLY) will arrive at Chicago 10-minutes Later at 8:07am.
- Train 332 (Saturday and Sunday) will arrive at Chicago 10-minutes Later at 9:44am
- Train 334 (Saturday and Sunday) will arrive at Chicago 10-minutes Later at 12:39pm
- Train 336 (Saturday and Sunday) will arrive at Chicago 10-minutes Later at 2:44pm

WBS#: B.TR.100150.6663



26APR26: Canadian National has scheduled trackwork on the Yazoo Subdivision between MP94 and MP126 starting on April 27th through May 29th. To accommodate this infrastructure work, Amtrak's City of New Orleans Service has been adjusted as follows:  
24MAY26: Track work extended through June 19th, 2026.

-Train 1059 (26Apr) will operate in lieu of Train 59(26Apr), departing Chicago 2-hours Earlier, at 6:05pm, and will operate on an adjusted schedule between Chicago and New Orleans.

-Train 59(27Apr-18JUN) will depart Chicago 2-hours Earlier, at 6:05pm, and operate on an adjusted schedule between Chicago and New Orleans.

-Train 1058(27Apr) will operate in lieu of Train 58(27Apr), departing New Orleans 2-hours Earlier, at 11:45am, and will operate on an adjusted schedule between New Orleans and Chicago.

-Train 58(28Apr-19JUN) will depart New Orleans 2-hours Earlier, at 11:45am, and will operate on an adjusted schedule between New Orleans and Chicago.

WBS#: B.TR.100150.6608

### **Amtrak/MDOT Michigan Line Track Work 26-044**

20APR26: Amtrak/MDOT will perform track rehabilitation work on the Michigan Line east of Jackson, MI/MP75.5 between MP75 and MP28 beginning 900PM-ET Monday April 20th through Thursday July 30th. To accommodate this infrastructure work, Wolverine service has been adjusted as follows:

04JUN26: Amtrak/MDOT trackwork will be concluding earlier with a new end date of Thursday, July 9th. Normal operations will resume to all Wolverine service trains on Friday, July 10th. The changes are reflected below:

- Train 1354(20APR) operates 1-hour earlier departing Chicago, IL at 450PM-CT.
- Train 354(21APR-09JUL) operates 1-hour earlier departing Chicago, IL at 450PM-CT.
- Train 351(20APR-09JUL) operates 37 minutes later, departing Pontiac, MI at 620AM-ET.
- Train 355(20APR-09JUL) operates 1-hour earlier, departing Pontiac, MI at 4PM-ET.
- Train 350(20APR-09JUL) will have two locomotives and will be configured as push pull consist to turn for Train 355(20APR-30JUL) at Pontiac.

WBS#: B.TR.100150.6614

### **CPKC Watertown Subdivision - Scheduled M/W Work 26-047**

09APR26: CPKC has tie replacement trackwork on the Watertown Subdivision starting April 20th through June 21st between Columbus, WI and Milwaukee, WI. In order to accommodate the infrastructure work, Amtrak's Borealis Service is adjusted as follows:

-Train 1333 (20Apr-21Jun) will have 12-minutes of recovery added at Columbus, 5-minutes of recovery added at Wisconsin Dells, and will arrive at St. Paul 15-minutes later at 6:56pm

-Train 1340 (20Apr-21Jun) will operate 10-minutes Earlier between St. Paul and Milwaukee, departing St. Paul at 11:39am, and will operate 5-minutes Later between Milwaukee and Chicago, departing Milwaukee at 5:49pm.

WBS#: B.TR.100150.6620



## Western Region

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

### Equipment Set Out & Damage Disposition

| Train | Location | Eng | Car | Reason/Disposition |
|-------|----------|-----|-----|--------------------|
| None  |          |     |     |                    |
|       |          |     |     |                    |

### Leased Freight Locomotives

| Train  | Location | Eng    | Purpose        | Location Returned | Date Returned |
|--------|----------|--------|----------------|-------------------|---------------|
| 7 (16) | MSP      | NB5242 | E/301 Shutdown | Enroute           |               |

### Pair Only Locomotives

| Loco | Date Failed | Train Failed | Failure | Date OK'd as single | OK'd as single by: |
|------|-------------|--------------|---------|---------------------|--------------------|
| None |             |              |         |                     |                    |



## **Western Region**

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

### **Displaced Guests**

| Train | Number of Guests | Planned (Yes/No) | Details |
|-------|------------------|------------------|---------|
| None  |                  |                  |         |

### **Physical Distancing**

| Train | Number of Passengers<br>Re-accommodated | Seating Option Provided<br>(café, dining car, other) | Segment Customer Occupied<br>Temporary Space (stations) |
|-------|-----------------------------------------|------------------------------------------------------|---------------------------------------------------------|
| None  |                                         |                                                      |                                                         |

### **Standees**

| Train | Projected Need |       | Number Operated |       | Standees | Location |
|-------|----------------|-------|-----------------|-------|----------|----------|
|       | Cars           | Seats | Cars            | Seats |          |          |
| None  |                |       |                 |       |          |          |

### **Misconnects**

| Station | From Train | To Train | Passengers | Rooms | Cost |
|---------|------------|----------|------------|-------|------|
| None    |            |          |            |       |      |

### **Carry-By**

| Train | Location | Passengers | Disposition | Cost |
|-------|----------|------------|-------------|------|
|       |          |            |             |      |

### **Station Service Recovery**

| Train/Bus | Station | # of Psgr's | Type of Service Recovery | Cost |
|-----------|---------|-------------|--------------------------|------|
|           |         |             |                          |      |

### **Passenger Removals and/or Isolations**



## Consist Deviations

26-FOI-00551

00000007878

"UNCLASSIFIED"

6/23/2026

| Train Number | Station | Reason                                                                                                                                   | Customer Impact                                  | Affected Psgr | Unit Number(s) |
|--------------|---------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------|----------------|
| 5 (17)       | CHI     | SLEEPER IN PLACE OF CREW DORM                                                                                                            |                                                  |               | 32071          |
| 5 (17)       | CHI     | sleeper in lieu of dorm for 0540 car. schedule change performed. check war report and block all DS/FS rooms on the 0540 car.             |                                                  |               | 32071          |
| 5 (18)       | CHI     | No H-room on the 0540(18) car. please block H-room.                                                                                      |                                                  |               | 39006          |
| 6 (17)       | EMY     | COACH 34045 IN PLACE OF BAG COACH 31043                                                                                                  | n/a                                              | 0             | 34045          |
| 6 (20)       | EMY     | sleeper in lieu of dorm for 0640(20) car. schedule change performed. check war report and block all DS/FS rooms on the 0640(20) car.     |                                                  |               | 32071          |
| 6 (21)       | EMY     | No H-room on the 0640(21) car. please block H-room.                                                                                      |                                                  |               | 39006          |
| 600 (17)     | HAR     | SHORT 1 COACH                                                                                                                            | n/a                                              | 0             | NOCAR          |
| 622 (17)     | HAR     | SHORT 1 COACH                                                                                                                            | n/a                                              | 0             | NOCAR          |
| 648 (17)     | HAR     | NO WIFI                                                                                                                                  | email sent for passenger notifications to start. | 0             | 82749          |
| 658 (17)     | HAR     | NO WIFI                                                                                                                                  | email sent for passenger notifications to start. | 0             | 82749          |
| 4 (15)       | KCY     | 34027 no HVAC, sales reduced at KCY.                                                                                                     | -62 AT KCY PAX ARE PROTECTED KCY-CHI TRN 318(17) | 62            | 34027          |
| 562 (17)     | LAX     | No checked bags or bikes, reduced seating due to 9700.                                                                                   | no bv space                                      | 1             | 9700           |
| 580 (17)     | LAX     | No checked bags or bikes, reduced seating due to 9700.                                                                                   | no bv                                            | 1             | 9700           |
| 4 (17)       | LAX     | snack coach operating in lieu of standard coach. less LY/WY/XY. Please check for overages and reaccomodate impacted customers as needed. |                                                  |               | 35010          |
| 284 (17)     | NFL     | short 1 coach                                                                                                                            | n/a                                              | 0             | NOCAR          |
| 237 (17)     | NYP     | short 1 coach                                                                                                                            | over apacity by 2 at nyp only                    | 2             | NOCAR          |



| Train Number | Station | Reason                                                 | Customer Impact                                  | Affected Psgr | Unit Number(s) |
|--------------|---------|--------------------------------------------------------|--------------------------------------------------|---------------|----------------|
| 651 (17)     | NYP     | SHORT 1 COACH                                          | two over capacity at nwk                         | 2             | NOCAR          |
| 607 (17)     | NYP     | NO WIFI                                                | email sent for passenger notifications to start. | 0             | 82749          |
| 647 (17)     | NYP     | NO WIFI                                                | email sent for passenger notifications to start. | 0             | 82749          |
| 573 (17)     | SAN     | No checked bags or bikes, reduced seating due to 9700. | na                                               | 0             | 9700           |
| 591 (17)     | SAN     | No checked bags or bikes, reduced seating due to 9700. | no bv                                            | 2             | 9700           |

### Reverse Consists

| Train Number | Station | Reason                                                                         |
|--------------|---------|--------------------------------------------------------------------------------|
| 86 (17)      | NPN     | Consist reversed   Business class seat orientation may have changed   At Front |
| 95 (17)      | BOS     | Consist reversed   Business class seat orientation may have changed   At Front |
| 173 (17)     | BOS     | Consist reversed   Business class seat orientation may have changed   At Front |
| 111 (17)     | NYP     | Consist reversed   Business class seat orientation may have changed   At Front |
| 113 (17)     | NYP     | Consist reversed   Business class seat orientation may have changed   At Front |
| 183 (17)     | NYP     | Consist reversed   Business class seat orientation may have changed   At Front |
| 190 (17)     | PHL     | Consist reversed   Business class seat orientation may have changed   At Front |
| 137 (17)     | BOS     | Consist reversed   Business class seat orientation may have changed   At Front |
| 125 (18)     | SPG     | Consist reversed   Business class seat orientation may have changed   At Front |
| 136 (17)     | WAS     | Consist reversed   Business class seat orientation may have changed   At Front |
| 192 (17)     | WAS     | Consist reversed   Business class seat orientation may have changed   At Rear  |
| 193 (17)     | NYP     | Consist reversed   Business class seat orientation may have changed   At Front |
| 129 (17)     | NYP     | Consist reversed   Business class seat orientation may have changed   At Front |



| Train<br>Number | Station | Reason                                                                         |                                      |
|-----------------|---------|--------------------------------------------------------------------------------|--------------------------------------|
|                 |         | 26-FOI-00551                                                                   | 00000007878 "UNCLASSIFIED" 6/23/2026 |
| 182 (17)        | WAS     | Consist reversed   Business class seat orientation may have changed   At Rear  |                                      |
| 94 (17)         | NFK     | Consist reversed   Business class seat orientation may have changed   At Front |                                      |
| 174 (17)        | WAS     | Consist reversed   Business class seat orientation may have changed   At Front |                                      |
| 2123 (17)       | NYP     | Acela consist reversed   First class at Rear                                   |                                      |