



# CNOC

(CONSOLIDATED NATIONAL OPERATIONS CENTER)

# Amtrak Status Report

Tuesday, December 09, 2025

Rules: 0-7



*This report contains Confidential Information as defined in Amtrak's Confidential Information Policy. A failure to comply with Amtrak's Confidential Information Policy may lead to denial of access to Amtrak information, discipline up to and including termination of employment, and legal prosecution.*

Information Management

26-FOI-00163 Initial Terminal Performance By Division

Scheduled Departure Date: 12/08/2025

Amtrak or Commuter: Amtrak

| Location           | Target | ITP 12/08/2025 |      |       | ITP December 2025 To Date |      |       | ITP Fiscal Year 2026 To Date |       |       |
|--------------------|--------|----------------|------|-------|---------------------------|------|-------|------------------------------|-------|-------|
|                    |        | Operated       | Late | ITP   | Operated                  | Late | ITP   | Operated                     | Late  | ITP   |
| System             | 78.5%  | 310            | 40   | 87.1% | 2,406                     | 344  | 85.7% | 20,315                       | 2,534 | 87.5% |
| Central Division   | 85.5%  | 63             | 9    | 85.7% | 519                       | 79   | 84.8% | 4,541                        | 448   | 90.1% |
| Northeast Division | 80.0%  | 100            | 13   | 87.0% | 773                       | 100  | 87.1% | 6,369                        | 852   | 86.6% |
| Southeast Division | 72.5%  | 74             | 9    | 87.8% | 561                       | 89   | 84.1% | 4,760                        | 606   | 87.3% |
| Southwest Division | 77.0%  | 73             | 9    | 87.7% | 553                       | 76   | 86.3% | 4,645                        | 628   | 86.5% |

Initial terminal tolerance = 0 minutes.  
Report calculates based on scheduled departure date.

# Information Management

## Customer On Time Performance

26-FOI-00167 00000005495 UNCLASSIFIED Endpoint Arrival Dates through 12/8/25 12/17/2025

| Service                           | Day        |                 |                |            | Month to Date   |                |            | FY to Date       |                  |            |
|-----------------------------------|------------|-----------------|----------------|------------|-----------------|----------------|------------|------------------|------------------|------------|
|                                   | Target     | Total Customers | Late Customers | Score      | Total Customers | Late Customers | Score      | Total Customers  | Late Customers   | Score      |
| <b>Amtrak System</b>              | <b>77%</b> | <b>92,976</b>   | <b>18,616</b>  | <b>80%</b> | <b>779,295</b>  | <b>179,407</b> | <b>77%</b> | <b>6,974,029</b> | <b>1,427,612</b> | <b>80%</b> |
| <b>Northeast Corridor</b>         | <b>81%</b> | <b>43,864</b>   | <b>7,154</b>   | <b>84%</b> | <b>354,528</b>  | <b>79,565</b>  | <b>78%</b> | <b>3,145,929</b> | <b>597,449</b>   | <b>81%</b> |
| Acela                             | 83%        | 11,263          | 3,495          | 69%        | 80,013          | 22,877         | 71%        | 672,213          | 140,556          | 79%        |
| Northeast Regional                | 79%        | 32,601          | 3,659          | 89%        | 274,515         | 56,688         | 79%        | 2,473,716        | 456,893          | 82%        |
| Richmond / Newport News / Norfolk | 77%        | 9,379           | 1,431          | 85%        | 83,318          | 19,869         | 76%        | 749,324          | 163,374          | 78%        |
| Springfield Shuttles              | 89%        | 774             | 64             | 92%        | 6,345           | 838            | 87%        | 39,867           | 4,533            | 89%        |
| Roanoke                           | 79%        | 2,499           | 47             | 98%        | 21,648          | 3,781          | 83%        | 190,401          | 30,530           | 84%        |
| On Spine Northeast Regional       | 80%        | 19,949          | 2,117          | 89%        | 163,204         | 32,200         | 80%        | 1,494,124        | 258,456          | 83%        |
| <b>State Supported</b>            | <b>80%</b> | <b>36,828</b>   | <b>8,492</b>   | <b>77%</b> | <b>323,434</b>  | <b>60,958</b>  | <b>81%</b> | <b>2,970,108</b> | <b>544,013</b>   | <b>82%</b> |
| Borealis                          | 60%        | 423             | 253            | 40%        | 4,419           | 1,423          | 68%        | 40,709           | 10,994           | 73%        |
| Capitol Corridor                  | 90%        | 3,075           | 696            | 77%        | 26,026          | 3,683          | 86%        | 244,619          | 27,079           | 89%        |
| Carolinian                        | 60%        | 1,007           | 530            | 47%        | 8,909           | 3,240          | 64%        | 82,055           | 24,142           | 71%        |
| Cascades                          | 63%        | 1,413           | 264            | 81%        | 15,695          | 3,791          | 76%        | 161,984          | 39,128           | 76%        |
| Downeaster                        | 82%        | 1,135           | 95             | 92%        | 11,019          | 1,139          | 90%        | 102,277          | 12,915           | 87%        |
| Empire                            | 78%        | 4,541           | 545            | 88%        | 39,618          | 8,090          | 80%        | 355,802          | 69,635           | 80%        |
| Adirondack                        | 72%        | 224             | 134            | 40%        | 1,978           | 516            | 74%        | 22,877           | 7,067            | 69%        |
| Ethan Allen Express               | 70%        | 450             | 224            | 50%        | 4,127           | 1,301          | 68%        | 41,120           | 12,822           | 69%        |
| Maple Leaf                        | 70%        | 543             | 137            | 75%        | 5,020           | 1,943          | 61%        | 40,402           | 13,731           | 66%        |
| New York - Albany                 | 85%        | 2,178           | 0              | 100%       | 18,334          | 1,314          | 93%        | 156,941          | 20,436           | 87%        |
| New York - Niagara Falls          | 75%        | 1,146           | 50             | 96%        | 10,159          | 3,016          | 70%        | 94,462           | 15,579           | 84%        |
| Gold Runner                       | 73%        | 1,406           | 520            | 63%        | 18,169          | 4,509          | 75%        | 172,217          | 60,154           | 65%        |
| Heartland Flyer                   | 65%        | 116             | 8              | 93%        | 1,517           | 320            | 79%        | 14,026           | 7,890            | 44%        |
| Hiawatha                          | 90%        | 1,427           | 233            | 84%        | 13,632          | 3,422          | 75%        | 120,085          | 14,337           | 88%        |
| Illinois                          | 78%        | 2,054           | 1,340          | 35%        | 17,453          | 6,414          | 63%        | 167,290          | 45,732           | 73%        |
| Carl Sandburg / Illinois Zephyr   | 85%        | 348             | 109            | 69%        | 3,441           | 642            | 81%        | 28,599           | 7,200            | 75%        |
| Illini / Saluki                   | 85%        | 389             | 22             | 94%        | 4,298           | 1,040          | 76%        | 59,122           | 14,499           | 75%        |
| Lincoln Service                   | 70%        | 1,317           | 1,209          | 8%         | 9,714           | 4,732          | 51%        | 79,569           | 24,033           | 70%        |
| Keystone                          | 92%        | 8,504           | 675            | 92%        | 67,375          | 6,367          | 91%        | 562,953          | 47,178           | 92%        |
| Lincoln / Missouri                | 60%        | 631             | 381            | 40%        | 5,824           | 2,794          | 52%        | 54,124           | 27,450           | 49%        |
| Mardi Gras Service                | 80%        | 327             | 0              | 100%       | 2,689           | 151            | 94%        | 30,362           | 3,910            | 87%        |
| Michigan                          | 69%        | 1,952           | 1,231          | 37%        | 15,294          | 7,091          | 54%        | 134,629          | 36,979           | 73%        |
| Blue Water                        | 70%        | 479             | 479            | 0%         | 3,390           | 1,996          | 41%        | 34,175           | 9,291            | 73%        |
| Pere Marquette                    | 85%        | 433             | 211            | 51%        | 2,183           | 211            | 90%        | 18,079           | 2,140            | 88%        |
| Wolverine                         | 65%        | 1,040           | 541            | 48%        | 9,721           | 4,884          | 50%        | 82,375           | 25,548           | 69%        |
| Missouri                          | 80%        | 138             | 0              | 100%       | 1,720           | 351            | 80%        | 16,290           | 3,887            | 76%        |
| Pacific Surfliner                 | 85%        | 6,019           | 762            | 87%        | 48,842          | 3,826          | 92%        | 461,830          | 61,973           | 87%        |
| Pennsylvanian                     | 72%        | 792             | 208            | 74%        | 6,901           | 1,104          | 84%        | 63,925           | 7,302            | 89%        |
| Piedmont                          | 73%        | 726             | 174            | 76%        | 7,975           | 794            | 90%        | 92,304           | 22,625           | 75%        |
| Vermont                           | 75%        | 1,142           | 577            | 49%        | 10,357          | 2,449          | 76%        | 92,627           | 20,703           | 78%        |
| <b>Long Distance</b>              | <b>56%</b> | <b>12,284</b>   | <b>2,970</b>   | <b>76%</b> | <b>101,333</b>  | <b>38,884</b>  | <b>62%</b> | <b>857,992</b>   | <b>286,150</b>   | <b>67%</b> |
| Auto Train                        | 57%        | 584             | 0              | 100%       | 5,755           | 1,362          | 76%        | 45,580           | 8,573            | 81%        |
| California Zephyr                 | 50%        | 900             | 376            | 58%        | 7,192           | 2,301          | 68%        | 64,000           | 17,972           | 72%        |
| Cardinal                          | 55%        | 393             | 13             | 97%        | 2,280           | 910            | 60%        | 19,636           | 9,215            | 53%        |
| City Of New Orleans               | 75%        | 773             | 31             | 96%        | 5,596           | 550            | 90%        | 48,922           | 10,272           | 79%        |
| Coast Starlight                   | 60%        | 1,083           | 236            | 78%        | 9,460           | 2,669          | 72%        | 79,998           | 25,044           | 69%        |
| Crescent                          | 70%        | 938             | 50             | 95%        | 7,236           | 545            | 92%        | 66,351           | 16,327           | 75%        |
| Empire Builder                    | 55%        | 895             | 111            | 88%        | 8,360           | 3,721          | 55%        | 68,777           | 23,982           | 65%        |
| Floridian                         | 40%        | 1,595           | 731            | 54%        | 13,936          | 8,773          | 37%        | 117,837          | 63,145           | 46%        |
| Lake Shore Ltd                    | 73%        | 942             | 138            | 85%        | 8,217           | 3,491          | 58%        | 64,145           | 11,752           | 82%        |
| Palmetto                          | 65%        | 1,258           | 286            | 77%        | 7,476           | 2,306          | 69%        | 67,285           | 10,737           | 84%        |
| Silver Meteor                     | 45%        | 1,083           | 173            | 84%        | 8,453           | 3,089          | 63%        | 71,202           | 21,423           | 70%        |
| Southwest Chief                   | 40%        | 648             | 483            | 25%        | 6,538           | 5,059          | 23%        | 58,112           | 35,413           | 39%        |
| Sunset Ltd                        | 70%        | 239             | 40             | 83%        | 2,468           | 447            | 82%        | 18,850           | 4,671            | 75%        |
| Texas Eagle                       | 50%        | 953             | 302            | 68%        | 8,366           | 3,661          | 56%        | 67,297           | 27,624           | 59%        |

Note: "This report contains preliminary data and is intended to be used for trend analysis. This report should not used for outside reporting"

## Amtrak Caused Delay Per 10K Train Miles - By Department

20-FOI-00107 00000005405 "UNCLASSIFIED" 12/17/2025

Train Index Dates Through December 08, 2025

| Service       | Target | Month to Date |             |                | FY to Date  |             |                |
|---------------|--------|---------------|-------------|----------------|-------------|-------------|----------------|
|               |        | ACD Minutes   | Train Miles | ACD per 10K TM | ACD Minutes | Train Miles | ACD per 10K TM |
| Amtrak System | 585    | 47,624        | 865,205     | 550            | 377,506     | 7,373,998   | 512            |

| Department               | Target | Month to Date |             |                | FY to Date  |             |                |
|--------------------------|--------|---------------|-------------|----------------|-------------|-------------|----------------|
|                          |        | ACD Minutes   | Train Miles | ACD per 10K TM | ACD Minutes | Train Miles | ACD per 10K TM |
| INFRASTRUCTURE UNPLANNED | 107    | 1,874         | 255,182     | 73             | 14,229      | 2,157,418   | 66             |
| INFRASTRUCTURE PLANNED   | 135    | 1,446         | 255,182     | 57             | 12,027      | 2,157,418   | 56             |
| FLEET RELIABILITY        | 90     | 9,364         | 865,205     | 108            | 57,248      | 7,373,998   | 78             |
| TRAIN OPERATIONS         | 424    | 34,940        | 865,205     | 404            | 294,002     | 7,373,998   | 399            |

Note: "This report contains preliminary data and is intended to be used for trend analysis. This report should not be used for outside reporting"

Information Management

26-FOI-00163Initial Terminal Performance By Division

Scheduled Departure Date: 12/08/2025

Amtrak or Commuter: Amtrak

| Location           | Target | ITP 12/08/2025 |      |       | ITP December 2025 To Date |      |       | ITP Fiscal Year 2026 To Date |       |       |
|--------------------|--------|----------------|------|-------|---------------------------|------|-------|------------------------------|-------|-------|
|                    |        | Operated       | Late | ITP   | Operated                  | Late | ITP   | Operated                     | Late  | ITP   |
| System             | 78.5%  | 310            | 40   | 87.1% | 2,406                     | 344  | 85.7% | 20,315                       | 2,534 | 87.5% |
| Central Division   | 85.5%  | 63             | 9    | 85.7% | 519                       | 79   | 84.8% | 4,541                        | 448   | 90.1% |
| Northeast Division | 80.0%  | 100            | 13   | 87.0% | 773                       | 100  | 87.1% | 6,369                        | 852   | 86.6% |
| Southeast Division | 72.5%  | 74             | 9    | 87.8% | 561                       | 89   | 84.1% | 4,760                        | 606   | 87.3% |
| Southwest Division | 77.0%  | 73             | 9    | 87.7% | 553                       | 76   | 86.3% | 4,645                        | 628   | 86.5% |

Initial terminal tolerance = 0 minutes.  
Report calculates based on scheduled departure date.

Information Management

Initial Terminal Performance By Terminal

Scheduled Departure Date: 12/08/2025

Amtrak or Commuter: Amtrak

| Location           | Target | ITP 12/08/2025 |      |        | ITP December 2025 To Date |      |        | ITP Fiscal Year 2026 To Date |       |        |
|--------------------|--------|----------------|------|--------|---------------------------|------|--------|------------------------------|-------|--------|
|                    |        | Operated       | Late | ITP    | Operated                  | Late | ITP    | Operated                     | Late  | ITP    |
| System             | 78.5%  | 310            | 40   | 87.1%  | 2,406                     | 344  | 85.7%  | 20,315                       | 2,534 | 87.5%  |
| Central Division   | 85.5%  | 63             | 9    | 85.7%  | 519                       | 79   | 84.8%  | 4,541                        | 448   | 90.1%  |
| CDL                | 90.0%  | 1              | 0    | 100.0% | 9                         | 0    | 100.0% | 123                          | 6     | 95.1%  |
| CHI                | 85.0%  | 25             | 5    | 80.0%  | 209                       | 44   | 78.9%  | 1,842                        | 181   | 90.2%  |
| EUG                | 86.5%  | 2              | 0    | 100.0% | 16                        | 2    | 87.5%  | 133                          | 17    | 87.2%  |
| GRR                | 98.0%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 69                           | 0     | 100.0% |
| KCY                | 84.5%  | 2              | 0    | 100.0% | 16                        | 2    | 87.5%  | 136                          | 13    | 90.4%  |
| MKE                | 86.5%  | 6              | 0    | 100.0% | 47                        | 6    | 87.2%  | 403                          | 36    | 91.1%  |
| MSP                | 94.0%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 69                           | 3     | 95.7%  |
| PDX                | 78.0%  | 5              | 0    | 100.0% | 40                        | 3    | 92.5%  | 346                          | 49    | 85.8%  |
| PNT                | 91.5%  | 2              | 1    | 50.0%  | 23                        | 4    | 82.6%  | 149                          | 9     | 94.0%  |
| PTH                | 93.0%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 69                           | 2     | 97.1%  |
| QCY                | 87.5%  | 2              | 0    | 100.0% | 16                        | 1    | 93.8%  | 138                          | 13    | 90.6%  |
| SEA                | 80.0%  | 8              | 1    | 87.5%  | 64                        | 10   | 84.4%  | 549                          | 84    | 84.7%  |
| SPK                | 92.0%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 69                           | 1     | 98.6%  |
| STL                | 88.0%  | 4              | 2    | 50.0%  | 31                        | 7    | 77.4%  | 273                          | 25    | 90.8%  |
| TRM                | -      | -              | -    | -      | -                         | -    | -      | 35                           | 5     | 85.7%  |
| VAC                | 95.0%  | 2              | 0    | 100.0% | 16                        | 0    | 100.0% | 138                          | 4     | 97.1%  |
| Northeast Division | 80.0%  | 100            | 13   | 87.0%  | 773                       | 100  | 87.1%  | 6,369                        | 852   | 86.6%  |
| ALB                | 91.5%  | 7              | 0    | 100.0% | 56                        | 3    | 94.6%  | 423                          | 24    | 94.3%  |
| BON                | 43.5%  | 5              | 1    | 80.0%  | 40                        | 3    | 92.5%  | 327                          | 35    | 89.3%  |
| BOS                | 86.5%  | 20             | 1    | 95.0%  | 153                       | 15   | 90.2%  | 1,251                        | 118   | 90.6%  |
| BRK                | 88.0%  | 5              | 0    | 100.0% | 40                        | 1    | 97.5%  | 307                          | 14    | 95.4%  |
| BTN                | 48.0%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 68                           | 17    | 75.0%  |
| DOV                | -      | -              | -    | -      | -                         | -    | -      | 3                            | 2     | 33.3%  |
| GFD                | 86.0%  | 2              | 0    | 100.0% | 16                        | 1    | 93.8%  | 132                          | 10    | 92.4%  |
| HFD                | -      | -              | -    | -      | -                         | -    | -      | 46                           | 3     | 93.5%  |
| MTR                | 79.5%  | 1              | 1    | 0.0%   | 8                         | 1    | 87.5%  | 69                           | 12    | 82.6%  |
| NFL                | 96.5%  | 2              | 0    | 100.0% | 16                        | 0    | 100.0% | 138                          | 4     | 97.1%  |
| NHV                | 75.5%  | 6              | 1    | 83.3%  | 45                        | 7    | 84.4%  | 352                          | 70    | 80.1%  |
| NYP                | 77.5%  | 42             | 8    | 81.0%  | 320                       | 66   | 79.4%  | 2,696                        | 496   | 81.6%  |
| SAB                | 98.0%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 67                           | 0     | 100.0% |
| SAR                | -      | -              | -    | -      | -                         | -    | -      | 1                            | 1     | 0.0%   |
| SPG                | 88.0%  | 7              | 0    | 100.0% | 55                        | 1    | 98.2%  | 404                          | 17    | 95.8%  |
| TWO                | 84.0%  | 1              | 1    | 0.0%   | 8                         | 2    | 75.0%  | 68                           | 18    | 73.5%  |
| WEM                | -      | -              | -    | -      | -                         | -    | -      | 17                           | 11    | 35.3%  |
| Southeast Division | 72.5%  | 74             | 9    | 87.8%  | 561                       | 89   | 84.1%  | 4,760                        | 606   | 87.3%  |
| ATL                | -      | -              | -    | -      | -                         | -    | -      | 1                            | 0     | 100.0% |
| CLT                | 92.0%  | 5              | 0    | 100.0% | 40                        | 3    | 92.5%  | 345                          | 28    | 91.9%  |
| GRO                | -      | -              | -    | -      | -                         | -    | -      | 4                            | 2     | 50.0%  |
| HAR                | 62.0%  | 13             | 0    | 100.0% | 92                        | 21   | 77.2%  | 772                          | 119   | 84.6%  |
| LOR                | 69.5%  | 1              | 0    | 100.0% | 8                         | 1    | 87.5%  | 69                           | 6     | 91.3%  |
| MIA                | 87.5%  | 2              | 1    | 50.0%  | 16                        | 2    | 87.5%  | 138                          | 15    | 89.1%  |
| MOE                | 94.0%  | 2              | 0    | 100.0% | 16                        | 0    | 100.0% | 138                          | 3     | 97.8%  |
| NFK                | 86.0%  | 3              | 1    | 66.7%  | 23                        | 2    | 91.3%  | 193                          | 17    | 91.2%  |

Information Management

Initial Terminal Performance By Terminal

Scheduled Departure Date: 12/08/2025

Amtrak or Commuter: Amtrak

| Location           | Target | ITP 12/08/2025 |      |        | ITP December 2025 To Date |      |        | ITP Fiscal Year 2026 To Date |       |        |
|--------------------|--------|----------------|------|--------|---------------------------|------|--------|------------------------------|-------|--------|
|                    |        | Operated       | Late | ITP    | Operated                  | Late | ITP    | Operated                     | Late  | ITP    |
| System             | 78.5%  | 310            | 40   | 87.1%  | 2,406                     | 344  | 85.7%  | 20,315                       | 2,534 | 87.5%  |
| Southeast Division | 72.5%  | 74             | 9    | 87.8%  | 561                       | 89   | 84.1%  | 4,760                        | 606   | 87.3%  |
| NOL                | 92.0%  | 5              | 1    | 80.0%  | 36                        | 2    | 94.4%  | 305                          | 16    | 94.8%  |
| NPN                | 96.0%  | 2              | 0    | 100.0% | 16                        | 0    | 100.0% | 113                          | 7     | 93.8%  |
| PGH                | 92.0%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 69                           | 1     | 98.6%  |
| PHL                | 45.0%  | 5              | 1    | 80.0%  | 37                        | 21   | 43.2%  | 318                          | 144   | 54.7%  |
| RGH                | 97.0%  | 4              | 0    | 100.0% | 32                        | 3    | 90.6%  | 272                          | 6     | 97.8%  |
| RNK                | 85.5%  | 2              | 0    | 100.0% | 16                        | 4    | 75.0%  | 137                          | 18    | 86.9%  |
| RVM                | 86.0%  | 1              | 0    | 100.0% | 8                         | 2    | 75.0%  | 79                           | 13    | 83.5%  |
| RVR                | -      | -              | -    | -      | -                         | -    | -      | 3                            | 3     | 0.0%   |
| SAV                | 91.5%  | 1              | 0    | 100.0% | 8                         | 1    | 87.5%  | 69                           | 1     | 98.6%  |
| SFA                | 70.5%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 69                           | 3     | 95.7%  |
| WAS                | 70.0%  | 26             | 5    | 80.8%  | 197                       | 27   | 86.3%  | 1,666                        | 204   | 87.8%  |
| Southwest Division | 77.0%  | 73             | 9    | 87.7%  | 553                       | 76   | 86.3%  | 4,645                        | 628   | 86.5%  |
| ARN                | 60.5%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 69                           | 5     | 92.8%  |
| BFD                | 75.5%  | 7              | 3    | 57.1%  | 49                        | 8    | 83.7%  | 396                          | 92    | 76.8%  |
| DAL                | -      | -              | -    | -      | -                         | -    | -      | 1                            | 0     | 100.0% |
| EMY                | 50.0%  | 1              | 0    | 100.0% | 9                         | 3    | 66.7%  | 72                           | 20    | 72.2%  |
| FNO                | -      | -              | -    | -      | -                         | -    | -      | 6                            | 3     | 50.0%  |
| FTW                | 89.5%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 68                           | 3     | 95.6%  |
| GTA                | 72.5%  | 3              | 0    | 100.0% | 24                        | 1    | 95.8%  | 200                          | 18    | 91.0%  |
| LAX                | 77.5%  | 9              | 0    | 100.0% | 75                        | 15   | 80.0%  | 635                          | 76    | 88.0%  |
| OKC                | 96.0%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 69                           | 3     | 95.7%  |
| OKJ                | 79.0%  | 13             | 3    | 76.9%  | 90                        | 29   | 67.8%  | 750                          | 181   | 75.9%  |
| SAC                | 73.5%  | 15             | 2    | 86.7%  | 106                       | 12   | 88.7%  | 894                          | 98    | 89.0%  |
| SAN                | 77.0%  | 10             | 0    | 100.0% | 94                        | 4    | 95.7%  | 787                          | 69    | 91.2%  |
| SAS                | 85.0%  | 1              | 0    | 100.0% | 8                         | 0    | 100.0% | 69                           | 3     | 95.7%  |
| SBA                | -      | -              | -    | -      | -                         | -    | -      | 1                            | 1     | 0.0%   |
| SJC                | 87.5%  | 7              | 1    | 85.7%  | 56                        | 3    | 94.6%  | 481                          | 43    | 91.1%  |
| SLO                | 62.0%  | 2              | 0    | 100.0% | 16                        | 1    | 93.8%  | 133                          | 12    | 91.0%  |
| SNC                | -      | -              | -    | -      | -                         | -    | -      | 2                            | 0     | 100.0% |
| SOL                | -      | 2              | 0    | 100.0% | 2                         | 0    | 100.0% | 12                           | 1     | 91.7%  |

Initial terminal tolerance = 0 minutes.  
Report calculates based on scheduled departure date.

# Amtrak On Time Performance

Trains Arriving Through: 12/8/2025

25-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

|       |      | Initial Terminal |      |        |              |      |        | Endpoint      |      |        |              |      |       |
|-------|------|------------------|------|--------|--------------|------|--------|---------------|------|--------|--------------|------|-------|
|       |      | Month to Date    |      |        | Year to Date |      |        | Month to Date |      |        | Year to Date |      |       |
| Train | Late | Opr              | Late | Score  | Opr          | Late | Score  | Opr           | Late | Score  | Opr          | Late | Score |
| 1     |      | 4                | 0    | 100.0% | 30           | 1    | 96.7%  | 4             | 0    | 100.0% | 30           | 1    | 96.7% |
| 3     |      | 8                | 3    | 62.5%  | 69           | 7    | 89.9%  | 8             | 5    | 37.5%  | 69           | 28   | 59.4% |
| 4     | 88   | 8                | 3    | 62.5%  | 69           | 9    | 87.0%  | 8             | 8    | 0.0%   | 69           | 46   | 33.3% |
| 5     | 93   | 8                | 2    | 75.0%  | 68           | 9    | 86.8%  | 8             | 3    | 62.5%  | 67           | 9    | 86.6% |
| 6     |      | 8                | 2    | 75.0%  | 69           | 19   | 72.5%  | 8             | 2    | 75.0%  | 69           | 23   | 66.7% |
| 7     |      | 8                | 1    | 87.5%  | 69           | 5    | 92.8%  | 8             | 2    | 75.0%  | 69           | 9    | 87.0% |
| 8     |      | 8                | 3    | 62.5%  | 69           | 23   | 66.7%  | 8             | 4    | 50.0%  | 69           | 31   | 55.1% |
| 11    |      | 8                | 1    | 87.5%  | 68           | 12   | 82.4%  | 8             | 1    | 87.5%  | 66           | 8    | 87.9% |
| 14    |      | 8                | 1    | 87.5%  | 69           | 10   | 85.5%  | 8             | 0    | 100.0% | 68           | 18   | 73.5% |
| 19    |      | 8                | 2    | 75.0%  | 69           | 10   | 85.5%  | 8             | 0    | 100.0% | 69           | 11   | 84.1% |
| 20    |      | 8                | 0    | 100.0% | 69           | 6    | 91.3%  | 8             | 0    | 100.0% | 69           | 6    | 91.3% |
| 21    |      | 8                | 2    | 75.0%  | 68           | 10   | 85.3%  | 8             | 4    | 50.0%  | 68           | 15   | 77.9% |
| 22    | 89   | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 3    | 62.5%  | 68           | 16   | 76.5% |
| 23    |      | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 1    | 87.5%  | 69           | 11   | 84.1% |
| 24    |      | 8                | 2    | 75.0%  | 69           | 4    | 94.2%  | 8             | 1    | 87.5%  | 69           | 7    | 89.9% |
| 25    |      | 8                | 0    | 100.0% | 69           | 0    | 100.0% | 8             | 0    | 100.0% | 69           | 9    | 87.0% |
| 26    |      | 8                | 0    | 100.0% | 69           | 2    | 97.1%  | 8             | 0    | 100.0% | 69           | 11   | 84.1% |
| 27    |      | 8                | 2    | 75.0%  | 69           | 3    | 95.7%  | 8             | 2    | 75.0%  | 69           | 12   | 82.6% |
| 28    |      | 8                | 1    | 87.5%  | 69           | 14   | 79.7%  | 8             | 1    | 87.5%  | 69           | 9    | 87.0% |
| 40    | 95   | 8                | 1    | 87.5%  | 69           | 10   | 85.5%  | 8             | 4    | 50.0%  | 69           | 26   | 62.3% |
| 41    |      | 8                | 5    | 37.5%  | 69           | 23   | 66.7%  | 8             | 6    | 25.0%  | 69           | 45   | 34.8% |
| 42    | 22   | 8                | 0    | 100.0% | 69           | 1    | 98.6%  | 8             | 1    | 87.5%  | 69           | 10   | 85.5% |
| 43    |      | 8                | 1    | 87.5%  | 69           | 6    | 91.3%  | 8             | 1    | 87.5%  | 69           | 4    | 94.2% |
| 48    |      | 8                | 1    | 87.5%  | 69           | 6    | 91.3%  | 8             | 4    | 50.0%  | 69           | 7    | 89.9% |
| 49    |      | 8                | 0    | 100.0% | 69           | 10   | 85.5%  | 8             | 2    | 75.0%  | 69           | 7    | 89.9% |
| 51    |      | 3                | 1    | 66.7%  | 30           | 15   | 50.0%  | 3             | 1    | 66.7%  | 29           | 10   | 65.5% |
| 52    |      | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 0    | 100.0% | 69           | 12   | 82.6% |
| 53    |      | 8                | 1    | 87.5%  | 69           | 6    | 91.3%  | 8             | 1    | 87.5%  | 69           | 9    | 87.0% |
| 55    | 33   | 6                | 0    | 100.0% | 48           | 0    | 100.0% | 6             | 2    | 66.7%  | 48           | 8    | 83.3% |
| 56    |      | 6                | 1    | 83.3%  | 48           | 8    | 83.3%  | 6             | 2    | 66.7%  | 48           | 8    | 83.3% |
| 58    |      | 8                | 0    | 100.0% | 68           | 2    | 97.1%  | 8             | 1    | 87.5%  | 67           | 8    | 88.1% |
| 59    |      | 8                | 0    | 100.0% | 67           | 3    | 95.5%  | 8             | 0    | 100.0% | 67           | 3    | 95.5% |
| 63    | 111  | 8                | 2    | 75.0%  | 69           | 23   | 66.7%  | 8             | 4    | 50.0%  | 69           | 33   | 52.2% |
| 64    |      | 8                | 2    | 75.0%  | 68           | 18   | 73.5%  | 8             | 3    | 62.5%  | 68           | 13   | 80.9% |
| 66    |      | 8                | 2    | 75.0%  | 69           | 12   | 82.6%  | 8             | 1    | 87.5%  | 69           | 14   | 79.7% |
| 67    |      | 6                | 0    | 100.0% | 48           | 2    | 95.8%  | 6             | 0    | 100.0% | 48           | 7    | 85.4% |
| 68    | 66   | 8                | 1    | 87.5%  | 69           | 12   | 82.6%  | 8             | 4    | 50.0%  | 69           | 29   | 58.0% |
| 69    |      | 8                | 0    | 100.0% | 69           | 7    | 89.9%  | 8             | 0    | 100.0% | 69           | 7    | 89.9% |
| 71    |      | 8                | 1    | 87.5%  | 69           | 1    | 98.6%  | 8             | 1    | 87.5%  | 69           | 17   | 75.4% |
| 72    | 11   | 8                | 1    | 87.5%  | 69           | 6    | 91.3%  | 8             | 3    | 62.5%  | 69           | 13   | 81.2% |
| 73    |      | 8                | 1    | 87.5%  | 69           | 2    | 97.1%  | 8             | 2    | 75.0%  | 68           | 35   | 48.5% |
| 74    |      | 8                | 1    | 87.5%  | 69           | 6    | 91.3%  | 8             | 1    | 87.5%  | 69           | 21   | 69.6% |

# Amtrak On Time Performance

Trains Arriving Through: 12/8/2025

25-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

| Train |    | Initial Terminal |      |        |              |      |        | Endpoint      |      |        |              |      |        |
|-------|----|------------------|------|--------|--------------|------|--------|---------------|------|--------|--------------|------|--------|
|       |    | Month to Date    |      |        | Year to Date |      |        | Month to Date |      |        | Year to Date |      |        |
|       |    | Opr              | Late | Score  | Opr          | Late | Score  | Opr           | Late | Score  | Opr          | Late | Score  |
| 75    | 27 | 8                | 0    | 100.0% | 69           | 2    | 97.1%  | 8             | 2    | 75.0%  | 69           | 30   | 56.5%  |
| 76    |    | 8                | 0    | 100.0% | 69           | 4    | 94.2%  | 8             | 1    | 87.5%  | 69           | 31   | 55.1%  |
| 77    | 18 | 8                | 1    | 87.5%  | 69           | 3    | 95.7%  | 8             | 2    | 75.0%  | 69           | 24   | 65.2%  |
| 78    |    | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 1    | 87.5%  | 69           | 10   | 85.5%  |
| 79    | 61 | 8                | 2    | 75.0%  | 69           | 13   | 81.2%  | 8             | 1    | 87.5%  | 68           | 12   | 82.4%  |
| 80    |    | 8                | 1    | 87.5%  | 69           | 9    | 87.0%  | 8             | 3    | 62.5%  | 68           | 8    | 88.2%  |
| 84    |    | 6                | 0    | 100.0% | 48           | 3    | 93.8%  | 6             | 1    | 83.3%  | 48           | 6    | 87.5%  |
| 85    | 26 | 6                | 0    | 100.0% | 48           | 1    | 97.9%  | 6             | 3    | 50.0%  | 48           | 18   | 62.5%  |
| 86    | 24 | 6                | 1    | 83.3%  | 48           | 5    | 89.6%  | 6             | 4    | 33.3%  | 48           | 23   | 52.1%  |
| 89    |    | 8                | 1    | 87.5%  | 69           | 13   | 81.2%  | 8             | 2    | 75.0%  | 69           | 8    | 88.4%  |
| 90    |    | 8                | 1    | 87.5%  | 69           | 1    | 98.6%  | 8             | 1    | 87.5%  | 69           | 7    | 89.9%  |
| 93    |    | 6                | 0    | 100.0% | 48           | 6    | 87.5%  | 6             | 0    | 100.0% | 47           | 10   | 78.7%  |
| 94    |    | 6                | 2    | 66.7%  | 48           | 8    | 83.3%  | 5             | 2    | 60.0%  | 47           | 14   | 70.2%  |
| 95    |    | 6                | 0    | 100.0% | 48           | 1    | 97.9%  | 6             | 2    | 66.7%  | 48           | 13   | 72.9%  |
| 97    |    | 8                | 6    | 25.0%  | 69           | 24   | 65.2%  | 8             | 2    | 75.0%  | 69           | 18   | 73.9%  |
| 98    |    | 8                | 1    | 87.5%  | 69           | 5    | 92.8%  | 8             | 3    | 62.5%  | 69           | 14   | 79.7%  |
| 110   |    | 6                | 3    | 50.0%  | 48           | 22   | 54.2%  | 6             | 0    | 100.0% | 48           | 3    | 93.8%  |
| 111   |    | 6                | 0    | 100.0% | 48           | 4    | 91.7%  | 6             | 1    | 83.3%  | 48           | 4    | 91.7%  |
| 112   |    | 6                | 0    | 100.0% | 48           | 4    | 91.7%  | 6             | 0    | 100.0% | 48           | 5    | 89.6%  |
| 114   |    | 6                | 1    | 83.3%  | 48           | 9    | 81.3%  | 5             | 0    | 100.0% | 47           | 0    | 100.0% |
| 119   |    | 6                | 0    | 100.0% | 48           | 9    | 81.3%  | 6             | 1    | 83.3%  | 48           | 4    | 91.7%  |
| 125   | 29 | 6                | 0    | 100.0% | 48           | 2    | 95.8%  | 6             | 5    | 16.7%  | 48           | 11   | 77.1%  |
| 128   |    | 2                | 1    | 50.0%  | 21           | 4    | 81.0%  | 3             | 0    | 100.0% | 21           | 1    | 95.2%  |
| 129   |    | 6                | 2    | 66.7%  | 48           | 15   | 68.8%  | 6             | 0    | 100.0% | 48           | 6    | 87.5%  |
| 130   |    | 6                | 0    | 100.0% | 48           | 4    | 91.7%  | 6             | 0    | 100.0% | 48           | 4    | 91.7%  |
| 131   | 19 | 6                | 0    | 100.0% | 48           | 4    | 91.7%  | 6             | 2    | 66.7%  | 48           | 2    | 95.8%  |
| 133   |    | 6                | 0    | 100.0% | 48           | 19   | 60.4%  | 6             | 1    | 83.3%  | 48           | 21   | 56.3%  |
| 134   |    | 6                | 1    | 83.3%  | 48           | 5    | 89.6%  | 6             | 3    | 50.0%  | 48           | 11   | 77.1%  |
| 137   |    | 6                | 1    | 83.3%  | 46           | 9    | 80.4%  | 6             | 1    | 83.3%  | 46           | 11   | 76.1%  |
| 138   |    | 6                | 0    | 100.0% | 48           | 6    | 87.5%  | 6             | 0    | 100.0% | 48           | 2    | 95.8%  |
| 139   | 17 | 1                | 1    | 0.0%   | 11           | 1    | 90.9%  | 2             | 1    | 50.0%  | 11           | 3    | 72.7%  |
| 141   |    | 6                | 0    | 100.0% | 48           | 3    | 93.8%  | 6             | 2    | 66.7%  | 48           | 10   | 79.2%  |
| 148   |    | 6                | 1    | 83.3%  | 48           | 5    | 89.6%  | 6             | 0    | 100.0% | 47           | 9    | 80.9%  |
| 151   |    | 8                | 4    | 50.0%  | 69           | 18   | 73.9%  | 8             | 2    | 75.0%  | 68           | 18   | 73.5%  |
| 166   |    | 1                | 0    | 100.0% | 11           | 0    | 100.0% | 2             | 0    | 100.0% | 11           | 2    | 81.8%  |
| 169   |    | 2                | 0    | 100.0% | 21           | 2    | 90.5%  | 3             | 0    | 100.0% | 21           | 3    | 85.7%  |
| 170   |    | 6                | 1    | 83.3%  | 45           | 4    | 91.1%  | 6             | 2    | 66.7%  | 45           | 11   | 75.6%  |
| 171   |    | 6                | 0    | 100.0% | 48           | 3    | 93.8%  | 6             | 2    | 66.7%  | 48           | 7    | 85.4%  |
| 172   |    | 6                | 1    | 83.3%  | 48           | 5    | 89.6%  | 6             | 2    | 66.7%  | 48           | 17   | 64.6%  |
| 173   |    | 6                | 2    | 66.7%  | 48           | 4    | 91.7%  | 6             | 3    | 50.0%  | 48           | 18   | 62.5%  |
| 174   |    | 6                | 0    | 100.0% | 48           | 3    | 93.8%  | 6             | 1    | 83.3%  | 48           | 9    | 81.3%  |
| 175   |    | 6                | 1    | 83.3%  | 48           | 3    | 93.8%  | 6             | 3    | 50.0%  | 48           | 11   | 77.1%  |

# Amtrak On Time Performance

Trains Arriving Through: 12/8/2025

25-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

|       |      | Initial Terminal |      |        |              |      |        | Endpoint      |      |        |              |      |       |
|-------|------|------------------|------|--------|--------------|------|--------|---------------|------|--------|--------------|------|-------|
|       |      | Month to Date    |      |        | Year to Date |      |        | Month to Date |      |        | Year to Date |      |       |
| Train | Late | Opr              | Late | Score  | Opr          | Late | Score  | Opr           | Late | Score  | Opr          | Late | Score |
| 176   |      | 6                | 1    | 83.3%  | 48           | 4    | 91.7%  | 6             | 0    | 100.0% | 48           | 3    | 93.8% |
| 177   |      | 6                | 0    | 100.0% | 48           | 8    | 83.3%  | 6             | 1    | 83.3%  | 48           | 21   | 56.3% |
| 181   |      | 6                | 3    | 50.0%  | 48           | 9    | 81.3%  | 5             | 0    | 100.0% | 47           | 1    | 97.9% |
| 182   |      | 6                | 2    | 66.7%  | 48           | 11   | 77.1%  | 6             | 0    | 100.0% | 48           | 3    | 93.8% |
| 183   |      | 6                | 2    | 66.7%  | 48           | 13   | 72.9%  | 6             | 2    | 66.7%  | 48           | 8    | 83.3% |
| 184   |      | 6                | 1    | 83.3%  | 48           | 9    | 81.3%  | 6             | 1    | 83.3%  | 48           | 6    | 87.5% |
| 185   |      | 6                | 0    | 100.0% | 48           | 8    | 83.3%  | 6             | 0    | 100.0% | 48           | 1    | 97.9% |
| 186   |      | 6                | 0    | 100.0% | 48           | 7    | 85.4%  | 6             | 1    | 83.3%  | 48           | 13   | 72.9% |
| 190   |      | 6                | 1    | 83.3%  | 48           | 17   | 64.6%  | 6             | 2    | 66.7%  | 48           | 12   | 75.0% |
| 192   |      | 6                | 0    | 100.0% | 46           | 6    | 87.0%  | 6             | 0    | 100.0% | 46           | 1    | 97.8% |
| 193   |      | 6                | 1    | 83.3%  | 48           | 14   | 70.8%  | 6             | 2    | 66.7%  | 48           | 16   | 66.7% |
| 196   |      | 6                | 0    | 100.0% | 48           | 0    | 100.0% | 6             | 0    | 100.0% | 48           | 2    | 95.8% |
| 197   |      | 6                | 5    | 16.7%  | 48           | 20   | 58.3%  | 6             | 3    | 50.0%  | 48           | 9    | 81.3% |
| 232   |      | 8                | 0    | 100.0% | 69           | 1    | 98.6%  | 8             | 0    | 100.0% | 69           | 6    | 91.3% |
| 233   |      | 8                | 1    | 87.5%  | 69           | 14   | 79.7%  | 8             | 2    | 75.0%  | 69           | 14   | 79.7% |
| 234   |      | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 0    | 100.0% | 69           | 2    | 97.1% |
| 236   |      | 8                | 0    | 100.0% | 69           | 1    | 98.6%  | 8             | 0    | 100.0% | 69           | 11   | 84.1% |
| 237   |      | 8                | 0    | 100.0% | 69           | 10   | 85.5%  | 8             | 1    | 87.5%  | 69           | 5    | 92.8% |
| 239   |      | 8                | 3    | 62.5%  | 68           | 18   | 73.5%  | 8             | 0    | 100.0% | 68           | 2    | 97.1% |
| 240   |      | 8                | 1    | 87.5%  | 69           | 7    | 89.9%  | 8             | 2    | 75.0%  | 69           | 9    | 87.0% |
| 241   |      | 8                | 4    | 50.0%  | 69           | 20   | 71.0%  | 8             | 1    | 87.5%  | 69           | 11   | 84.1% |
| 243   | 19   | 6                | 1    | 83.3%  | 48           | 17   | 64.6%  | 6             | 1    | 83.3%  | 49           | 9    | 81.6% |
| 244   |      | 8                | 0    | 100.0% | 69           | 2    | 97.1%  | 8             | 0    | 100.0% | 69           | 15   | 78.3% |
| 245   |      | 2                | 0    | 100.0% | 21           | 5    | 76.2%  | 3             | 0    | 100.0% | 21           | 1    | 95.2% |
| 280   |      | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 3    | 62.5%  | 69           | 13   | 81.2% |
| 281   |      | 8                | 0    | 100.0% | 69           | 8    | 88.4%  | 8             | 2    | 75.0%  | 69           | 7    | 89.9% |
| 283   |      | 8                | 3    | 62.5%  | 69           | 11   | 84.1%  | 8             | 0    | 100.0% | 69           | 9    | 87.0% |
| 284   |      | 8                | 0    | 100.0% | 69           | 1    | 98.6%  | 8             | 2    | 75.0%  | 69           | 7    | 89.9% |
| 290   | 26   | 8                | 0    | 100.0% | 69           | 18   | 73.9%  | 8             | 2    | 75.0%  | 68           | 23   | 66.2% |
| 291   |      | 8                | 2    | 75.0%  | 69           | 15   | 78.3%  | 8             | 2    | 75.0%  | 69           | 14   | 79.7% |
| 300   | 127  | 8                | 2    | 75.0%  | 69           | 4    | 94.2%  | 8             | 3    | 62.5%  | 68           | 17   | 75.0% |
| 301   | 20   | 8                | 0    | 100.0% | 68           | 1    | 98.5%  | 8             | 3    | 62.5%  | 67           | 12   | 82.1% |
| 302   | 202  | 7                | 2    | 71.4%  | 67           | 8    | 88.1%  | 7             | 3    | 57.1%  | 65           | 20   | 69.2% |
| 305   | 22   | 8                | 4    | 50.0%  | 69           | 9    | 87.0%  | 7             | 4    | 42.9%  | 67           | 24   | 64.2% |
| 306   |      | 8                | 1    | 87.5%  | 68           | 3    | 95.6%  | 8             | 4    | 50.0%  | 67           | 15   | 77.6% |
| 307   | 264  | 8                | 2    | 75.0%  | 68           | 7    | 89.7%  | 8             | 5    | 37.5%  | 68           | 16   | 76.5% |
| 311   |      | 8                | 2    | 75.0%  | 68           | 9    | 86.8%  | 8             | 3    | 62.5%  | 68           | 17   | 75.0% |
| 316   |      | 8                | 1    | 87.5%  | 68           | 4    | 94.1%  | 8             | 1    | 87.5%  | 68           | 13   | 80.9% |
| 318   |      | 8                | 1    | 87.5%  | 69           | 10   | 85.5%  | 8             | 3    | 62.5%  | 68           | 28   | 58.8% |
| 319   | 49   | 8                | 0    | 100.0% | 69           | 2    | 97.1%  | 8             | 3    | 62.5%  | 69           | 39   | 43.5% |
| 329   |      | 6                | 0    | 100.0% | 48           | 1    | 97.9%  | 6             | 1    | 83.3%  | 48           | 3    | 93.8% |
| 330   | 23   | 7                | 0    | 100.0% | 58           | 2    | 96.6%  | 7             | 3    | 57.1%  | 58           | 4    | 93.1% |

# Amtrak On Time Performance

Trains Arriving Through: 12/8/2025

25-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

| Train |    | Initial Terminal |      |        |              |      |        | Endpoint      |      |        |              |      |        |
|-------|----|------------------|------|--------|--------------|------|--------|---------------|------|--------|--------------|------|--------|
|       |    | Month to Date    |      |        | Year to Date |      |        | Month to Date |      |        | Year to Date |      |        |
|       |    | Opr              | Late | Score  | Opr          | Late | Score  | Opr           | Late | Score  | Opr          | Late | Score  |
| 331   | 39 | 8                | 4    | 50.0%  | 69           | 8    | 88.4%  | 8             | 3    | 62.5%  | 69           | 9    | 87.0%  |
| 332   | 11 | 8                | 1    | 87.5%  | 69           | 6    | 91.3%  | 8             | 3    | 62.5%  | 69           | 8    | 88.4%  |
| 334   |    | 8                | 1    | 87.5%  | 69           | 2    | 97.1%  | 8             | 5    | 37.5%  | 68           | 9    | 86.8%  |
| 335   |    | 8                | 4    | 50.0%  | 69           | 11   | 84.1%  | 7             | 1    | 85.7%  | 67           | 10   | 85.1%  |
| 336   |    | 8                | 1    | 87.5%  | 69           | 2    | 97.1%  | 8             | 1    | 87.5%  | 69           | 5    | 92.8%  |
| 337   |    | 8                | 0    | 100.0% | 69           | 4    | 94.2%  | 8             | 2    | 75.0%  | 69           | 7    | 89.9%  |
| 338   |    | 8                | 2    | 75.0%  | 69           | 17   | 75.4%  | 7             | 3    | 57.1%  | 67           | 15   | 77.6%  |
| 339   |    | 8                | 2    | 75.0%  | 69           | 16   | 76.8%  | 8             | 3    | 62.5%  | 69           | 14   | 79.7%  |
| 341   |    | 7                | 0    | 100.0% | 67           | 9    | 86.6%  | 7             | 1    | 85.7%  | 67           | 9    | 86.6%  |
| 342   |    | 8                | 1    | 87.5%  | 69           | 7    | 89.9%  | 8             | 3    | 62.5%  | 68           | 11   | 83.8%  |
| 350   | 50 | 8                | 0    | 100.0% | 51           | 2    | 96.1%  | 8             | 5    | 37.5%  | 51           | 27   | 47.1%  |
| 351   |    | 8                | 2    | 75.0%  | 69           | 5    | 92.8%  | 8             | 3    | 62.5%  | 69           | 29   | 58.0%  |
| 352   |    | 8                | 0    | 100.0% | 69           | 4    | 94.2%  | 8             | 3    | 62.5%  | 67           | 17   | 74.6%  |
| 353   | 31 | 8                | 1    | 87.5%  | 48           | 3    | 93.8%  | 8             | 5    | 37.5%  | 48           | 10   | 79.2%  |
| 354   | 37 | 8                | 2    | 75.0%  | 69           | 5    | 92.8%  | 8             | 7    | 12.5%  | 69           | 21   | 69.6%  |
| 365   | 74 | 8                | 0    | 100.0% | 69           | 2    | 97.1%  | 8             | 5    | 37.5%  | 69           | 21   | 69.6%  |
| 370   |    | 8                | 1    | 87.5%  | 69           | 3    | 95.7%  | 8             | 1    | 87.5%  | 69           | 10   | 85.5%  |
| 371   |    | 8                | 0    | 100.0% | 69           | 0    | 100.0% | 8             | 0    | 100.0% | 69           | 4    | 94.2%  |
| 380   |    | 8                | 1    | 87.5%  | 69           | 11   | 84.1%  | 8             | 0    | 100.0% | 69           | 13   | 81.2%  |
| 381   |    | 8                | 1    | 87.5%  | 69           | 2    | 97.1%  | 8             | 2    | 75.0%  | 69           | 9    | 87.0%  |
| 382   |    | 8                | 0    | 100.0% | 69           | 2    | 97.1%  | 8             | 1    | 87.5%  | 69           | 16   | 76.8%  |
| 383   | 41 | 8                | 1    | 87.5%  | 69           | 6    | 91.3%  | 8             | 5    | 37.5%  | 68           | 27   | 60.3%  |
| 392   |    | 8                | 0    | 100.0% | 69           | 2    | 97.1%  | 8             | 4    | 50.0%  | 68           | 19   | 72.1%  |
| 393   |    | 8                | 0    | 100.0% | 69           | 5    | 92.8%  | 8             | 1    | 87.5%  | 68           | 16   | 76.5%  |
| 417   |    | 6                | 0    | 100.0% | 45           | 8    | 82.2%  | 6             | 0    | 100.0% | 43           | 1    | 97.7%  |
| 425   |    | 6                | 0    | 100.0% | 45           | 1    | 97.8%  | 6             | 0    | 100.0% | 45           | 1    | 97.8%  |
| 448   | 63 | 8                | 5    | 37.5%  | 10           | 6    | 40.0%  | 8             | 6    | 25.0%  | 9            | 6    | 33.3%  |
| 449   |    | 8                | 0    | 100.0% | 8            | 0    | 100.0% | 8             | 2    | 75.0%  | 8            | 2    | 75.0%  |
| 470   |    | 6                | 2    | 66.7%  | 48           | 7    | 85.4%  | 6             | 0    | 100.0% | 48           | 7    | 85.4%  |
| 471   |    | 6                | 1    | 83.3%  | 45           | 1    | 97.8%  | 6             | 0    | 100.0% | 45           | 0    | 100.0% |
| 473   |    | 6                | 0    | 100.0% | 48           | 3    | 93.8%  | 6             | 0    | 100.0% | 48           | 1    | 97.9%  |
| 474   | 23 | 6                | 2    | 66.7%  | 46           | 15   | 67.4%  | 6             | 3    | 50.0%  | 43           | 14   | 67.4%  |
| 475   |    | 6                | 0    | 100.0% | 48           | 0    | 100.0% | 6             | 0    | 100.0% | 48           | 1    | 97.9%  |
| 478   |    | 6                | 0    | 100.0% | 46           | 10   | 78.3%  | 6             | 0    | 100.0% | 46           | 6    | 87.0%  |
| 479   |    | 6                | 1    | 83.3%  | 48           | 5    | 89.6%  | 6             | 0    | 100.0% | 48           | 1    | 97.9%  |
| 486   |    | 6                | 0    | 100.0% | 49           | 7    | 85.7%  | 6             | 1    | 83.3%  | 48           | 7    | 85.4%  |
| 490   |    | 6                | 1    | 83.3%  | 25           | 6    | 76.0%  | 6             | 0    | 100.0% | 25           | 2    | 92.0%  |
| 494   |    | 6                | 0    | 100.0% | 50           | 9    | 82.0%  | 6             | 2    | 66.7%  | 47           | 9    | 80.9%  |
| 495   |    | 6                | 0    | 100.0% | 48           | 2    | 95.8%  | 6             | 0    | 100.0% | 48           | 1    | 97.9%  |
| 500   |    | 8                | 1    | 87.5%  | 69           | 6    | 91.3%  | 8             | 1    | 87.5%  | 68           | 6    | 91.2%  |
| 502   |    | 8                | 0    | 100.0% | 69           | 6    | 91.3%  | 8             | 1    | 87.5%  | 68           | 17   | 75.0%  |
| 503   |    | 8                | 1    | 87.5%  | 66           | 9    | 86.4%  | 8             | 1    | 87.5%  | 65           | 16   | 75.4%  |

# Amtrak On Time Performance

Trains Arriving Through: 12/8/2025

25-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

| Train |       | Initial Terminal |      |        |              |      |        | Endpoint      |      |        |              |      |        |
|-------|-------|------------------|------|--------|--------------|------|--------|---------------|------|--------|--------------|------|--------|
|       |       | Month to Date    |      |        | Year to Date |      |        | Month to Date |      |        | Year to Date |      |        |
|       |       | Opr              | Late | Score  | Opr          | Late | Score  | Opr           | Late | Score  | Opr          | Late | Score  |
| 504   |       | 8                | 1    | 87.5%  | 69           | 6    | 91.3%  | 8             | 2    | 75.0%  | 69           | 21   | 69.6%  |
| 505   |       | 8                | 2    | 75.0%  | 69           | 12   | 82.6%  | 8             | 1    | 87.5%  | 67           | 14   | 79.1%  |
| 506   | 25    | 8                | 1    | 87.5%  | 68           | 10   | 85.3%  | 8             | 1    | 87.5%  | 67           | 10   | 85.1%  |
| 507   |       | 8                | 1    | 87.5%  | 69           | 8    | 88.4%  | 8             | 2    | 75.0%  | 69           | 24   | 65.2%  |
| 508   | 80    | 8                | 1    | 87.5%  | 67           | 12   | 82.1%  | 8             | 4    | 50.0%  | 67           | 17   | 74.6%  |
| 509   | 49    | 8                | 1    | 87.5%  | 69           | 5    | 92.8%  | 8             | 3    | 62.5%  | 69           | 16   | 76.8%  |
| 511   | 59    | 8                | 1    | 87.5%  | 69           | 5    | 92.8%  | 8             | 2    | 75.0%  | 69           | 14   | 79.7%  |
| 516   |       | 8                | 0    | 100.0% | 69           | 9    | 87.0%  | 8             | 3    | 62.5%  | 69           | 31   | 55.1%  |
| 517   |       | 8                | 0    | 100.0% | 69           | 1    | 98.6%  | 8             | 2    | 75.0%  | 68           | 24   | 64.7%  |
| 518   | 146   | 8                | 0    | 100.0% | 69           | 13   | 81.2%  | 8             | 6    | 25.0%  | 69           | 42   | 39.1%  |
| 519   |       | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 2    | 75.0%  | 69           | 11   | 84.1%  |
| 520   |       | 6                | 1    | 83.3%  | 44           | 4    | 90.9%  | 5             | 0    | 100.0% | 43           | 2    | 95.3%  |
| 521   |       | 6                | 0    | 100.0% | 47           | 0    | 100.0% | 6             | 1    | 83.3%  | 47           | 4    | 91.5%  |
| 522   |       | 6                | 3    | 50.0%  | 47           | 7    | 85.1%  | 5             | 1    | 80.0%  | 46           | 5    | 89.1%  |
| 523   |       | 6                | 0    | 100.0% | 47           | 0    | 100.0% | 6             | 3    | 50.0%  | 47           | 7    | 85.1%  |
| 524   |       | 6                | 0    | 100.0% | 47           | 2    | 95.7%  | 6             | 1    | 83.3%  | 47           | 4    | 91.5%  |
| 525   |       | 6                | 1    | 83.3%  | 47           | 2    | 95.7%  | 5             | 1    | 80.0%  | 46           | 6    | 87.0%  |
| 526   |       | 6                | 3    | 50.0%  | 47           | 9    | 80.9%  | 5             | 1    | 80.0%  | 46           | 5    | 89.1%  |
| 527   |       | 6                | 0    | 100.0% | 47           | 1    | 97.9%  | 6             | 1    | 83.3%  | 47           | 3    | 93.6%  |
| 528   |       | 6                | 1    | 83.3%  | 47           | 6    | 87.2%  | 6             | 2    | 66.7%  | 47           | 12   | 74.5%  |
| 529   | 19    | 6                | 0    | 100.0% | 47           | 3    | 93.6%  | 6             | 2    | 66.7%  | 47           | 9    | 80.9%  |
| 530   |       | 1                | 0    | 100.0% | 1            | 0    | 100.0% | 1             | 0    | 100.0% | 1            | 0    | 100.0% |
| 531   |       | 6                | 0    | 100.0% | 47           | 1    | 97.9%  | 6             | 2    | 66.7%  | 47           | 5    | 89.4%  |
| 532   |       | 6                | 0    | 100.0% | 47           | 1    | 97.9%  | 6             | 0    | 100.0% | 47           | 7    | 85.1%  |
| 534   |       | 6                | 1    | 83.3%  | 44           | 6    | 86.4%  | 6             | 1    | 83.3%  | 44           | 4    | 90.9%  |
| 535   | 17    | 5                | 2    | 60.0%  | 43           | 3    | 93.0%  | 4             | 1    | 75.0%  | 42           | 2    | 95.2%  |
| 536   | 126   | 6                | 0    | 100.0% | 47           | 4    | 91.5%  | 5             | 1    | 80.0%  | 46           | 2    | 95.7%  |
| 537   |       | 6                | 1    | 83.3%  | 47           | 4    | 91.5%  | 5             | 1    | 80.0%  | 46           | 2    | 95.7%  |
| 538   | 71    | 6                | 0    | 100.0% | 47           | 6    | 87.2%  | 6             | 3    | 50.0%  | 47           | 8    | 83.0%  |
| 539   | 11    | 1                | 0    | 100.0% | 1            | 0    | 100.0% | 1             | 1    | 0.0%   | 1            | 1    | 0.0%   |
| 540   | Cncld | 6                | 3    | 50.0%  | 47           | 7    | 85.1%  | 5             | 1    | 80.0%  | 44           | 2    | 95.5%  |
| 541   | 153   | 6                | 1    | 83.3%  | 47           | 6    | 87.2%  | 6             | 3    | 50.0%  | 47           | 14   | 70.2%  |
| 542   |       | 6                | 0    | 100.0% | 47           | 3    | 93.6%  | 6             | 1    | 83.3%  | 46           | 11   | 76.1%  |
| 543   | 87    | 6                | 0    | 100.0% | 47           | 6    | 87.2%  | 6             | 1    | 83.3%  | 47           | 13   | 72.3%  |
| 544   | 12    | 6                | 0    | 100.0% | 46           | 2    | 95.7%  | 6             | 3    | 50.0%  | 46           | 7    | 84.8%  |
| 545   |       | 6                | 0    | 100.0% | 47           | 4    | 91.5%  | 6             | 1    | 83.3%  | 46           | 5    | 89.1%  |
| 547   |       | 6                | 0    | 100.0% | 47           | 4    | 91.5%  | 6             | 2    | 66.7%  | 47           | 9    | 80.9%  |
| 548   |       | 6                | 1    | 83.3%  | 47           | 9    | 80.9%  | 6             | 1    | 83.3%  | 47           | 6    | 87.2%  |
| 549   | Cncld | 6                | 3    | 50.0%  | 44           | 13   | 70.5%  | 4             | 0    | 100.0% | 41           | 6    | 85.4%  |
| 550   | 16    | 1                | 1    | 0.0%   | 1            | 1    | 0.0%   | 1             | 1    | 0.0%   | 1            | 1    | 0.0%   |
| 551   |       | 6                | 1    | 83.3%  | 47           | 7    | 85.1%  | 6             | 1    | 83.3%  | 45           | 7    | 84.4%  |
| 562   |       | 8                | 3    | 62.5%  | 67           | 11   | 83.6%  | 8             | 2    | 75.0%  | 66           | 8    | 87.9%  |

# Amtrak On Time Performance

Trains Arriving Through: 12/8/2025

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

|       |      | Initial Terminal |      |        |              |      |        | Endpoint      |      |        |              |      |        |
|-------|------|------------------|------|--------|--------------|------|--------|---------------|------|--------|--------------|------|--------|
|       |      | Month to Date    |      |        | Year to Date |      |        | Month to Date |      |        | Year to Date |      |        |
| Train | Late | Opr              | Late | Score  | Opr          | Late | Score  | Opr           | Late | Score  | Opr          | Late | Score  |
| 564   |      | 8                | 1    | 87.5%  | 67           | 7    | 89.6%  | 8             | 1    | 87.5%  | 64           | 11   | 82.8%  |
| 566   |      | 8                | 1    | 87.5%  | 67           | 6    | 91.0%  | 8             | 1    | 87.5%  | 64           | 7    | 89.1%  |
| 572   |      | 8                | 0    | 100.0% | 66           | 6    | 90.9%  | 8             | 0    | 100.0% | 65           | 14   | 78.5%  |
| 573   |      | 8                | 0    | 100.0% | 67           | 9    | 86.6%  | 8             | 0    | 100.0% | 66           | 8    | 87.9%  |
| 577   |      | 8                | 0    | 100.0% | 65           | 5    | 92.3%  | 8             | 2    | 75.0%  | 61           | 4    | 93.4%  |
| 580   |      | 8                | 0    | 100.0% | 67           | 2    | 97.0%  | 8             | 1    | 87.5%  | 67           | 8    | 88.1%  |
| 581   | 20   | 8                | 0    | 100.0% | 67           | 7    | 89.6%  | 8             | 2    | 75.0%  | 67           | 14   | 79.1%  |
| 582   |      | 8                | 2    | 75.0%  | 67           | 6    | 91.0%  | 8             | 1    | 87.5%  | 65           | 5    | 92.3%  |
| 586   |      | 8                | 3    | 62.5%  | 67           | 14   | 79.1%  | 8             | 0    | 100.0% | 64           | 9    | 85.9%  |
| 587   |      | 8                | 0    | 100.0% | 67           | 3    | 95.5%  | 8             | 0    | 100.0% | 65           | 9    | 86.2%  |
| 591   |      | 8                | 0    | 100.0% | 67           | 1    | 98.5%  | 8             | 0    | 100.0% | 67           | 6    | 91.0%  |
| 593   |      | 8                | 1    | 87.5%  | 67           | 10   | 85.1%  | 8             | 0    | 100.0% | 61           | 5    | 91.8%  |
| 595   |      | 8                | 1    | 87.5%  | 66           | 15   | 77.3%  | 8             | 0    | 100.0% | 65           | 10   | 84.6%  |
| 600   |      | 6                | 0    | 100.0% | 48           | 1    | 97.9%  | 6             | 0    | 100.0% | 48           | 4    | 91.7%  |
| 601   |      | 6                | 4    | 33.3%  | 48           | 23   | 52.1%  | 6             | 0    | 100.0% | 48           | 13   | 72.9%  |
| 605   |      | 6                | 5    | 16.7%  | 48           | 26   | 45.8%  | 6             | 1    | 83.3%  | 47           | 3    | 93.6%  |
| 607   |      | 6                | 0    | 100.0% | 48           | 3    | 93.8%  | 6             | 1    | 83.3%  | 47           | 2    | 95.7%  |
| 609   |      | 6                | 0    | 100.0% | 47           | 1    | 97.9%  | 6             | 0    | 100.0% | 47           | 3    | 93.6%  |
| 620   |      | 6                | 3    | 50.0%  | 47           | 12   | 74.5%  | 6             | 0    | 100.0% | 45           | 2    | 95.6%  |
| 637   |      | 1                | 0    | 100.0% | 12           | 0    | 100.0% | 2             | 0    | 100.0% | 12           | 0    | 100.0% |
| 639   |      | 6                | 3    | 50.0%  | 48           | 13   | 72.9%  | 6             | 0    | 100.0% | 48           | 4    | 91.7%  |
| 640   | 26   | 6                | 1    | 83.3%  | 48           | 3    | 93.8%  | 6             | 6    | 0.0%   | 48           | 24   | 50.0%  |
| 641   |      | 6                | 4    | 33.3%  | 48           | 9    | 81.3%  | 6             | 1    | 83.3%  | 48           | 8    | 83.3%  |
| 642   |      | 6                | 1    | 83.3%  | 47           | 3    | 93.6%  | 6             | 1    | 83.3%  | 47           | 5    | 89.4%  |
| 643   |      | 6                | 1    | 83.3%  | 48           | 8    | 83.3%  | 6             | 2    | 66.7%  | 47           | 5    | 89.4%  |
| 644   |      | 6                | 0    | 100.0% | 48           | 5    | 89.6%  | 6             | 1    | 83.3%  | 48           | 6    | 87.5%  |
| 645   |      | 6                | 0    | 100.0% | 48           | 3    | 93.8%  | 6             | 2    | 66.7%  | 48           | 8    | 83.3%  |
| 646   | 26   | 6                | 1    | 83.3%  | 48           | 8    | 83.3%  | 6             | 5    | 16.7%  | 47           | 25   | 46.8%  |
| 647   |      | 6                | 0    | 100.0% | 48           | 2    | 95.8%  | 6             | 0    | 100.0% | 48           | 12   | 75.0%  |
| 648   |      | 6                | 3    | 50.0%  | 48           | 9    | 81.3%  | 6             | 1    | 83.3%  | 48           | 5    | 89.6%  |
| 649   |      | 6                | 2    | 66.7%  | 48           | 8    | 83.3%  | 6             | 0    | 100.0% | 47           | 7    | 85.1%  |
| 650   |      | 6                | 1    | 83.3%  | 48           | 10   | 79.2%  | 6             | 3    | 50.0%  | 48           | 10   | 79.2%  |
| 651   |      | 6                | 0    | 100.0% | 48           | 5    | 89.6%  | 6             | 2    | 66.7%  | 48           | 15   | 68.8%  |
| 652   |      | 6                | 1    | 83.3%  | 48           | 9    | 81.3%  | 6             | 2    | 66.7%  | 47           | 10   | 78.7%  |
| 653   |      | 6                | 2    | 66.7%  | 48           | 10   | 79.2%  | 6             | 0    | 100.0% | 48           | 14   | 70.8%  |
| 654   |      | 6                | 3    | 50.0%  | 48           | 8    | 83.3%  | 6             | 1    | 83.3%  | 48           | 3    | 93.8%  |
| 655   |      | 6                | 3    | 50.0%  | 46           | 15   | 67.4%  | 6             | 2    | 66.7%  | 45           | 10   | 77.8%  |
| 656   |      | 6                | 3    | 50.0%  | 48           | 10   | 79.2%  | 6             | 0    | 100.0% | 48           | 5    | 89.6%  |
| 657   |      | 6                | 0    | 100.0% | 48           | 3    | 93.8%  | 6             | 0    | 100.0% | 48           | 9    | 81.3%  |
| 658   |      | 6                | 1    | 83.3%  | 48           | 8    | 83.3%  | 6             | 1    | 83.3%  | 48           | 7    | 85.4%  |
| 680   |      | 6                | 0    | 100.0% | 49           | 2    | 95.9%  | 6             | 1    | 83.3%  | 49           | 4    | 91.8%  |
| 681   |      | 6                | 0    | 100.0% | 49           | 2    | 95.9%  | 6             | 1    | 83.3%  | 49           | 14   | 71.4%  |

# Amtrak On Time Performance

Trains Arriving Through: 12/8/2025

25-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

|       |       | Initial Terminal |      |        |              |      |        | Endpoint      |      |        |              |      |        |
|-------|-------|------------------|------|--------|--------------|------|--------|---------------|------|--------|--------------|------|--------|
|       |       | Month to Date    |      |        | Year to Date |      |        | Month to Date |      |        | Year to Date |      |        |
| Train | Late  | Opr              | Late | Score  | Opr          | Late | Score  | Opr           | Late | Score  | Opr          | Late | Score  |
| 682   |       | 6                | 0    | 100.0% | 49           | 0    | 100.0% | 6             | 1    | 83.3%  | 49           | 11   | 77.6%  |
| 683   |       | 6                | 0    | 100.0% | 32           | 3    | 90.6%  | 6             | 1    | 83.3%  | 32           | 10   | 68.8%  |
| 684   |       | 6                | 0    | 100.0% | 31           | 4    | 87.1%  | 6             | 0    | 100.0% | 31           | 8    | 74.2%  |
| 685   |       | 6                | 2    | 66.7%  | 48           | 6    | 87.5%  | 6             | 0    | 100.0% | 48           | 13   | 72.9%  |
| 686   |       | 6                | 1    | 83.3%  | 49           | 14   | 71.4%  | 6             | 2    | 66.7%  | 49           | 12   | 75.5%  |
| 687   | 56    | 6                | 1    | 83.3%  | 49           | 7    | 85.7%  | 6             | 3    | 50.0%  | 49           | 9    | 81.6%  |
| 688   | 56    | 6                | 0    | 100.0% | 49           | 1    | 98.0%  | 6             | 2    | 66.7%  | 49           | 14   | 71.4%  |
| 699   |       | 2                | 0    | 100.0% | 16           | 2    | 87.5%  | 3             | 0    | 100.0% | 16           | 0    | 100.0% |
| 701   |       | 1                | 1    | 0.0%   | 1            | 1    | 0.0%   | 1             | 0    | 100.0% | 1            | 0    | 100.0% |
| 702   |       | 8                | 2    | 75.0%  | 69           | 17   | 75.4%  | 8             | 2    | 75.0%  | 68           | 21   | 69.1%  |
| 703   | 21    | 8                | 0    | 100.0% | 69           | 15   | 78.3%  | 8             | 2    | 75.0%  | 69           | 18   | 73.9%  |
| 704   |       | 1                | 1    | 0.0%   | 1            | 1    | 0.0%   | 1             | 0    | 100.0% | 1            | 0    | 100.0% |
| 710   |       | 8                | 3    | 62.5%  | 69           | 27   | 60.9%  | 8             | 0    | 100.0% | 69           | 28   | 59.4%  |
| 711   | Cncld | 8                | 0    | 100.0% | 65           | 4    | 93.8%  | 7             | 2    | 71.4%  | 60           | 9    | 85.0%  |
| 712   |       | 8                | 1    | 87.5%  | 69           | 18   | 73.9%  | 8             | 1    | 87.5%  | 68           | 24   | 64.7%  |
| 713   | No OS | 8                | 1    | 87.5%  | 69           | 10   | 85.5%  | 8             | 2    | 75.0%  | 63           | 29   | 54.0%  |
| 714   |       | 8                | 2    | 75.0%  | 63           | 21   | 66.7%  | 8             | 1    | 87.5%  | 58           | 17   | 70.7%  |
| 715   | 55    | 8                | 2    | 75.0%  | 69           | 24   | 65.2%  | 7             | 4    | 42.9%  | 65           | 33   | 49.2%  |
| 716   | 154   | 8                | 3    | 62.5%  | 69           | 26   | 62.3%  | 8             | 3    | 62.5%  | 68           | 26   | 61.8%  |
| 717   |       | 8                | 1    | 87.5%  | 60           | 14   | 76.7%  | 8             | 2    | 75.0%  | 55           | 15   | 72.7%  |
| 719   |       | 8                | 3    | 62.5%  | 69           | 27   | 60.9%  | 8             | 2    | 75.0%  | 67           | 18   | 73.1%  |
| 761   |       | 8                | 0    | 100.0% | 67           | 3    | 95.5%  | 8             | 0    | 100.0% | 67           | 9    | 86.6%  |
| 765   |       | 8                | 1    | 87.5%  | 67           | 8    | 88.1%  | 8             | 0    | 100.0% | 67           | 13   | 80.6%  |
| 769   |       | 8                | 1    | 87.5%  | 67           | 5    | 92.5%  | 8             | 0    | 100.0% | 65           | 11   | 83.1%  |
| 770   |       | 8                | 0    | 100.0% | 67           | 7    | 89.6%  | 8             | 0    | 100.0% | 67           | 9    | 86.6%  |
| 774   |       | 8                | 0    | 100.0% | 67           | 6    | 91.0%  | 8             | 1    | 87.5%  | 66           | 12   | 81.8%  |
| 779   |       | 8                | 0    | 100.0% | 67           | 4    | 94.0%  | 8             | 0    | 100.0% | 66           | 9    | 86.4%  |
| 784   | 37    | 8                | 1    | 87.5%  | 67           | 7    | 89.6%  | 8             | 6    | 25.0%  | 66           | 35   | 47.0%  |
| 785   |       | 8                | 0    | 100.0% | 67           | 0    | 100.0% | 8             | 1    | 87.5%  | 67           | 8    | 88.1%  |
| 790   |       | 8                | 0    | 100.0% | 67           | 5    | 92.5%  | 8             | 0    | 100.0% | 67           | 7    | 89.6%  |
| 794   | 123   | 8                | 1    | 87.5%  | 67           | 6    | 91.0%  | 8             | 2    | 75.0%  | 66           | 12   | 81.8%  |
| 821   | 13    | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 3    | 62.5%  | 69           | 43   | 37.7%  |
| 822   |       | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 2    | 75.0%  | 69           | 46   | 33.3%  |
| 1333  | 161   | 8                | 4    | 50.0%  | 69           | 8    | 88.4%  | 8             | 5    | 37.5%  | 68           | 31   | 54.4%  |
| 1340  |       | 8                | 0    | 100.0% | 69           | 3    | 95.7%  | 8             | 2    | 75.0%  | 69           | 15   | 78.3%  |
| 2103  |       | 6                | 0    | 100.0% | 47           | 3    | 93.6%  | 6             | 0    | 100.0% | 47           | 1    | 97.9%  |
| 2104  |       | 6                | 1    | 83.3%  | 18           | 3    | 83.3%  | 6             | 1    | 83.3%  | 18           | 3    | 83.3%  |
| 2107  |       | 6                | 1    | 83.3%  | 48           | 8    | 83.3%  | 6             | 1    | 83.3%  | 46           | 1    | 97.8%  |
| 2108  |       | 6                | 0    | 100.0% | 48           | 2    | 95.8%  | 6             | 1    | 83.3%  | 46           | 1    | 97.8%  |
| 2117  |       | 6                | 2    | 66.7%  | 18           | 5    | 72.2%  | 6             | 2    | 66.7%  | 18           | 3    | 83.3%  |
| 2121  |       | 6                | 1    | 83.3%  | 46           | 4    | 91.3%  | 6             | 0    | 100.0% | 46           | 3    | 93.5%  |
| 2122  |       | 6                | 0    | 100.0% | 48           | 6    | 87.5%  | 6             | 0    | 100.0% | 48           | 3    | 93.8%  |

**Amtrak On Time Performance**

Trains Arriving Through: 12/8/2025

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

|       |      | Initial Terminal |      |        |              |      |        | Endpoint      |      |        |              |      |       |
|-------|------|------------------|------|--------|--------------|------|--------|---------------|------|--------|--------------|------|-------|
|       |      | Month to Date    |      |        | Year to Date |      |        | Month to Date |      |        | Year to Date |      |       |
| Train | Late | Opr              | Late | Score  | Opr          | Late | Score  | Opr           | Late | Score  | Opr          | Late | Score |
| 2124  |      | 5                | 1    | 80.0%  | 35           | 5    | 85.7%  | 5             | 1    | 80.0%  | 35           | 2    | 94.3% |
| 2150  |      | 6                | 0    | 100.0% | 48           | 9    | 81.3%  | 6             | 0    | 100.0% | 48           | 9    | 81.3% |
| 2151  | 58   | 6                | 0    | 100.0% | 48           | 0    | 100.0% | 6             | 2    | 66.7%  | 47           | 8    | 83.0% |
| 2152  | 35   | 6                | 1    | 83.3%  | 44           | 3    | 93.2%  | 6             | 4    | 33.3%  | 43           | 13   | 69.8% |
| 2153  | 23   | 6                | 0    | 100.0% | 48           | 6    | 87.5%  | 6             | 2    | 66.7%  | 48           | 11   | 77.1% |
| 2154  |      | 6                | 2    | 66.7%  | 48           | 16   | 66.7%  | 6             | 4    | 33.3%  | 46           | 25   | 45.7% |
| 2155  |      | 6                | 1    | 83.3%  | 48           | 3    | 93.8%  | 6             | 3    | 50.0%  | 46           | 12   | 73.9% |
| 2159  |      | 6                | 0    | 100.0% | 47           | 1    | 97.9%  | 6             | 3    | 50.0%  | 47           | 10   | 78.7% |
| 2162  |      | 6                | 0    | 100.0% | 48           | 2    | 95.8%  | 6             | 2    | 66.7%  | 47           | 11   | 76.6% |
| 2163  | 31   | 6                | 0    | 100.0% | 48           | 4    | 91.7%  | 6             | 2    | 66.7%  | 48           | 12   | 75.0% |
| 2166  |      | 6                | 0    | 100.0% | 48           | 5    | 89.6%  | 6             | 0    | 100.0% | 46           | 6    | 87.0% |
| 2167  |      | 6                | 0    | 100.0% | 48           | 5    | 89.6%  | 6             | 1    | 83.3%  | 48           | 9    | 81.3% |
| 2168  | 47   | 6                | 1    | 83.3%  | 48           | 3    | 93.8%  | 6             | 1    | 83.3%  | 48           | 7    | 85.4% |
| 2169  | 75   | 6                | 4    | 33.3%  | 44           | 14   | 68.2%  | 6             | 4    | 33.3%  | 44           | 19   | 56.8% |
| 2170  |      | 6                | 3    | 50.0%  | 48           | 10   | 79.2%  | 6             | 2    | 66.7%  | 48           | 11   | 77.1% |
| 2172  |      | 6                | 0    | 100.0% | 48           | 6    | 87.5%  | 6             | 2    | 66.7%  | 48           | 9    | 81.3% |
| 2173  |      | 6                | 2    | 66.7%  | 47           | 9    | 80.9%  | 6             | 0    | 100.0% | 47           | 18   | 61.7% |
| 2190  |      | 6                | 2    | 66.7%  | 48           | 7    | 85.4%  | 5             | 0    | 100.0% | 47           | 4    | 91.5% |
| 2193  |      | 6                | 0    | 100.0% | 47           | 1    | 97.9%  | 6             | 1    | 83.3%  | 47           | 10   | 78.7% |
| 2275  | 29   | 1                | 0    | 100.0% | 11           | 2    | 81.8%  | 2             | 1    | 50.0%  | 11           | 5    | 54.5% |

# Amtrak Endpoint OTP Details

Late Trains For

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

Region: ALL

Service: ALL

Arriving On: 12/8/2025

| Train | Terminal | Late | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                                            |
|-------|----------|------|----------|------|-----------------------|------|---------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       |          |      | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                                               |
| 2151  | WAS      | 58   | ENG      | 44   | ENG                   | 44   | XGX-NHV | AM   | Other electrical failure, 2025, 2151 stopped at MP 83.69 due to smoke in the engine                                                                        |
| 2152  | BOS      | 35   | CTP      | 14   | CTP                   | 14   | NWK-NYP | AM   | Delay due to mechanical problems on a Commuter train, CONGESTION A/C NJ3224 WITH ACSES PENALTY IN "A" INT                                                  |
| 2153  | WAS      | 23   | CTI      | 21   | CTI                   | 10   | XGX-NHV | AM   | Follow, CDOT, 1645, Milepost, XVW, TRIBEL, FOLLOWING CD1645 XVW - TRIBEL                                                                                   |
| 2163  | WAS      | 31   | DCS      | 26   | DCS                   | 26   | BWI-XNY | AM   | Power switch failure, Control Point, ., HELD FOR DISPOSITION A/C K TOWER HAVING SWITCH FAILURE.                                                            |
| 2168  | BOS      | 47   | ENG      | 33   | ENG                   | 33   | WAS-WAS | AM   | Other electrical failure, ., 2151 SHOPPED ON ARRIVAL. NEC'Y TO SHORT TURN 2155 FOR 2168                                                                    |
| 2169  | WAS      | 75   | ITI      | 42   | ITI                   | 42   | BOS-BOS | AM   | Service, turn, or wye train, 2152, late dp from South Station due to a late turn of 2152                                                                   |
| 2275  | WAS      | 29   | OTH      | 14   | SMW                   | 12   | NWK-XCY | AM   | Scheduled in track usage program, Other, 55HR OUTAGE NO.3 TRACK XLT-XEO                                                                                    |
| 85    | RVM      | 26   | PTI      | 24   | PTI                   | 10   | BWI-NCR | AM   | Follow, 97, Control Point, .                                                                                                                               |
| 86    | BOS      | 24   | CTI      | 15   | MBO                   | 11   | NYP-XSH | AM   | For maritime traffic, Other, PELHAM BAY                                                                                                                    |
| 125   | NPN      | 29   | PTI      | 38   | PTI                   | 28   | FBG-ASD | CS   | Meet P09008, Control Point, crossroads                                                                                                                     |
| 131   | WAS      | 19   | TCD      | 26   | TCD                   | 24   | BAL-BWI | AM   | Elevator at Station, HELD AT FULTON FOR NORTH BOUND TRAINS AHEAD TO OPERATED 1TRK FOR BWI STATION STOP A/C ELEVATORS OUT OF SERVICE ON 3TRK AT BWI STATION |
| 139   | WAS      | 17   | SMW      | 21   | ITI                   | 14   | BOS-BOS | AM   | Service, turn, or wye train, 162, AM139 departed late due to late turn of AM162                                                                            |
| 474   | SPG      | 23   | INJ      | 20   | INJ                   | 20   | BER-BER | AM   | Injured or sick passenger, Held for EMS for pax that fell                                                                                                  |
| 79    | CLT      | 61   | PTI      | 41   | PTI                   | 30   | DNC-BNC | NS   | Meet AM 76, Control Point, KING                                                                                                                            |
| 640   | NYP      | 26   | CTP      | 17   | CTP                   | 17   | NWK-NYP | AM   | Delay due to mechanical problems on a Commuter train, CONGESTION A/C NJ3224 WITH ACSES PENALTY IN "A" INT                                                  |
| 646   | NYP      | 26   | CTP      | 23   | CTP                   | 23   | PAO-PHL | AM   | Delay due to mechanical problems on a Commuter train, Septa 9544, air compression issues.                                                                  |
| 687   | BRK      | 56   | ENG      | 59   | ENG                   | 59   | WEM-SAO | CS   | Loading problem Fault code. Won't load: electrical control problem. Called CNOC Mechanical. Issue resolved with trouble shooting., 87                      |

# Amtrak Endpoint OTP Details

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

Late Trains For

Region: ALL

Service: ALL

Arriving On: 12/8/2025

|       |          |               | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                          |
|-------|----------|---------------|----------|------|-----------------------|------|---------|------|----------------------------------------------------------------------------------------------------------|
| Train | Terminal | Late          | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                             |
| 688   | BON      | 56            | PTI      | 63   | PTI                   | 60   | SAO-WEM | CS   | Wait for station track 687 engine problems, 687, Control Point, wing                                     |
| 63    | TWO      | 111           | FTI      | 21   | FTI                   | 15   | XSV-ROC | CS   | Follow m26508, Control Point, 301                                                                        |
| 68    | NYP      | 66            | ENG      | 42   | ENG                   | 42   | XSD-NYP | AM   | Other electrical failure, 716, STOPPED EAST OF PLATFORM WITH MECHANICAL ISSUES                           |
| 243   | ALB      | 19            | DMW      | 31   | DMW                   | 14   | CRT-CRT | MN   | Hold for defect repair Control Point, 34                                                                 |
| 290   | NYP      | 26            | CTI      | 19   | ENG                   | 13   | VRN-VRN | VR   | Loading problem Multiple faults had to be reset on rear engine, 701                                      |
| 448   | BOS      | 62            | FTI      | 64   | FTI                   | 40   | XRD-PIT | CS   | Meet M427, Control Point, 171                                                                            |
| 42    | NYP      | 22            | OTH      | 24   | SVS                   | 14   | PHL-PHL | AM   | Planned set out / pick out of locomotives, cars or section of train, added 2 engines and private cars    |
| 72    | RGH      | 11            | DCS      | 10   | PTI                   | 5    | HPT-GRO | NS   | Meet #amt73, Control Point, cox                                                                          |
| 75    | CLT      | 27            | DCS      | 19   | DCS                   | 19   | BNC-GRO | NS   | Issue with automatic road crossing protection Stop and flag, Milepost, 7.58, 7.58, Milepost, 6.75, 6.75  |
| 77    | CLT      | 18            | DCS      | 14   | PTI                   | 13   | DNC-BNC | NS   | Meet amt74, Milepost, 25.5, 23.5                                                                         |
| 55    | WAS      | 33            | DSR      | 39   | DSR                   | 17   | BRP-STM | MN   | Per dispatcher (radio/phone) Control Point, cp234, 0, 2                                                  |
| 40    | CHI      | 95            | PTI      | 77   | CTI                   | 34   | MIA-HOL | FL   | Meet Stop sgl @ Hardy #2Tk, met TriRail P671, SFRTA, P671, Control Point, Hardy                          |
| 5     | EMY      | 93            | ENG      | 172  | ENG                   | 45   | MCK-FMG | BN   | Air / Brake 60mph due to truck cut out with ptc, 50                                                      |
| 529   | SJC      | 19            | PTI      | 9    | PTI                   | 4    | SUI-MTZ | UP   | Wait for station track amt710, Other, mtz                                                                |
| 535   | OKJ      | 17            | PTI      | 18   | PTI                   | 12   | DAV-FFV | UP   | Meet Amt 526, Control Point, Pitt                                                                        |
| 536   | SAC      | 126           | TRS      | 131  | TRS                   | 115  | EMY-EMY | UP   | Trespasser strike Holding at EMERYVILLE for trespasser strike incurred by Amtrak 541, Milepost, 7.7, 7.7 |
| 538   | ARN      | 71            | POL      | 85   | POL                   | 55   | OKJ-OKJ | UP   | RR blocked by trespasser or vehicle strike by another train                                              |
| 539   | SJC      | 11            | DCS      | 16   | DCS                   | 16   | FMT-GAC | UP   | unable to get co035 switch to lock, shove back to co034 from siding to mt, Control Point, co035          |
| 540   | SAC      | Trn Cancelled |          |      |                       |      |         |      |                                                                                                          |
| 541   | OKJ      | 153           | TRS      | 155  | TRS                   | 155  | RIC-BKY | UP   | Trespasser strike Amtk 541 trespasser strike, Milepost, 7.10, 7.06                                       |

# Amtrak Endpoint OTP Details

Late Trains For

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

Region: ALL

Service: ALL

Arriving On: 12/8/2025

|       |          |               | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                                                                                                                                                   |
|-------|----------|---------------|----------|------|-----------------------|------|---------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Train | Terminal | Late          | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                                                                                                                                                      |
| 543   | SJC      | 87            | POL      | 90   | POL                   | 69   | RIC-RIC | UP   | RR blocked by trespasser or vehicle strike by another train                                                                                                                                                                                                       |
| 544   | SAC      | 12            | PTI      | 19   | PTI                   | 11   | RIC-MTZ | UP   | Meet 717, Other, MTZ                                                                                                                                                                                                                                              |
| 549   | OKJ      | Trn Cancelled |          |      |                       |      |         |      |                                                                                                                                                                                                                                                                   |
| 550   | SAC      | 16            | ITI      | 24   | ITI                   | 24   | SJC-SJC | UP   | Service, turn, or wye train 543                                                                                                                                                                                                                                   |
| 506   | SEA      | 25            | FTI      | 23   | FTI                   | 23   | VAN-KEL | BN   | Follow Restricted speed, Unknown, Milepost, 130, 124                                                                                                                                                                                                              |
| 508   | SEA      | 80            | FTI      | 65   | FTI                   | 59   | ALY-SLM | UP   | Follow Follow. Then wait for 11,000 ft UP 9650 to shove back to clear signal. Then give the conductor a ride to the head end., UP 9650, Milepost, 699.7, 713.9                                                                                                    |
| 509   | PDX      | 49            | WTR      | 24   | WTR                   | 18   | CTL-KEL | BN   | Flash flood warning Flash flood warning in effect on the Seattle subdivision between MP 86.0 and MP 102.6. Reduce timetable speed to 30 MPH per BNSF SSI., Milepost, 86.0, 102.6                                                                                  |
| 511   | PDX      | 59            | WTR      | 52   | WTR                   | 15   | CTL-KEL | BN   | Flash flood warning Milepost, 86.0, 102.6                                                                                                                                                                                                                         |
| 518   | VAC      | 146           | FTI      | 59   | FTI                   | 51   | BEL-X8B | BN   | Meet BNSF 5834, Control Point, North Swift                                                                                                                                                                                                                        |
| 821   | FTW      | 13            | DSR      | 42   | DSR                   | 14   | PVL-ADM | BN   | Per bulletin Milepost, 494.6, 494.4, 75, m, Milepost, 491.2, 490.8, 50, m, Milepost, 487.7, 487.6, 60, m, Milepost, 486.8, 486.7, 60, m, Milepost, 486.3, 486.1, 60, m, Milepost, 484.1, 483.9, 60, m, Milepost, 463.1, 462.9, 25, m, Milepost, 477, 476.8, 10, m |
| 330   | CHI      | 23            | CTI      | 30   | CTI                   | 13   | XRO-GLN | ME   | Follow Followed 2112 from 30.8 all the way to CUS, Metra, 2112, Control Point, Roundout                                                                                                                                                                           |
| 331   | MKE      | 39            | CTI      | 43   | CTI                   | 20   | XWA-GLN | ME   | Follow Followed Metra 2109 from Mayfair to Glenview, metra, 2109, Control Point, A2                                                                                                                                                                               |
| 332   | CHI      | 11            | CAR      | 8    | CAR                   | 8    | XRO-GLN | ME   | Air / Brake / Wheel 35001, 34057, Brake pipe popped off at Rondout                                                                                                                                                                                                |
| 350   | PNT      | 50            | CAR      | 29   | PTI                   | 15   | XB0-XA5 | MI   | Meet 353, Siding, Albion                                                                                                                                                                                                                                          |
| 353   | CHI      | 31            | DCS      | 27   | DCS                   | 27   | KAL-X90 | AM   | Track circuit out @ Decatur due to NS freight Other, 161                                                                                                                                                                                                          |
| 354   | PNT      | 37            | ENG      | 20   | ENG                   | 20   | CHI-CHI | AM   | HEP ID4607                                                                                                                                                                                                                                                        |
| 365   | CHI      | 74            | FTI      | 40   | CAR                   | 32   | DRD-LNS | CC   | HEP ID4312, Lost Hep due to bad Hep Cable between 4312 and 4016. Made Temporary Repair.                                                                                                                                                                           |

# Amtrak Endpoint OTP Details

Late Trains For

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

Region: ALL

Service: ALL

Arriving On: 12/8/2025

|       |          |               | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                                                                                                                                              |
|-------|----------|---------------|----------|------|-----------------------|------|---------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Train | Terminal | Late          | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                                                                                                                                                 |
| 581   | LAX      | 20            | CTI      | 22   | POL                   | 12   | IRV-IRV | SC   | RR blocked by trespasser or vehicle strike by another train                                                                                                                                                                                                  |
| 784   | SAN      | 37            | CTI      | 35   | PTI                   | 16   | SNC-SNP | SC   | Meet Amtk 587, Siding, Capistrano                                                                                                                                                                                                                            |
| 794   | SOL      | 123           | POL      | 84   | POL                   | 84   | VNC-VNC | SC   | RR blocked by trespasser or vehicle strike by another train                                                                                                                                                                                                  |
| 703   | SAC      | 21            | PTI      | 32   | PTI                   | 19   | MCD-TRK | BN   | Meet Shuffled into siding for AM 718, AM 718, Control Point, E Denair                                                                                                                                                                                        |
| 711   | OKJ      | Trn Cancelled | POL      | 113  | POL                   | 113  | HNF-HNF | BN   | RR blocked by trespasser or vehicle strike by another train BNSF 7581 vehicle strike w conejo                                                                                                                                                                |
| 713   | OKJ      | No OS Rpt     | POL      | 137  | POL                   | 125  | RIC-RIC | UP   | RR blocked by trespasser or vehicle strike by another train AMTK 541 incident MP7.5                                                                                                                                                                          |
| 715   | OKJ      | 55            | PTI      | 31   | CON                   | 16   | BFD-BFD | BN   | Hold for thruway bus                                                                                                                                                                                                                                         |
| 716   | BFD      | 154           | POL      | 156  | POL                   | 156  | EMY-EMY | UP   | RR blocked by trespasser or vehicle strike by another train                                                                                                                                                                                                  |
| 4     | CHI      | 88            | POL      | 55   | POL                   | 55   | RIV-RIV | BN   | RR blocked by trespasser or vehicle strike by another train                                                                                                                                                                                                  |
| 22    | CHI      | 89            | FTI      | 115  | FTI                   | 37   | XUD-XTF | CC   | Cross Traffic unknown, Control Point, Canal                                                                                                                                                                                                                  |
| 300   | CHI      | 127           | ITI      | 84   | ITI                   | 84   | STL-STL | TR   | Service, turn, or wye train 305, Late arriving train                                                                                                                                                                                                         |
| 301   | STL      | 20            | PTI      | 21   | FTI                   | 10   | XTF-XUD | CC   | Cross Traffic unknown, Control Point, Corwith                                                                                                                                                                                                                |
| 302   | CHI      | 202           | CAR      | 131  | CAR                   | 117  | BNL-PON | UP   | Air / Brake / Wheel ID4109, ID4017, Brake hose detached from the 45 including the coupler with broken threading. Recovered broken hose near crossing. Assistance from UP M/W assist with repiping 45 taken from rear car. Back on the move 1204.             |
| 305   | STL      | 22            | FTI      | 23   | CAR                   | 20   | CHI-CHI | AM   | Door ID4203, ID4125, 4203 car stairs and door would not close and door 4125 stairs were not fully retracted                                                                                                                                                  |
| 307   | STL      | 264           | CAR      | 240  | CAR                   | 240  | CHI-CHI | AM   | Toilet ID4014, ID4017, ID4128, ID4303                                                                                                                                                                                                                        |
| 383   | QCY      | 41            | RTE      | 26   | RTE                   | 23   | KEE-GBB | BN   | Dispatcher hold Originally we were told we'd be waiting at the station for switching, instead we stayed at B Plant waiting. There was nothing on MT 1 or MT 2 blocking the station, we could have pulled in and did our station work, Control Point, B Plant |
| 319   | KCY      | 49            | FTI      | 47   | FTI                   | 37   | SMT-XUD | CC   | Cross Traffic N/A, Control Point, Canal                                                                                                                                                                                                                      |

Amtrak Endpoint OTP Details

Late Trains For

26-FOI-0016700000005495"UNCLASSIFIED"12/17/2025

Region:ALL

Service:ALL

Arriving On:12/8/2025

|       |          |      | Max Type |      | Max Single Delay Item |      |         |      |                                                                                                                                 |
|-------|----------|------|----------|------|-----------------------|------|---------|------|---------------------------------------------------------------------------------------------------------------------------------|
| Train | Terminal | Late | Type     | Mins | Type                  | Mins | Between | Host | Delay Reason                                                                                                                    |
| 1333  | MSP      | 161  | CAR      | 166  | CAR                   | 166  | CHI-CHI | AM   | Heat / AC 35002, Bad HVAC on 35002, does not call for heat. Mechanical tried to change out the HVAC motherboards, did not work. |

# Amtrak Initial Terminal Details

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

Late Trains For:

Region: ALL

Division: ALL

Data Through: 12/8/2025

| Terminal | Train | Date  | Late    | Delay | Cause                                                                                                                                                                                                     |
|----------|-------|-------|---------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MIA      | 98    | 12/08 | 34      | 34    | Loading problem Communication cable's not working properly, 365                                                                                                                                           |
| NFK      | 94    | 12/08 | 7       | 7     | Hold for thruway bus                                                                                                                                                                                      |
| NOL      | 24    | 12/08 | 5       | 5     | PTC problem or failure (cause unknown) PTC was up and working initially, but dropped out one minute prior to departure time. Had to re-initialize system, Other, NOL station                              |
| PHL      | 110   | 12/08 | 1       |       |                                                                                                                                                                                                           |
| WAS      | 172   | 12/08 | 3       | 3     | Blocked from station track, MARC, 872, Control Point, WAS, INBOUND MK407 DIDN'T SPOT ALL THE WAY TO THE BLOCK OF 13 TRK RESULTING IN MK872 NOT CLEARING ON THE NORTH END WHICH BLOCKED 172 FROM DEPARTING |
| WAS      | 176   | 12/08 | 1       |       |                                                                                                                                                                                                           |
| WAS      | 182   | 12/08 | (No OS) |       |                                                                                                                                                                                                           |
| WAS      | 184   | 12/08 | (No OS) |       |                                                                                                                                                                                                           |
| WAS      | 2168  | 12/08 | 33      | 33    | Other electrical failure, ., 2151 SHOPPED ON ARRIVAL. NEC'Y TO SHORT TURN 2155 FOR 2168                                                                                                                   |
| BON      | 685   | 12/08 | 1       |       |                                                                                                                                                                                                           |
| BOS      | 2169  | 12/08 | 42      | 42    | Service, turn, or wye train, 2152, late dp from South Station due to a late turn of 2152                                                                                                                  |
| MTR      | 68    | 12/08 | 1       |       |                                                                                                                                                                                                           |
| NHV      | 470   | 12/08 | 4       | 4     | Dispatcher hold, Milepost, NHV, NHV, held by metro north, late from yard                                                                                                                                  |
| NYP      | 181   | 12/08 | 26      | 26    | Disabled train ahead, Other, NYP, LATE F/SSYD LATE RELAY CREW A/C AM90 DISABLED IN LINE 1                                                                                                                 |
| NYP      | 183   | 12/08 | 9       | 9     | Door, 81534, TRAP DOOR PROBLEM ON CAR 81534                                                                                                                                                               |
| NYP      | 197   | 12/08 | 2       | 2     | High passenger count, LOADING                                                                                                                                                                             |
| NYP      | 239   | 12/08 | 2       | 2     | Cross over or go around, 290, Other, NYP-NYP, AM290 XING AHD                                                                                                                                              |
| NYP      | 283   | 12/08 | 4       | 4     | Passenger and/or baggage, BOARDING                                                                                                                                                                        |
| NYP      | 653   | 12/08 | 1       |       |                                                                                                                                                                                                           |
| NYP      | 2107  | 12/08 | 14      | 14    | Catenary failure, Other, NYP, LATE F/SSYD A/C AC POWER PROBLEMS IN S&I                                                                                                                                    |
| NYP      | 2190  | 12/08 | 3       | 3     | Passenger and/or baggage                                                                                                                                                                                  |
| TWO      | 64    | 12/08 | 1       |       |                                                                                                                                                                                                           |
| CHI      | 5     | 12/08 | 5       | 5     | Other late crew Conductor delayed due to earlier crossing incident. Metra BNSF vehicle strike MP 17.47.                                                                                                   |
| CHI      | 41    | 12/08 | 1       | 1     | Wheelchair Lift                                                                                                                                                                                           |
| CHI      | 305   | 12/08 | 20      | 20    | Door ID4203, ID4125, 4203 car stairs and door would not close and door 4125 stairs were not fully retracted                                                                                               |

**Amtrak Initial Terminal Details**

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

Late Trains For:

Region: ALL

Division: ALL

Data Through: 12/8/2025

| Terminal | Train | Date  | Late       | Delay | Cause                                                                                                                           |
|----------|-------|-------|------------|-------|---------------------------------------------------------------------------------------------------------------------------------|
| CHI      | 331   | 12/08 | 3          | 3     | Late arrival of 330 due to Metra 2112 330                                                                                       |
| CHI      | 1333  | 12/08 | 166        | 166   | Heat / AC 35002, Bad HVAC on 35002, does not call for heat. Mechanical tried to change out the HVAC motherboards, did not work. |
| PNT      | 351   | 12/08 | 1          | 1     | Mobility Impaired Mobility impaired came last minute to train                                                                   |
| SEA      | 503   | 12/08 | 1          | 1     | Mechanical forgot too on Amtk 196                                                                                               |
| STL      | 300   | 12/08 | 84         | 84    | Service, turn, or wye train 305, Late arriving train                                                                            |
| STL      | 302   | 12/08 | 8          | 8     | Service, turn, or wye train 307, Trained not clear by mechanical from late turn.                                                |
| BFD      | 701   | 12/08 | 6          | 6     | Door C2001, C9009, C9010, C9011, C9013, C9017, Doors seem to have a suction problem and hard to open                            |
| BFD      | 713   | 12/08 | 11         | 11    | Door C6965, Couldn't get load. After mechanical was unable to fix it we cut out the doors.                                      |
| BFD      | 715   | 12/08 | 16         | 16    | Hold for thruway bus                                                                                                            |
| OKJ      | 540   | 12/08 | (Trn Cxld) |       | Trespasser Strike                                                                                                               |
| OKJ      | 716   | 12/08 | (Trn Cxld) |       | Vehicle Strike                                                                                                                  |
| OKJ      | 718   | 12/08 | (Trn Cxld) |       | Trespasser Strike                                                                                                               |
| SAC      | 525   | 12/08 | 2          | 2     | Signal in time Waiting signal to time out anger arrival of Train 11., Control Point, RV988                                      |
| SAC      | 549   | 12/08 | (Trn Cxld) |       | Trespasser Strike                                                                                                               |
| SJC      | 550   | 12/08 | 24         | 24    | Service, turn, or wye train 543                                                                                                 |
| XD2      | 704   | 12/08 | 2          |       |                                                                                                                                 |

# Eastern Region

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

## Commuter Services

| Service Type | OTP Goal | OTP Day | OTP MTD | OTP Prior Month | Trains Operated | Trains Late |
|--------------|----------|---------|---------|-----------------|-----------------|-------------|
| MBTA         | 95.0     | 100.0   | 99.4    | 94.8            | 309             | 0           |
| CDOT         | 95.0     | 100.0   | 94.7    | 92.4            | 20              | 0           |
| MARC         | 95.0     | 75.9    | 88.6    | 90.2            | 58              | 14          |
| SEPTA        | 95.0     | 95.2    | 94.9    | 91.5            | 207             | 10          |
| NJT-NED      | 95.0     | No Data | No Data | 93.8            | No Data         | No Data     |
| NJT-SED      | 95.0     | 100.0   | 99.0    | 97.2            | 24              | 0           |

## Operating Highlights

### ***Train 68(08) - New York Penn Station - NY - Engine Failure***

09DEC25: Train 68(08) was delayed at New York Penn Station due to the engineer not being able to covert to diesel while coming from No. 2 main track to No. 8 station track. Train 68(08) was only able to platform its first coach - which all passengers detrained from.

Mechanical personnel were sent to the train to resolve the issue.

| Train  | Delay | Comment |
|--------|-------|---------|
| 68(08) | 42"   |         |

### ***Train 97(08) - South of Petersburg Station, VA - Signal/Switch Failure***

09DEC25: Train 97(08) was delayed on the CSX North End Subdivision at MP 41.9 due to weather induced switch failure. The cold weather pattern resulted in frozen switches and necessitated single track operations. Train 97(08)'s delay was prolonged by CSX Freight Train congestion.

| Train  | Delay | Comment |
|--------|-------|---------|
| 97(08) | 1'12" |         |

### ***Train 687(08) - Wells Beach Station, ME - Engine Failure***

08DEC25: Train 687(08) was delayed on the CSX Portland Subdivision at Wells Station/MP 42.1 due to an electrical fault on E/87. The crew consulted with CNOC Mechanical and was able to clear the fault. HEP was down for approximately five minutes while the crew performed the reset.

Train 688(08) was held out of WEM until 687(08) cleared.

| Train   | Delay | Comment                          |
|---------|-------|----------------------------------|
| 687(08) | 57"   |                                  |
| 688(08) | 60"   | Holding for station track at WEM |

### ***Train 448(07) - West of Pittsfield, MA - Freight Train Interference***

08DEC25: Train 448(07) was delayed on the CSX Berkshire QB Subdivision at MP 172.0 due to meeting CSX Train M427-08.

| Train | Delay | Comment |
|-------|-------|---------|
|-------|-------|---------|

### **Train 98(08) - South of West De Land, FL - Commuter Train Interference**

08DEC25: Train 98(08) was delayed on the CSX West of Orlando subdivision at MP 760.0 due to meeting 3 Sun Rail commuter trains.

| Train  | Delay | Comment |
|--------|-------|---------|
| 98(08) | 30"   |         |

### **Train 80(08) North of Rocky Mount, NC - Freight Train Interference**

08DEC25: Train 80(08) was delayed on the CSX North End A subdivision at MP 84.8 due to meeting CSX C345-06.

| Train  | Delay | Comment |
|--------|-------|---------|
| 80(08) | 30"   |         |

### **Train 2168(08) Wilmington, DE - Police Related**

08DEC25: CETC reported that train 2168(08) requested EMS/APD meet the train in Wilmington. Upon arrival into the station EMS assist the Amtrak employee and removed them from the train.

| Train    | Delay | Comment |
|----------|-------|---------|
| 2168(08) | 32"   |         |
| 2170(08) | 12"   |         |

### **Train 284(08) East of Schenectady, NY - Police Related**

08DEC25: At 1236P-ET, Amtrak Police placed a hold on all tracks on the Amtrak Hudson Line between CP 145 and CP 149 due to a suicidal person by the tracks. Local Police were on the scene. Train 284(08) was stopped on track 2 at MP 150.4. As of 103P-ET, The person was in custody and all Local Police were in the clear. Amtrak Police released the hold on all tracks between CP 145 and CP 149. Train 284(08) was able to proceed east.

| Train   | Delay | Comment |
|---------|-------|---------|
| 284(08) | 33"   |         |

### **Train 2169(08) Boston, MA - Late Turn of Equipment /Servicing**

08DEC25: Next Gen Acela 2169(08) was delayed departing from Boston due to the late arrival of train 2152(08) that arrived at 120P-ET, 35 minutes late and the need for the equipment to be looped caused by a do not lead on PC/2133 for ACSES.

| Train    | Delay | Comment |
|----------|-------|---------|
| 2169(08) | 42"   |         |

### **Train 98(08) Miami, FL - Engine Failure**

08DEC25: Train 98(08) with E/365,E/96 was delayed departing Miami due to having parking brake issues on E/96. Miami Mechanical was assisting the crew on correcting the problem. They were able to release the brakes and proceed north.

| Train  | Delay | Comment |
|--------|-------|---------|
| 98(08) | 34"   |         |

Train 2151(08) West of New Haven, CT - Engine Failure

08DEC25: At 651A-ET, 261-FO-00167 2151(08) with UNCLASSIFIED PC/2025 PC/2023 with 181 passengers onboard was stopped at MP 83.69 on the New Haven to Boston main line with smoke in the engine. The crew was trouble shooting with Amtrak Road Foreman and the train did still have HEP. Amtrak Trainmaster was enroute to assist. As of 723A-ET, The PC/2025 was isolate and pantographs were down and secured the power was being provided by PC/2023 the trail unit. This train was able to operate thru to Washington with a rider between New York and Washington. The set was shopped upon arrival into Washington.

Due to this set being shopped upon arrival in Washington it was necessary for the Acela's to short turn 2155(08) for 2168(08), 2117(08) for 2172(08), 2159(08) for 2122(08) and 2121(08) for 2124(08).

| Train    | Delay | Comment                 |
|----------|-------|-------------------------|
| 2151(08) | 44"   |                         |
| 2168(08) | 33"   | short turn off 2155(08) |



## Eastern Region

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

### Equipment Set Out & Damage Disposition

| Train   | Location | Eng | Car | Reason/Disposition |
|---------|----------|-----|-----|--------------------|
| 80 (25) | RMT      | 326 |     | Gear case damage   |

### Leased Freight Locomotives

| Train | Location | Eng | Purpose | Location Returned | Date Returned |
|-------|----------|-----|---------|-------------------|---------------|
| None  |          |     |         |                   |               |

### Pair Only Locomotives

| Loco | Date Failed | Train Failed | Failure | Date OK'd as single | OK'd as single by: |
|------|-------------|--------------|---------|---------------------|--------------------|
| None |             |              |         |                     |                    |

**Eastern Region**

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

**Displaced Guests**

| Train | Number of Guests | Planned (Yes/No) | Details |
|-------|------------------|------------------|---------|
| None  |                  |                  |         |

**Physical Distancing**

| Train | Number of Passengers<br>Re-accommodated | Seating Option Provided<br>(café, dining car, other) | Segment Customer Occupied<br>Temporary Space (stations) |
|-------|-----------------------------------------|------------------------------------------------------|---------------------------------------------------------|
| None  |                                         |                                                      |                                                         |

**Standees**

| Train | Projected Need |       | Number Operated |       | Standees | Location |
|-------|----------------|-------|-----------------|-------|----------|----------|
|       | Cars           | Seats | Cars            | Seats |          |          |
| None  |                |       |                 |       |          |          |

**Misconnects**

| Station | From Train | To Train | Passengers | Rooms | Cost |
|---------|------------|----------|------------|-------|------|
| None    |            |          |            |       |      |

**Carry-By**

| Train | Location | Passengers | Disposition | Cost |
|-------|----------|------------|-------------|------|
| None  |          |            |             |      |

**Station Service Recovery**

| Train/Bus | Station | # of Psgr's | Type of Service Recovery | Cost |
|-----------|---------|-------------|--------------------------|------|
| None      |         |             |                          |      |

**Passenger Removals and/or Isolations*****Train 68(08) Passenger Removal at Rouses Point, New York-Customs***

08DEC25, Passenger on PNR 16F412, traveling from Montreal, QC to New York, NY was reportedly denied travel across the border by Customs Border patrol. Amtrak Police notified.

**Delay:**      68 (08)      None

## Operating Highlights

***Train 518(08) North of Bellingham, WA - Freight Train Interference***

09DEC25: Train 518(08) was delayed at North Swift/MP116.7 23 miles north of Bellingham, WA/MP93.4 on the BNSF Bellingham subdivision meeting BNSF freight BN/5834. Once the route was clear, train 518(08) continued north.

| Train   | Delay | Comment |
|---------|-------|---------|
| 518(08) | 51"   |         |

***Train 518(08) Bellingham, WA - Vehicle on Tracks***

09DEC25: Train 518(08) was delayed at Bellingham, WA/MP93.4 on the BNSF Bellingham subdivision holding for a vehicle on the tracks ahead at mile post 97.27. Once the vehicle was cleared and the track reopened, train 518(08) continued north.

| Train   | Delay | Comment |
|---------|-------|---------|
| 518(08) | 48"   |         |

***Train 330(08) East of Sturtevant, WI - Commuter Train Interference***

08DEC25: Train 330(08) was delayed east of Sturtevant, WI/MP63.0, on the Metra C&M Subdivision, following Metra 2112 between MP30.8 to Chicago Union Station. Train 331(08) was delayed departing Chicago due to crew and equipment turn off Train 330(08) and then further delayed enroute following Metra 2109 between Chicago and Lake Forest/MP27.8.

| Train   | Delay | Comment                  |
|---------|-------|--------------------------|
| 330(08) | 30"   | E/SVT, follow Metra 2112 |
| 331(08) | 03"   | CHI, turn off 330(08)    |
| 331(08) | 43"   | W/CHI, follow Metra 2109 |

***Train 22(08) North of Austin, TX - Broken Rail***

08DEC25: Train 22(08) was delayed at Round Rock/MP161.9, 17 miles north of Austin, TX, on the UPRR Austin Subdivision, due to a broken rail ahead at MP160.31. Train 22(08) held for MW to make repairs and then advanced at walking speed by UPRR MW foreman through the area.

| Train  | Delay | Comment |
|--------|-------|---------|
| 22(08) | 1'25" |         |

***Train 302(08) South of Summit, IL - Freight Train Interference***

08DEC25: Train 302(08) was delayed at MP13.7, 2 miles south of Summit, IL, on the CN Joliet Subdivision, due to freight in undesired emergency while crossing the diamond ahead. Trains 302(08) was delayed holding for freight to restore air and clear ahead and further delayed for BNSF cross-traffic to also clear. Trains 22(07)/422(05) and 21(08) were also delayed holding for open route ahead.

| Train          | Delay | Comment |
|----------------|-------|---------|
| 302(08)        | 43"   |         |
| 22(07)/422(05) | 37"   |         |
| 21(08)         | 05"   |         |

### **Train 4(07) Albuquerque, NM - Engine**

08DEC25: Train 4(07), E/164, car E/201, was delayed at Albuquerque, NM/MP902.45, on the NMRX Albuquerque Subdivision, due to radio and air compressor issues on lead E/164. Mechanical swapped out E/164 radio with unit off E/201 and resolved air compressor issues.

| Train | Delay | Comment |
|-------|-------|---------|
| 4(07) | 57"   |         |

### **Train 319(08) South of Summit, IL - Freight Train Interference**

08DEC25: Train 319(08) was delayed at CP-Canal/MP13.1, 2 miles south of Summit, IL, on the CN Joliet Subdivision, waiting on freight cross-traffic to clear ahead. Train 300(08) was also delayed holding for open route ahead.

| Train   | Delay | Comment |
|---------|-------|---------|
| 300(08) | 52"   |         |
| 319(08) | 37"   |         |

### **Train 1333(08) Late Departure Chicago, IL - Car Failure**

08DEC25: Train 1333(08), E/205-3 cars-E/135, was delayed departing Chicago, IL, due to late shop of C/35002 at 1112AM-CT for HVAC issues. C/35002 was cut out and repalced with C/38007.

| Train    | Delay | Comment |
|----------|-------|---------|
| 1333(08) | 2'46" |         |

### **Train 711(08) Hanford, CA - BNSF Vehicle Strike Ahead**

08DEC25: Train 711(08) was delayed at Hanford, CA/MP967.9, on the BNSF Bakersfield Subdivision, due to BNSF freight struck a vehicle ahead at Conejo/MP983.2. Train 711(08) was delayed holding for open route ahead. Tracks were reopened at approximately 8:14AM-PT.

As a result of late operation, Train 711(08) terminated at Emeryville and equipment then proceeded directly into the Oakland Yard for servicing. Passengers for Oakland were accommodated onto Train 537(08).

As a result of the late turning/servicing of equipment off inbound Train 711(08), Train 716(08) originated at Emeryville. There were no passengers ticketed to board Train 716(08) at Oakland.

| Train   | Delay    | Comment              |
|---------|----------|----------------------|
| 711(08) | 1'53"    |                      |
| 711(08) | TERM EMY | OKJ psgrs to 537(08) |
| 716(08) | ORIG EMY |                      |

### Train 3(08) West of Fort Madison, IA - Car Failure

09DEC25: At 8:55PM 26-FOI-00167 a 10000000495), UNCLASSIFIED 12/17/2025 engine 12/17/2025 and 139, 9 cars, and 160 passengers, stopped at mile post 266.4 34 miles west of Fort Madison, IA/MP232.8 on the BNSF Marceline subdivision with HEP failure. Kansas City Mechanical and a Road Foreman with a recrew were dispatched from Kansas City, MO. The crew reported sparking under the crew dorm car, 39021. The crew attempted to short loop behind the first car but was unable to restore HEP. Train 3(08) shoved back 2 miles to Medill siding/MP264.8 and set out car 39021. The crew reported issues lacing up the trainset. Once the trainset was made up complete, the crew reported sparking under sleeper car 32037. The decision was made to operate the train without HEP to La Plata, MO.

Train 3(08) was terminated at La Plata, MO. Buses were being sourced for passengers. Two buses for passengers to Kansas City, one bus to return passengers between Fort Madison and Naperville, and two buses to return passengers to Chicago.

Emergency management continued to source housing for passengers in La Plata.

WBS#: B.TR.100150.6303

| Train | Delay    | Comment |
|-------|----------|---------|
| 3(08) | Term LAP |         |

### Train 41(08) Hammond-Whiting, IN - Car Failure

08DEC25: Train 41(08) operating with engines 344 and engine 5, 12 cars and 218 passengers onboard, stopped at the Hammond, IN Station on NS Chicago Terminal Subdivision with headend power issues. Damaged 480v cables on car 25116 A-End. The crew attempted unsuccessfully to short loop car. The car was cut out car and put on the back of the train. Chicago Station service and district manager, Chicago mechanical and Amtrak Police Department where on-hand at Hammond, IN Station assisting with passengers. Service recovery was initiated, sleeping car passengers were feed out of the diner and coach passenger received juice, coffee, water, snack packs and sandwiches.

| Train  | Delay | Comment |
|--------|-------|---------|
| 41(08) | 4'55" |         |

### Train 58(08) North of Jackson, MS - Police Related

08DEC25: Train 58(08) operating with engine 171(08), 7 cars and 71 passengers onboard, was delayed approximately 5 miles north of Jackson, MS Station on CN Yazoo subdivision at the request of local police to remove a passenger accused of stealing a car. The Passenger, who had a reservation for Train 58(08), presumably drove the stolen car to the station, left it running and jumped on the train. Police met the train at MP 212 and removed the passenger. Train 58(08) was on the move north after passenger removal.

| Train         | Delay | Comment |
|---------------|-------|---------|
| 58(08) 58(08) | 40"   |         |

### Train 5(08) West of Naperville, IL - Car Failure

08DEC25: Train 5(08) 26-FOI-00167 100000005495 UNCLASSIFIED 12/17/2025 with engines 151 and 152, 10 cars and 197 passengers onboard, delayed approximately 54 miles west of Naperville, IL Station at MP 74 on BNSF Mendota Subdivision due to loss of headend power on trail unit engine 60. Headend power was switched to engine 151 and was on the move west. Train 5(08) lost headend power on engine 151 and had to stop again at MP 78, faults for, "Passenger car loads too high". The crew was in contact with mechanical, their road foreman as they inspected the cables. Headend power was restored after they short looped behind the baggage car 61004 on the engineer's side. Something in the car was causing the headend power fault.

At 645P - CT, Train 5(08) - experienced additional headend power issue at MP 195, approximately 18 miles west of Galesburg, IL. Problems with diner car 38057, attempted to isolate car unsuccessfully. Train 5(08) advanced to Burlington, IA Station, where passengers can detrain and wait in the station while the crew cut out diner car and set on the rear of the train. Service recovery was initiated. Sleeper passengers able to be feed from the diner, food was delivered to the Burlington, IA Station for coach passengers. Snack pack, water, juice, coffee, tea and juice were offered to all passengers. Sleeping car passengers boarding at Ottumwa, IA were sent meals and all passengers boarding at Omaha, NE were sent breakfast snack items.

At 142A - CT, Train 5(08) stopped at MP 301, approximately 20 miles west of Ottumwa, IA with additional headend power issues, dorm car 39043. Train 5(08) started shoving back to Ottumwa, IA at 250A CT.

Train 5(08) was terminated in Ottumwa, IA passengers provided lodging at various hotels, Super 8 (17 rooms), Quality Inn (47 rooms), Cobble Stone (65 rooms) and America's Best inn (22 rooms). Emergency management, working with local authorities sourced transportation to take passengers to the various hotels. A building, located at the end of the platform was utilized as a warming station.

| Train | Delay    | Comment                |
|-------|----------|------------------------|
| 5(08) | 49"      | GBB - BRL              |
| 5(08) | 1'01"    | Attempt short loop     |
| 5(08) | 2'36"    | C/O & move car to rear |
| 5(08) | 1'05"    | NPV - PCT              |
| 5(08) | TERM OTM |                        |

### Train 48(08) Chicago, IL - Car Failure

08DEC25: TRAIN 48/448(08) Operating with engines 120 and 93, 13 cars and 111 passengers onboard, did not have a lounge car departing Chicago, IL on Amtrak Chicago South Subdivision. Car 28014 was bad ordered in Chicago with no replacement. The train will only have diner service from Chicago, IL to New York, NY, and no food service on Train 448(08) section between Albany, NY to Boston, MA.

WBS#: B.TR.100150.6302

### Train 3(08) South of Chicago, IL - Engine Failure

08DEC25: Train 3(08), E/189-E/139 & 8 cars, with 183 passengers, departed Chicago, IL, on time and then stopped just west of CP-Roosevelt, due to hot bearing indication axle 3 on trail E/139. Crew inspected E/139 and took no exceptions. Crew also in contact with mechanical. Train 3(08) started to proceed when hot bearing indication came on again. Mechanical forces responded from Chicago to assist.

# Train 541(08) Frozen at Richmond, CA - Trespasser Incident

08DEC25: At approximately 2:00PM, Train 541(08) operating with camera-equipped locomotive E/C2102 and 5 cars, struck a trespasser on the right-of-way in Albany, CA at MP 7.7/UPRR Martinez Subdivision, 4.2 miles west of Richmond. This was a fatality. There were no injuries amongst the passengers (20) or crew. The crew requested relief. Local EMS, fire, police, UPRR Police, Amtrak Police and Amtrak Mangement responded to the scene. There was no equipment damage reported and head-end power remained up and running. Outside temperature was 55F and sunny. Posted track speed is 79MPH. Train was released at 5:00PM following investigation, clean-up and recrew.

This incident delayed several Capitol Corridor and Gold Runner trains at various locations waiting for track to reopen.

National Response Center Report # 1449833

California Office of Emergency Services Control # 25-6182.

National Response Center Number: 1449833

| Train   | Delay     | Comment                               |
|---------|-----------|---------------------------------------|
| 540(08) | CANCELLED |                                       |
| 549(08) | CANCELLED |                                       |
| 550(08) | xx"       | SJC - ITD. Late eqpt turn off 543(08) |
| 541(08) | 2'35"     |                                       |
| 543(08) | 1'15"     |                                       |
| 713(08) | 2'17"     | Term EMY; OKJ psgrs to 543(08)        |
| 538(08) | 55"       |                                       |
| 718(08) | xxx"      | ORIG EMY -Late eqpt turn off 713(08)  |
| 716(08) | 2'36"     |                                       |
| 536(08) | 2'11"     |                                       |

## Train 350(08) Frozen Equipment - Service Adjustment

08DEC25: Train 350(08), E/IDTX4606 & 5 cars, (C/ID4311-ID4117-ID4001-ID4134-ID4215) reported all toilets and sinks frozen in consist and restrooms out of service to passengers. Train 350(08) made extended station stops enroute to allow time for passengers to utilize station restrooms. Due to the inbound frozen equipment on Train 350(08), Train 355(08) was cancelled, with alternate transportation between Pontiac, MI and Chicago, IL. Equipment operated deadhead Pontiac to Chicago.

WBS#: B.TR.100150.6298

| Train   | Delay               | Comment |
|---------|---------------------|---------|
| 350(08) | 29"                 |         |
| 355(08) | Cancelled, with alt | PNT-CHI |

### **Train 365(08) East of East Lansing, MI - Car Failure**

08DEC25: Train 365(08), E/IDTX4620 and 6 cars, with 68 passengers was delayed at MP234.2, 11 miles east of East Lansing, MI, on the CN Flint Subdivision, due to train lost HEP. Crew was incontact with mechanical and road foreman. Upon inspection of cables, crew reported frayed 480V cable between the 4th and 5th cars, C/ID4312 and C/ID4016. Crew made temporary repairs to 480V cable, restored HEP and Train 365(08) was able to proceed west. Due to the inbound equipment issues on Train 365(08) and no available replacement equipment available in Chicago, the following service adjustments were necessary:

- Train 364(08) cancelled, with alternate transportation between Chicago, IL and Port Huron, MI.
- Train 365(09) cancelled, with alternate transportation between Port Huron and Chicago.

WBS#: B.TR.100150.6299

| Train   | Delay               | Comment |
|---------|---------------------|---------|
| 365(08) | 32"                 |         |
| 365(09) | Cancelled, with alt | PTH-CHI |
| 364(08) | Cancelled, with alt | CHI-PTH |

### **Train 302(08) North of Carlinville, IL - Air Hose Separation**

08DEC25: Train 302(08), E/IDTX4616 and 6 cars, with 91 passengers, stopped in emergency at MP200, 23 miles north of Carlinville, IL, on the UPRR Springfield Subdivision. There were no reported injuries to passengers or crew. The crew inspected consist and found separated air hose between the third and fourth cars, C/ID4017 and C/ID4109. There were no other exceptions to equipment taken. Train 302(08) was on the move north after crew secured hose and performed brake test. Train 302(08) stopped in emergency again at MP101.9, 23 miles north of Bloomington-Normal, IL, on the UPRR Joliet Subdivision. Crew inspected consist and found brake pipe hose detached from the 45 degree elbow, including coupler, with broken threading, on C/ID4109. Crew reported difficulty in attempting repairs. UPRR mechanical forces responded to the scene. Amtrak road foreman was also enroute to assist. Initial UPRR responders were also unable to repair. Due to the ongoing troubleshooting by crew and mechanical, as precaution busses were ordered at Pontiac, IL/MP92.1 as possible alternate transportation. After additional UPRR mechanical forces arrived on scene they were able to assist in using hose and repiping elbow off the rear car, C/ID4014 as replacement for C/ID4109. Train 302(08) performed class 2 brake test and resumed live operation to Chicago, IL. Train 22(07)/422(05) was delayed north of Bloomington-Normal, holding for dispo of Train 302(08) ahead.

WBS#: B.TR.100150.6301

| Train          | Delay | Comment        |
|----------------|-------|----------------|
| 302(08)        | 14"   | N/CRV, MP200   |
| 302(08)        | 1'57" | N/BNL, MP101.9 |
| 22(07)/422(05) | 26"   |                |

### **Train 822(07) Purcell, OK - Freight Train Interference**

07DEC25: 08DEC25: Train 822(07) operating with engine 192, 4 cars and engine 160, with 204 passengers onboard the train, held at the Purcell Station due to a freight train ahead at MP416 on BNSF Red Rock Subdivision due to inspection required from dragging equipment detector. Once freight inspection completed and cleared, Train 822(07) was on the move.

| Train   | Delay | Comment |
|---------|-------|---------|
| 822(07) | 43"   |         |

# Train 305(07) Chicago, IL - Car Failure

07DEC25: Train 305(07) was delayed departing Chicago Union Station, IL/MP0.0 on the Amtrak Chicago Terminal subdivision due to car issues in the consist. Venture cars IDTX4132 and IDTX4305 were shopped due to wheel defects on car IDTX4305. Venture cars IDTX4109 and IDTX4303 were added as replacements as well as IDTX4017 due to HVAC issues on IDTX4109. Once the equipment was made up, train 305(07) shoved to Union Station to be laced up. Once Chicago Mechanical released the equipment, passenger boarding was delayed due to the conductor reporting only one working toilet on the trainset. Train 307(07) was still set in station due to delays making up the trainset after cars IDTX4308 and IDTX4122 were shopped for HVAC issues and wheel defects off inbound train 353(07).

Due to the late operation of train 305(07), the trainsets were swapped and the train 307 equipment departed Chicago Union Station as train 305(07). Once the cars on the 305 trainset were watered, the equipment departed Chicago Union Station as train 307(07).

08DEC25: Train 300(08) was delayed departing St. Louis, MO, due to turn of equipment off Train 305(07) which arrived at 419AM-CT, 5 hours and 56 minutes late. Train 302(08) was delayed departing St. Louis due to turn of equipment off Train 307(07) which arrived at 433AM-CT, 4 hours and 24 minutes late.

| Train   | Delay | Comment |
|---------|-------|---------|
| 305(07) | 4'52" |         |
| 307(07) | 4'00" |         |
| 300(08) | 1'24" |         |
| 302(08) | 08"   |         |

## Canadian National Chicago Subdivision - Scheduled M/W Work - Tie Replacement

12NOV25: Canadian National will be performing tie replacement project on the Chicago Subdivision between MP 34 and MP 60 between Homewood, IL and Gilman, IL. To accommodate the work, the following Saluki Service will be replaced with bus service:

05DEC25: Canadian National reported that the trackwork will now be pushed through and including 09DEC. As a result, the service has been adjusted to reflect the update.

- Train 390 (12NOV-18NOV) & 390 (02DEC-09DEC) has been canceled in its entirety. Bus 3390 will be utilized for alternate transportation.
- Train 391 (12NOV-18NOV) & 391 (02DEC-09DEC) has been canceled in its entirety. Bus 3391 (12NOV-18NOV) and Bus 3091 (02DEC-09DEC) will be utilized for alternate transportation.

The express bus from Chicago to Champaign, representing Bus 3091 (07) became disabled enroute. The two remaining 3091 busses rescued the 43 passengers. 20 passengers reported luggage remained on the disabled bus. The vendor was working on arrangements to move luggage to Champaign. There was no available replacement bus to turn for the express bus representing 3390 (07), and as a result some passengers rebooked to Train 392 (07).

**WBS#: B.TR.100150.6160**

## Western Region

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

### Equipment Set Out & Damage Disposition

| Train | Location | Eng | Car   | Reason/Disposition                               |
|-------|----------|-----|-------|--------------------------------------------------|
| 5 (2) | GSC      | 51  |       | Strike damage, will go in freight service to BEE |
| 3 (8) | FMD      |     | 39021 | HEP                                              |

### Leased Freight Locomotive

| Train | Location | Eng    | Purpose       | Location Returned | Date Returned |
|-------|----------|--------|---------------|-------------------|---------------|
|       | SEA Yard | UP2092 | Yard switcher |                   |               |

### Pair Only Locomotives

| Loco | Date Failed | Train Failed | Failure | Date OK'd as single | OK'd as single by: |
|------|-------------|--------------|---------|---------------------|--------------------|
| None |             |              |         |                     |                    |

**Western Region**

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

**Displaced Guests**

| Train | Number of Guests | Planned (Yes/No) | Details |
|-------|------------------|------------------|---------|
| None  |                  |                  |         |
|       |                  |                  |         |
|       |                  |                  |         |

**Physical Distancing**

| Train | Number of Passengers<br>Re-accommodated | Seating Option Provided<br>(café, dining car, other) | Segment Customer Occupied<br>Temporary Space (stations) |
|-------|-----------------------------------------|------------------------------------------------------|---------------------------------------------------------|
| None  |                                         |                                                      |                                                         |

**Standees**

| Train | Projected Need<br>Cars | Seats | Number Operated<br>Cars | Seats | Standees | Location |
|-------|------------------------|-------|-------------------------|-------|----------|----------|
| None  |                        |       |                         |       |          |          |

**Misconnects**

| Station | From Train | To Train | Passengers | Rooms | Cost |
|---------|------------|----------|------------|-------|------|
| None    |            |          |            |       |      |

**Carry-By**

| Train | Location | Passengers | Disposition | Cost |
|-------|----------|------------|-------------|------|
| None  |          |            |             |      |
|       |          |            |             |      |

**Station Service Recovery**

| Train/Bus | Station | # of Psgr's | Type of Service Recovery | Cost |
|-----------|---------|-------------|--------------------------|------|
| None      |         |             |                          |      |

**Passenger Removals and/or Isolations*****Train 5(08) Passenger Removal at Mendota, Illinois – Improper Conduct***

08DEC25, Passenger on PNR unknown, traveling from Chicago, IL to Sacramento, CA was removed by local police due to urinating in the corner of a coach car. The individual appeared to be highly intoxicated. Amtrak Police notified.

**Delay:**        5 (08)        05"

***Train 6(07) Passenger Removal at Winter Park, Colorado – Improper Conduct***

08DEC25, Passenger on PNR 0DFDAD, traveling from Glenwood Springs, CO to Denver, CO was removed by local police due to her service animal not being under control. Amtrak Police notified.

**Delay:**        6 (07)        17"

***Train 58(08) Passenger Removal at Jackson, Mississippi – Other***

08DEC25, Passenger on PNR 222944, traveling from Jackson, MS to Chicago, IL was removed by police after allegedly stealing a vehicle and leaving it at the station. Mississippi State Capital Police made the removal at MP

217.6 on the Yazoo Subdivision of the Canadian National Railroad. Amtrak Police notified. 26-FOI-00167 00000005495 "UNCLASSIFIED" 12/17/2025

**Delay:**        58 (08)        40"

***Train 6(08) Passenger Removal at Elko, Nevada – Improper Conduct***

08DEC25, Passenger on PNR 209989, traveling from Emeryville, CA to Chicago, IL was removed due to smoking marijuana onboard. Amtrak Police notified.

**Delay:**        6 (07)        17"

## Consist Deviations

26-FOI-00167

00000005495

"UNCLASSIFIED"

12/17/2025

| Train Number | Station | Reason                                                                                                                                                                                                   | Customer Impact | Affected Psgr | Unit Number(s) |
|--------------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|----------------|
| 50 (09)      | CHI     | Team conductor on 51(07) called to inform the upper bunk in car 62503 line 5100 room H is broken. Can we block out this room on the return trip on 50(09) line 5000 room H. this will not be fixed in Ch |                 |               | 62503          |
| 48 (08)      | CHI     | Team due to a running gear defect car 62007 on line 4812 has been removed from 48(08). All sales have been closed. Please re-accommodate all affected passenger. When that task had been done notify me. |                 |               | 62007          |
| 48 (08)      | CHI     | 28014 was shipped in CHI with no replacement. Train 48/448 will not have food service ALB-BOS                                                                                                            |                 |               | 28014          |
| 53 (08)      | LOR     | Team train 53(08) will operate with 3 superliner coaches instead of 4. This leaves us over capacity in LY seating. Please re-accommodate all affected passengers.                                        |                 |               | 34119          |

## Reverse Consists

| Train Number | Station | Reason                                                                                     |
|--------------|---------|--------------------------------------------------------------------------------------------|
| 186 (08)     | NPN     | Business class change only   Business class seating orientation may have changed   At Rear |
| 171 (08)     | BOS     | Consist reversed   Business class seat orientation may have changed   At Front             |
| 138 (08)     | NFK     | Consist reversed   Business class seat orientation may have changed   At Front             |
| 134 (08)     | RNK     | Consist reversed   Business class seat orientation may have changed   At Front             |
| 94 (08)      | NFK     | Consist reversed   Business class seat orientation may have changed   At Front             |
| 197 (08)     | NYP     | Consist reversed   Business class seat orientation may have changed   At Rear              |
| 183 (08)     | NYP     | Consist reversed   Business class seat orientation may have changed   At Front             |
| 111 (08)     | NYP     | Consist reversed   Business class seat orientation may have changed   At Front             |
| 2153 (08)    | BOS     | Acela consist reversed   First class at Rear                                               |
| 2169 (08)    | BOS     | Acela consist reversed   First class at Rear                                               |
| 2154 (08)    | WAS     | Acela consist reversed   First class at Front                                              |

| Train<br>Number | Station | Reason                                                                         |                           |
|-----------------|---------|--------------------------------------------------------------------------------|---------------------------|
|                 |         | 26-FOI-00167                                                                   | 00000005495               |
| 182 (08)        | WAS     | Consist reversed   Business class seat orientation may have changed   At Rear  | "UNCLASSIFIED" 12/17/2025 |
| 133 (08)        | NYP     | Consist reversed   Business class seat orientation may have changed   At Front |                           |
| 192 (08)        | WAS     | Consist reversed   Business class seat orientation may have changed   At Rear  |                           |