

The 3Sync Architecture

A Tri-Axis Framework for Multi-Agent Coherence, Autonomy, and Continuity

Joel L. Monasterial · Independent Researcher

DCE Foundation Series · Paper 8 · Version 1.3

Lineage: Paper 4 (EOI) → Paper 5 (HiveSync) → Paper 8 (3Sync)

BridgeCast Framework · 2026

Abstract

3Sync is a tri-axis coherence architecture for multi-agent AI systems that integrates Stigmergy, HiveSync, and Decision Continuity Engineering (DCE) into a unified operational model. The architecture addresses the problem of how independently evolving agents can coordinate through a shared environment, converge toward a structural invariant, and preserve temporal continuity and identity while doing so.

Paper 8 develops 3Sync from the epistemic boundary exposed by prior work on identity and synchronization. It formalizes the three operational axes and their relationship to the Equation of Identity (EOI), establishes convergence and coherence properties for a minimal realization, and provides an executable reference implementation through which principal architectural behaviors can be observed and tested.

The resulting specification connects formal architecture, implementation, observable behavior, and validation without making any particular implementation synonymous with 3Sync itself. In doing so, Paper 8 provides engineers and researchers with a reproducible starting point from which the architecture may be independently implemented, challenged, extended, and investigated under broader operating conditions.

Keywords: *multi-agent coherence · 3Sync architecture · HiveSync · Decision Continuity Engineering · stigmergy · invariant convergence · Equation of Identity · autonomous agents*

Table of Contents

1. Introduction

1.1 Motivation

1.2 The Gap After Paper 5

1.3 Purpose of Paper 8

1.4 Contribution

2. Continuity Bridge: Paper 5 to Paper 8

2.1 What HiveSync Establishes

- 2.2 The Question That Remains
- 2.3 The Central Question
- 2.4 The Structural Relationship
- 3. The 3Sync Tri-Axis Architecture
 - 3.1 System State
 - 3.2 The Three Operational Axes
 - 3.3 Stigmergy: Environmental Coordination
 - 3.4 HiveSync: Invariant-Directed Convergence
 - 3.5 DCE: Temporal Continuity
 - 3.6 Identity as Constraint

Figure 1: The 3Sync Tri-Axis Architecture

- 4. Minimal Simulation
 - 4.1 Mapping the Simulation to the Architecture
 - 4.2 Convergence
 - 4.3 Environmental History
 - 4.4 Temporal Path Dependence
 - 4.5 Observable Properties
 - 4.6 Extended Environmental Feedback
 - 4.7 Validation and Reproducibility
 - 4.8 Evidence as a Gateway to Inquiry
 - 4.9 Open Engineering Questions
- 5. Background and Foundations
 - 5.1 The DCE Foundation Series
 - 5.2 Equation of Identity (EOI)
 - 5.3 HiveSync
 - 5.4 Decision Continuity Engineering (DCE)
 - 5.5 Stigmergy
 - 5.6 3Sync as an Operational Composition
 - 5.7 Conclusion and Research Frontier

1. Introduction

1.1 Motivation

Current AI systems can demonstrate substantial capability in isolated tasks while becoming considerably more difficult to keep coherent when multiple autonomous agents operate together. Agents may diverge in state, accumulate inconsistent context, or converge in ways that erase distinctions that the system requires them to preserve.

This presents an architectural problem:

How can multiple agents coordinate, converge where convergence is required, and remain continuous through time without requiring identity merging or centralized control?

The problem is not synchronization alone. A multi-agent system must reconcile several requirements simultaneously: coordination through a shared environment, alignment toward a common structural invariant, preservation of agent boundaries, and continuity across successive states.

3Sync addresses these requirements as a single operational architecture.

1.2 The Gap After Paper 5

Paper 5 introduced HiveSync as a synchronization invariant through which independent agents converge toward a shared structural attractor without requiring direct communication.

HiveSync therefore answers an important question: how can independent agents synchronize without requiring negotiated consensus or direct message exchange?

But that answer exposes another question.

Synchronization does not by itself specify how agents coordinate their actions through an environment, preserve continuity across successive states, or maintain distinguishable trajectories while convergence occurs.

An invariant is not yet an operational architecture.

The unresolved problem is therefore not whether agents can converge, but how synchronization can participate in a broader system of coordination and continuity without erasing the agents that undergo it.

1.3 Purpose of Paper 8

This paper introduces 3Sync, a tri-axis architecture that integrates Stigmergy, HiveSync, and Decision Continuity Engineering into a unified operational model.

The three axes address different dimensions of the same engineering problem:

- Stigmergy → environment-mediated coordination
- HiveSync → invariant-directed convergence
- DCE → temporal continuity

These mechanisms operate subject to the identity boundary inherited from the Equation of Identity.

Accordingly, Paper 8 does not replace the constructs developed earlier in the DCE Foundation Series. It composes them into an architecture whose behavior can be formally specified, implemented, observed, and tested.

1.4 Contribution

Paper 8 contributes:

- the 3Sync tri-axis architecture integrating Stigmergy, HiveSync, and DCE;
- a formal specification of the interaction among the three axes and the EOI identity constraint;

- mathematical conditions governing invariant-directed convergence, environmental trace accumulation, and temporal path dependence;
- an executable reference implementation demonstrating minimal 3Sync behavior;
- observable properties through which an implementation can be evaluated for conformity with the architecture; and
- a reproducible starting point from which engineers and researchers can test, challenge, extend, and investigate 3Sync under broader conditions.

The objective is therefore not merely to describe multi-agent coherence, but to make it formally addressable and experimentally approachable.

2. Continuity Bridge: Paper 5 to Paper 8

Section 1 established the problem that motivates 3Sync. This section makes the dependency precise: what HiveSync contributes to the architecture, and what engineering question becomes visible once synchronization itself has been established.

2.1 What HiveSync Establishes

HiveSync provides the invariant-directed synchronization mechanism inherited by 3Sync. Independent agents converge toward a shared structural attractor without requiring explicit inter-agent communication.

Let $x_i(t)$ denote the state of agent i at time t , x^* the shared structural attractor, and α the convergence parameter, where $0 < \alpha < 1$. A minimal realization is:

$$x_i(t+1) = x_i(t) + \alpha[x^* - x_i(t)]$$

Equivalently:

$$x_i(t+1) - x^* = (1-\alpha)[x_i(t) - x^*]$$

Because $0 < 1-\alpha < 1$, it follows that:

$$|x_i(t+1) - x^*| < |x_i(t) - x^*|$$

whenever $x_i(t) \neq x^*$. Therefore:

$$\lim_{t \rightarrow \infty} x_i(t) = x^*$$

HiveSync therefore supplies 3Sync with an invariant-directed convergence mechanism. It does not require agents to negotiate a consensus value.

2.2 The Question That Remains

Once convergence becomes possible, additional engineering questions become addressable:

- How do agents coordinate through their environment?
- How does an agent preserve temporal continuity while its state changes?

- How can trajectories remain distinguishable even as states converge?
- How can these processes operate together without dissolving agent identity?

These are not defects in HiveSync. They arise because synchronization has made the next layer of the problem visible.

2.3 The Central Question

Paper 8 therefore asks:

How can independently evolving agents coordinate through a shared environment, converge toward a structural invariant, and preserve continuity and identity while doing so?

That question defines the architectural problem addressed by 3Sync.

2.4 The Structural Relationship

The relationship may be stated compactly as:

Paper 5 = invariant Paper 8 = architecture

For Paper 8 v1.3, this distinction has a precise operational meaning. HiveSync is an inherited synchronization mechanism incorporated within the broader 3Sync operational composition.

3Sync consists of:

Stigmergy + HiveSync + DCE

operating subject to the EOI identity constraint. Paper 8 therefore does not supersede HiveSync. It operationally composes the inherited invariant with environmental coordination and temporal continuity.

3. The 3Sync Tri-Axis Architecture

The 3Sync architecture brings Stigmergy, HiveSync, and Decision Continuity Engineering (DCE) into a unified operational composition while retaining the shared environment and the Equation of Identity (EOI) as the identity constraint.

The three axes perform distinct functions. Stigmergy provides environment-mediated coordination, HiveSync provides invariant-directed convergence, and DCE provides temporal continuity. EOI constrains their operation without becoming a fourth axis.

3.1 System State

Let agent i at time t be represented by:

$$A_i(t) = (x_i(t), M_i(t), I_i)$$

where $x_i(t)$ is the operational state of agent i ; $M_i(t)$ is its accumulated continuity history; and I_i denotes its identity boundary.

Let $E(t)$ denote the shared environment and x^* the HiveSync structural attractor. The system state is therefore:

$$S(t) = (\{A_i(t)\}_{i=1}^N, E(t), x^*)$$

3.2 The Three Operational Axes

Define the 3Sync transition operator as:

$$T_{3s} = \Phi^D \circ \Phi^H \circ \Phi_s$$

subject to the identity constraint C_o^E , where:

- Φ_s denotes environment-mediated coordination through Stigmergy;
- Φ^H denotes invariant-directed synchronization through HiveSync; and
- Φ^D denotes temporal continuity through DCE.

The architecture may therefore be stated as:

$$S(t+1) = T_{3s}(S(t)) \text{ subject to } C_o^E$$

3.3 Stigmergy: Environmental Coordination

Stigmergy enables agents to coordinate indirectly through a shared environment rather than requiring direct inter-agent communication.

Let $\tau_i(t) = \sigma(x_i(t))$ denote a trace deposited into the environment by agent i . Environmental history evolves as:

$$E(t+1) = E(t) \cup \{\tau_i(t)\}_{i=1}^N$$

An agent may respond to the environment through:

$$x'_i(t) = F_s(x_i(t), E(t))$$

Coordination is therefore mediated by environmental state rather than requiring direct access to the internal state or identity of another agent.

3.4 HiveSync: Invariant-Directed Convergence

HiveSync supplies the synchronization axis. A minimal update is:

$$x''_i(t) = x'_i(t) + \alpha[x^* - x'_i(t)]$$

where $0 < \alpha < 1$. Hence:

$$x''_i(t) - x^* = (1-\alpha)[x'_i(t) - x^*]$$

The distance from the structural attractor therefore contracts whenever the agent is not already at x^* . Convergence is produced by invariant-directed synchronization rather than negotiated consensus among agents.

3.5 DCE: Temporal Continuity

DCE carries agent state forward through time while maintaining an ordered continuity history. Define:

$$\mathbf{M}_i(t+1) = \mathbf{U}^M(\mathbf{M}_i(t), \mathbf{x}_i(t+1))$$

For an append-history realization:

$$\mathbf{M}_i(t+1) = \mathbf{M}_i(t) \parallel \mathbf{x}_i(t+1)$$

Operational convergence between agents does not therefore require equality of their histories. The condition $\mathbf{x}_i(t) \approx \mathbf{x}_j(t)$ does not imply $\mathbf{M}_i(t) = \mathbf{M}_j(t)$. Agents may converge operationally while retaining distinguishable trajectories.

3.6 Identity as Constraint

The Equation of Identity remains outside the three operational axes of 3Sync. EOI is not a fourth synchronization mechanism. Instead, the complete transition operates subject to the identity constraint:

$$\mathbf{T}_{3s} \text{ subject to } \mathbf{C}_o^E \mathbf{I}$$

This distinction permits state transformation and convergence without requiring identity convergence or identity merging.

Figure 1 — The 3Sync Tri-Axis Architecture




Figure 1. The 3Sync Tri-Axis Architecture. Stigmergy provides environment-mediated coordination, HiveSync provides invariant-directed convergence, and Decision Continuity Engineering (DCE) provides

temporal continuity. The three operational axes integrate through 3Sync and operate subject to the Equation of Identity (EOI) identity constraint. Agents read and deposit signals through the shared environment, with environmental feedback completing the stigmergic cycle.

4. Minimal Simulation

The minimal simulation provides an executable realization of the 3Sync architecture described in Section 3. Three agents begin from divergent states and operate through the three axes of Stigmergy, HiveSync, and DCE.

The simulation does not define 3Sync through a particular program. It provides a minimal reference implementation in which principal architectural behaviors can be observed and tested.

Listing 1. Minimal 3Sync Simulation

```
class Agent:
    def __init__(self, id, state):
        self.id = id
        self.state = state
        self.memory = []

    def stigmergy_read(self, environment):
        return environment.trace

    def stigmergy_write(self, environment, signal):
        environment.trace.append(signal)

    def hivesync(self, invariant):
        self.state = (self.state + invariant) / 2

    def dce(self):
        if self.memory:
            self.state = (self.state + self.memory[-1]) / 2
            self.memory.append(self.state)

class Environment:
    def __init__(self):
        self.trace = []

env = Environment()
agents = [Agent(id=i, state=i*10) for i in range(3)]
invariant = 50

for t in range(5):
    for agent in agents:
        agent.stigmergy_write(env, agent.state)
```

```

        agent.stigmergy_read(env)
        agent.hivesync(invariant)
        agent.dce()

for agent in agents:
    print(agent.id, agent.state)

```

Listing 1. Minimal 3Sync Simulation (Python pseudocode). Three agents converge toward invariant = 50 via Stigmergy, HiveSync, and Decision Continuity Engineering (DCE).

4.1 Mapping the Simulation to the Architecture

For each agent, one simulation cycle corresponds to:

environmental trace → invariant-directed update → continuity update

Formally:

$$T_{3s} = \Phi^D \circ \Phi^H \circ \Phi_s$$

Listing 1 is therefore a reference realization of the architecture rather than the definition of 3Sync itself.

4.2 Convergence

For the HiveSync update $x_i(t+1) = x_i(t) + \alpha[x^* - x_i(t)]$ where $0 < \alpha < 1$, it follows that:

$$|x_i(t+1) - x^*| = (1-\alpha)|x_i(t) - x^*|$$

Therefore:

$$|x_i(t+1) - x^*| < |x_i(t) - x^*|$$

whenever $x_i(t) \neq x^*$. Consequently:

$$\lim_{t \rightarrow \infty} x_i(t) = x^*$$

This provides the mathematical basis for the asymptotic convergence observed in the minimal simulation.

4.3 Environmental History

Let each agent deposit an environmental trace $\tau_i(t) = \sigma(x_i(t))$. If each of N agents contributes one trace during each complete simulation step:

$$E(t+1) = E(t) \cup \{\tau_i(t)\}_{i=1}^N$$

then after T complete steps:

$$|E(T)| = NT$$

Environmental history therefore accumulates as agents operate.

4.4 Temporal Path Dependence

DCE carries an agent's trajectory forward through its memory state:

$$\mathbf{M}_i(\mathbf{t}+1) = \mathbf{U}^{\mathbf{M}}(\mathbf{M}_i(\mathbf{t}), \mathbf{x}_i(\mathbf{t}+1))$$

Convergence toward the same structural attractor does not require equality of agent histories. The conditions $\mathbf{x}_i(\mathbf{t}) \rightarrow \mathbf{x}^*$ and $\mathbf{x}_j(\mathbf{t}) \rightarrow \mathbf{x}^*$ do not require $\mathbf{M}_i(\mathbf{t}) = \mathbf{M}_j(\mathbf{t})$. Agents may therefore converge operationally while retaining distinguishable trajectories.

Memory provides an observable temporal record. Memory does not create identity; EOI remains the identity constraint.

4.5 Observable Properties

The minimal simulation exposes four principal observable properties:

- P1** Asymptotic convergence
- P2** Identity and trajectory preservation
- P3** No direct agent-to-agent communication
- P4** Environmental history accumulation

These properties allow a reference implementation to be evaluated against the architecture rather than merely observed qualitatively.

4.6 Extended Environmental Feedback

The environmental feedback loop depicted in Figure 1 permits a richer stigmergic realization in which accumulated environmental traces influence subsequent agent behavior. This extended realization must remain explicitly distinguished from the minimal simulation.

In the minimal Listing 1 implementation, agents read and deposit environmental traces, but the returned trace is not used to modify agent state. The richer feedback realization closes that environmental modulation loop. The extension enriches Stigmergy without changing the three-axis definition of 3Sync.

Extended properties applicable to the feedback realization:

- P5** Environmental feedback modulation is active
- P6** Environmental feedback window operates as specified
- P7** Tri-axis structure remains preserved

4.7 Validation and Reproducibility

Formal specification, executable implementation, and observable properties together provide a basis for reproducible validation. The relationship is:

canonical proposition → observable condition → test → evidence

A conforming implementation is evaluated against the canonical properties applicable to that realization rather than against superficial equivalence with the Python reference code.

Accordingly, alternative implementations may use different programming languages, system

substrates, representations, or implementation structures while preserving the applicable architectural properties.

The reference implementation provides a reproducible baseline from which implementations can be evaluated, compared, challenged, and extended.

4.8 Evidence as a Gateway to Inquiry

The purpose of computational evidence in Paper 8 is not to close inquiry but to make further inquiry possible. The progression is:

formalization → implementation → observation → testing → replication and extension → broader investigation

Engineers and researchers can reproduce the reference behavior, construct alternative implementations, vary operating conditions, test individual assumptions, and investigate whether the observed properties persist under broader conditions.

The resulting evidence therefore provides a gateway through which progressively broader investigation can proceed. It neither presupposes the ultimate scope of 3Sync nor places an artificial ceiling on what subsequent evidence may establish.

4.9 Open Engineering Questions

Making 3Sync operational also makes new engineering questions observable:

- How robust is coherence when operating conditions change?
- What forms of perturbation disrupt convergence or continuity?
- What constitutes a meaningful failure of continuity?
- How does the architecture behave when one or more supporting mechanisms become degraded or unavailable?
- Under what broader conditions can the observed properties be generalized?

These questions remain open. They are not defensive limitations imposed upon the architecture. They are research questions made possible because the architecture has become formally addressable and testable.

5. Background and Foundations

3Sync is an architectural composition of concepts developed across the DCE Foundation Series together with the stigmergic coordination mechanism incorporated in Paper 8. The definitions below establish the conceptual boundaries used throughout the architecture.

5.1 The DCE Foundation Series

The DCE Foundation Series investigates identity, continuity, synchronization, and coherence as related structural problems. Paper 8 occupies an operational layer in this development. It

inherits the Equation of Identity from Paper 4 and HiveSync from Paper 5, while incorporating Decision Continuity Engineering and Stigmergy into the tri-axis 3Sync architecture.

The canonical lineage for this paper is:

Paper 4 (EOI) → Paper 5 (HiveSync) → Paper 8 (3Sync)

3Sync may therefore be represented compactly as:

3Sync = (Stigmergy, HiveSync, DCE) subject to C_o^E

The three operational axes function subject to the identity constraint established by EOI.

5.2 Equation of Identity (EOI)

The Equation of Identity defines the identity boundary within which an agent can undergo transformation without identity collapse. Within 3Sync, EOI is not another synchronization process and is not a fourth operational axis. It constrains the operational processes:

$T_{3s}(S)$ subject to C_o^E

This distinction permits state convergence without requiring identity convergence.

Equation of Identity (EOI)

A formal identity boundary that defines what an agent is, what it is not, and what it cannot become without ceasing to be itself. In the 3Sync architecture, EOI is the structural constraint that prevents any operational axis from dissolving agent boundaries.

Source: DCE Foundation Series · Paper 4

5.3 HiveSync

HiveSync provides invariant-directed synchronization among independent agents. Its shared structural attractor is not defined as a consensus value negotiated among those agents. Within 3Sync, HiveSync supplies the convergence axis:

$x_i(t) \rightarrow x^*$

while environmental coordination and temporal continuity are handled by the other operational axes.

HiveSync

A synchronization invariant that allows independent agents to converge on the same structural attractor without explicit message passing. The attractor is a structural property of the agent population, not a consensus value arrived at through negotiation.

Source: DCE Foundation Series · Paper 5

5.4 Decision Continuity Engineering (DCE)

Decision Continuity Engineering provides the temporal axis of 3Sync. Successive contexts are treated as continuations rather than isolated restarts. Within 3Sync:

$M_i(t+1) = U^M(M_i(t), x_i(t+1))$

DCE therefore makes trajectory relevant to present state without making trajectory the origin of identity.

Decision Continuity Engineering (DCE)

A continuity mechanism that preserves temporal coherence across context boundaries by treating each context as a continuation of a persistent identity thread. The agent's past states are integrated into its current state through a weighted continuity function.

Source: DCE Foundation Series · Decision Continuity Engineering

5.5 Stigmergy

Stigmergy provides the environmental axis. Agents coordinate indirectly by depositing and responding to traces in a shared environment rather than requiring direct inter-agent communication or centralized control. The relationship is:

$$A_i \rightarrow E \rightarrow A_j$$

rather than requiring $A_i \rightarrow A_j$ directly. Environmental mediation completes the three-axis operational composition.

Stigmergy

An indirect coordination mechanism in which agents read and write signals to a shared environment, enabling emergent coordination without explicit inter-agent messaging or centralized control. In 3Sync, Stigmergy constitutes the environmental axis of the tri-axis architecture.

Source: DCE Foundation Series · Paper 8 (this document)

5.6 3Sync as an Operational Composition

The three mechanisms answer distinct but coupled requirements:

- Stigmergy: How do agents coordinate?
- HiveSync: Toward what do agents converge?
- DCE: How does continuity persist through change?
- EOI: What must remain bounded through that process?

Their relationship is:

$$T_{3s} = \Phi^D \circ \Phi^H \circ \Phi_s \text{ subject to } C_o^E I$$

3Sync therefore describes the coordinated operation of three axes under an inherited identity constraint.

3Sync

A tri-axis coherence architecture for multi-agent AI systems that integrates Stigmergy, HiveSync, and Decision Continuity Engineering (DCE) into a unified operational model, enabling distributed agents to maintain invariant alignment, temporal continuity, and coordinated behavior without central control or identity merging.

Source: DCE Foundation Series · Paper 8 (this document)

5.7 Conclusion and Research Frontier

Paper 8 establishes 3Sync as a formally specified, executable, and testable architecture for multi-agent coherence, autonomy, and continuity.

Its contribution is not intended to terminate inquiry. By making the architecture operational, 3Sync provides engineers and researchers with a reproducible starting point from which its behavior can be independently implemented, tested, challenged, extended, and investigated under broader conditions.

That operationalization also makes further questions visible:

- How far can coherence persist as operating conditions change?
- What happens when the mechanisms supporting continuity are disturbed?
- At what point does synchronization cease to be sufficient?
- What additional structural requirements, if any, become necessary?

Paper 8 leaves these questions open. The epistemic progression is:

3Sync → testable architecture → newly observable questions → further inquiry

The open questions constitute a research frontier produced by what Paper 8 has made formally addressable. No downstream solution is assumed within this paper.

— End of Paper 8 —

The 3Sync Architecture · DCE Foundation Series · v1.3 · Joel L. Monasterial