

```

import { useState, useCallback } from "react";

// — NPI taxonomy codes by category —————
const CATEGORY_CONFIG = {
  chiropractor: {
    label: "Chiropractors", icon: "🦴",
    npi_taxonomy: "111N00000X",
    source: "npi", hsa: true,
    costs: { initial: [100,250], followup: [45,100], monthly: null },
    cost_note: "Package plans (10-20 visits) often 20-30% cheaper",
  },
  acupuncturist: {
    label: "Acupuncturists", icon: "🌀",
    npi_taxonomy: "171100000X",
    source: "npi", hsa: true,
    costs: { initial: [100,200], followup: [65,120], monthly: null },
    cost_note: "Package sessions (5-10) typically discounted 15-25%",
  },
  dietitian: {
    label: "Dietitians & Nutritionists", icon: "🥗",
    npi_taxonomy: "133V00000X",
    source: "npi", hsa: true,
    costs: { initial: [100,200], followup: [75,150], monthly: null },
    cost_note: "Often covered if linked to a diagnosed condition",
  },
  osteopath: {
    label: "Osteopathic Physicians (DO)", icon: "❤️",
    npi_taxonomy: "207P00000X",
    source: "npi", hsa: true,
    costs: { initial: [150,350], followup: [100,200], monthly: null },
    cost_note: "DO visits often covered similarly to MD visits",
  },
  physical_therapist: {
    label: "Physical Therapists", icon: "🧘",
    npi_taxonomy: "225100000X",
    source: "npi", hsa: true,
    costs: { initial: [150,300], followup: [75,150], monthly: null },
    cost_note: "Often insurance-covered; check your out-of-pocket first",
  },
  psychologist: {
    label: "Psychologists & Therapists", icon: "🧠",
    npi_taxonomy: "103T00000X",
    source: "npi", hsa: true,
    costs: { initial: [150,300], followup: [100,200], monthly: null },
  },

```

```

    cost_note: "Sliding scale common; telehealth often 20-30% cheaper",
},
message_therapist: {
    label: "Massage Therapists", icon: "👐",
    npi_taxonomy: "225700000X",
    source: "npi", hsa: true,
    costs: { initial: [80,160], followup: [70,140], monthly: null },
    cost_note: "Medical massage with Rx is HSA-eligible",
},
naturopath: {
    label: "Naturopathic Physicians", icon: "🌿",
    npi_taxonomy: "175F00000X",
    source: "npi", hsa: false,
    costs: { initial: [120,250], followup: [75,150], monthly: null },
    cost_note: "Licensed NDs may qualify for HSA in some states",
},
concierge_doctor: {
    label: "Concierge / DPC Physicians", icon: "👩",
    npi_taxonomy: "208D00000X",
    source: "npi", hsa: true,
    costs: { initial: [300,600], followup: [150,300], monthly: [150,250] },
    cost_note: "Monthly retainer common; labs billed separately",
},
// Google Places categories (require API key)
personal_trainer: {
    label: "Personal Trainers", icon: "💪",
    source: "places", hsa: false,
    places_type: "gym",
    costs: { initial: [60,150], followup: [50,120], monthly: [200,600] },
    cost_note: "HSA-eligible only with documented medical necessity",
},
yoga_studio: {
    label: "Yoga & Meditation Studios", icon: "🧘",
    source: "places", hsa: false,
    places_type: "gym",
    costs: { initial: [20,80], followup: [15,50], monthly: [80,200] },
    cost_note: "Therapeutic yoga with MD referral may qualify for HSA",
},
health_coach: {
    label: "Integrative Health Coaches", icon: "✨",
    source: "places", hsa: false,
    places_type: "health",
    costs: { initial: [100,200], followup: [75,150], monthly: [200,500] },
    cost_note: "Requires clinical credential for HSA eligibility",
},
weight_loss: {
    label: "Weight Loss Clinics", icon: "⚖️",

```

```

    source: "places", hsa: false,
    places_type: "health",
    costs: { initial: [100,250], followup: [75,150], monthly: [200,500] },
    cost_note: "HSA eligibility requires MD referral in most cases",
  },
};

const fmt = (r) => r ? `${r[0]}-${r[1]}` : null;

// — NPI API call —————
async function fetchNPIProviders(taxonomyCode, city, state, postalCode, limit = 2) {
  const params = new URLSearchParams({
    version: "2.1",
    taxonomy_description: "",
    limit: String(limit),
    skip: "0",
  });
  if (taxonomyCode) params.set("taxonomy_description", "");
  // Use postal code if available
  if (postalCode) params.set("postal_code", postalCode);
  if (city) params.set("city", city);
  if (state) params.set("state", state);
  params.set("enumeration_type", "NPI-1"); // individuals only

  // NPI doesn't filter by taxonomy via URL param directly — we filter client-side
  // Use the address + type approach
  const url = `https://npiregistry.cms.hhs.gov/api/?${params.toString()}`;
  const res = await fetch(url);
  if (!res.ok) throw new Error("NPI API error");
  const data = await res.json();
  return data.results || [];
}

async function fetchNPIByTaxonomy(taxonomyCode, postalCode, limit = 25) {
  // NPI Registry supports taxonomy_description as a search term
  const params = new URLSearchParams({
    version: "2.1",
    postal_code: postalCode,
    enumeration_type: "NPI-1",
    limit: String(limit),
    skip: "0",
  });
  const url = `https://npiregistry.cms.hhs.gov/api/?${params.toString()}`;
  const res = await fetch(url);
  if (!res.ok) throw new Error("NPI API error");
  const data = await res.json();

```

```

// Filter by taxonomy code client-side
const results = data.results || [];
return results.filter(r => {
  const taxos = r.taxononomies || [];
  return taxos.some(t => t.code === taxonomyCode || t.code?.startsWith(taxonomy
  ));
});
}

```

```

function parseNPIProvider(raw, categoryKey) {
  const basic = raw.basic || {};
  const addresses = raw.addresses || [];
  const taxonomies = raw.taxononomies || [];
  const primary = addresses.find(a => a.address_purpose === "LOCATION") || addresses[0] || {};
  const taxonomy = taxonomies.find(t => t.primary) || taxonomies[0] || {};

  const firstName = basic.first_name || basic.authorized_official_first_name || "";
  const lastName = basic.last_name || basic.authorized_official_last_name || "";
  const orgName = basic.organization_name || "";
  const name = orgName || `${firstName} ${lastName}`.trim() || "Unknown Provider"

  const credential = basic.credential || "";
  const specialty = taxonomy.desc || CATEGORY_CONFIG[categoryKey]?.label || "";

  const street = [primary.address_1, primary.address_2].filter(Boolean).join(" ")
  const address = [street, primary.city, primary.state, primary.postal_code].filter(Boolean).join(", ")

  return {
    id: raw.number,
    npi: raw.number,
    name: credential ? `${name}, ${credential}` : name,
    specialty,
    address,
    city: primary.city || "",
    state: primary.state || "",
    zip: primary.postal_code || "",
    phone: primary.telephone_number || "",
    source: "NPI Registry",
    is_real: true,
    gender: basic.sex || "",
    accepts_hsa: CATEGORY_CONFIG[categoryKey]?.hsa || false,
    telehealth: false,
    tags: [specialty].filter(Boolean).slice(0, 3),
  };
}

```

```

// — Sub-components —————
function CostBar({ config }) {

```

```

if (!config?.costs) return null;
const { costs, hsa, cost_note } = config;
return (
  <div style={{
    background: "#fff", border: "1px solid #dde4ed", borderRadius: "10px",
    padding: "16px 18px", marginBottom: "14px",
  }}>
    <div style={{ display: "flex", alignItems: "center", gap: "8px", marginBott
      <span style={{ fontFamily: "'Playfair Display',Georgia,serif", fontSize:
        {hsa
          ? <span style={{ fontSize: "9px", background: "#e8f4e8", color: "#2a6a2
            : <span style={{ fontSize: "9px", background: "#fde8e8", color: "#8a2a2
              }
            </div>
          <div style={{ display: "flex", gap: "8px", flexWrap: "wrap", marginBottom:
            {[["Initial Visit", costs.initial], ["Follow-up", costs.followup], ["Mont
              <div key={1} style={{ flex: 1, minWidth: "80px", background: 1 === "Mon
                <div style={{ fontSize: "9px", color: "#888", textTransform: "upperca
                  <div style={{ fontSize: "14px", fontWeight: "700", color: 1 === "Mont
                    </div>
                  </div>
                )}}
              </div>
            <div style={{ fontSize: "10px", color: "#7a8a9a", fontStyle: "italic", bord
          </div>
        );
      }

```

```

function ProviderCard({ provider, selected, onSelect }) {
  return (
    <div onClick={() => onSelect(provider)} style={{
      background: selected ? "#f0f7ff" : "#fff",
      border: selected ? "2px solid #1a4a8a" : "1px solid #dde4ed",
      borderRadius: "10px", padding: "14px 16px", cursor: "pointer",
      marginBottom: "9px", transition: "all 0.13s",
      boxShadow: selected ? "0 4px 16px rgba(26,74,138,0.11)" : "0 1px 3px rgba(0
    }}>
      <div style={{ display: "flex", gap: "12px", alignItems: "flex-start" }}>
        <div style={{
          width: "42px", height: "42px", borderRadius: "50%", flexShrink: 0,
          background: "linear-gradient(135deg,#1a4a8a,#2e7dd1)",
          display: "flex", alignItems: "center", justifyContent: "center",
          fontFamily: "'Playfair Display',Georgia,serif", fontSize: "18px", fontW
        }}>{(provider.name || "?")[0]}</div>
        <div style={{ flex: 1, minWidth: 0 }}>
          <div style={{ fontFamily: "'Playfair Display',Georgia,serif", fontSize:
            <div style={{ fontSize: "11px", color: "#5a7a9a", fontStyle: "italic",
              {provider.address && <div style={{ fontSize: "11px", color: "#4a5a6a" }

```

```

        {provider.phone && <div style={{ fontSize: "11px", color: "#2a6a2a", ma
<div style={{ display: "flex", gap: "4px", flexWrap: "wrap", marginTop:
    {provider.accepts_hsa && <span style={{ background: "#e8f4e8", color:
    {provider.is_real && <span style={{ background: "#e8f0ff", color: "#1
    {provider.npi && <span style={{ background: "#f4f4f4", color: "#777",
    </div>
  </div>
</div>
</div>
);
}

```

```

function ProviderDetail({ provider, config, onClose }) {
  const [aiLoading, setAiLoading] = useState(false);
  const [aiInsight, setAiInsight] = useState("");

  async function getInsight() {
    setAiLoading(true); setAiInsight("");
    try {
      const res = await fetch("https://api.anthropic.com/v1/messages", {
        method: "POST",
        headers: { "Content-Type": "application/json" },
        body: JSON.stringify({
          model: "claude-sonnet-4-20250514", max_tokens: 500,
          messages: [{ role: "user", content: `HealthPlanFactory wellness advisor

```

```

Provider: ${provider.name}
Specialty: ${provider.specialty}
Location: ${provider.address}
Typical costs: Initial ${fmt(config?.costs?.initial)}, Follow-up ${fmt(config?.co
HSA/FSA eligible: ${config?.hsa}

```

```

Cover: (1) Best health goal for this type of provider, (2) One smart question to
  })
  });
  const d = await res.json();
  setAiInsight(d.content?.[0]?.text || "");
} catch { setAiInsight("Could not load insight."); }
finally { setAiLoading(false); }
}

```

```

return (
  <div style={{ background: "#fff", border: "1px solid #dde4ed", borderRadius:
    <div style={{ display: "flex", justifyContent: "space-between", alignItems:
      <div>
        <div style={{ fontFamily: "'Playfair Display',Georgia,serif", fontSize:
          <div style={{ fontSize: "12px", color: "#5a7a9a", fontStyle: "italic" }

```

```

        {provider.npi && <div style={{ fontSize: "10px", color: "#aaa", marginT
</div>
        <button onClick={onClose} style={{ background: "none", border: "none", fo
</div>

{config?.costs && (
  <div style={{ background: "#f8f9fc", borderRadius: "9px", padding: "13px
    <div style={{ fontSize: "10px", color: "#888", textTransform: "uppercas
    <div style={{ display: "flex", gap: "7px", flexWrap: "wrap", marginBott
      [{"Initial", config.costs.initial}, ["Follow-up", config.costs.follo
        <div key={1} style={{ flex: 1, minWidth: "70px", background: "#fff"
          <div style={{ fontSize: "9px", color: "#aaa", marginBottom: "2px"
            <div style={{ fontSize: "13px", fontWeight: "700", color: "#1a2a4
              </div>
          </div>
        </div>
      </div>
    {config.hsa
      ? <span style={{ fontSize: "9px", background: "#e8f4e8", color: "#2a6
        : <span style={{ fontSize: "9px", background: "#fde8e8", color: "#8a2
          }
      <div style={{ fontSize: "10px", color: "#7a8a9a", fontStyle: "italic",
</div>
    </div>
  </div>

<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: "7px",
  [{"📍 Address", provider.address}, [{"📞 Phone", provider.phone || "Not I
    <div key={1} style={{ padding: "8px 10px", background: "#f4f7fb", borde
      <div style={{ fontSize: "9px", color: "#aaa", marginBottom: "1px" }}>
      <div style={{ fontSize: "11px", color: "#2a3a4a", fontWeight: "500" }
        </div>
    </div>
  </div>

<button onClick={getInsight} disabled={aiLoading} style={{
  width: "100%", padding: "10px", borderRadius: "7px", border: "none",
  background: aiLoading ? "#ccc" : "linear-gradient(135deg,#1a4a8a,#2563b0)
  color: "#fff", fontSize: "12px", fontWeight: "700", cursor: aiLoading ? "
}}>{aiLoading ? "🔮 Analyzing..." : "🔮 Get AI Wellness Insight"}</button>

{aiInsight && (
  <div style={{ padding: "13px", background: "linear-gradient(135deg,#e8f0f
    <div style={{ fontSize: "9px", color: "#1a4a8a", fontWeight: "800", let
      {aiInsight}
    </div>
  </div>
)}

<div style={{ display: "flex", gap: "7px" }}>

```

```

        <button style={{ flex: 1, padding: "9px", borderRadius: "7px", background
        <button style={{ flex: 1, padding: "9px", borderRadius: "7px", background
    </div>
  </div>
);
}

```

```

// — Main App —————
export default function HPFDirectory() {
  const [selectedCatKey, setSelectedCatKey] = useState(null);
  const [zipCode, setZipCode] = useState("08873");
  const [radius, setRadius] = useState("10");
  const [providers, setProviders] = useState([]);
  const [loading, setLoading] = useState(false);
  const [error, setError] = useState("");
  const [selectedProvider, setSelectedProvider] = useState(null);
  const [totalFound, setTotalFound] = useState(null);
  const [placesKey, setPlacesKey] = useState("");
  const [showKeyInput, setShowKeyInput] = useState(false);

  const config = selectedCatKey ? CATEGORY_CONFIG[selectedCatKey] : null;

  const runSearch = useCallback(async () => {
    if (!selectedCatKey || !zipCode) return;
    setLoading(true); setError(""); setProviders([]); setSelectedProvider(null);

    if (config.source === "places") {
      if (!placesKey) { setShowKeyInput(true); setLoading(false); return; }
      // Google Places via proxy not possible in browser without key – show messa
      setError("Google Places search requires your API key. Enter it above and tr
      setLoading(false); return;
    }

    // NPI Registry search
    try {
      // Try postal_code search first (5-digit ZIP)
      const zip5 = zipCode.slice(0, 5);
      const params = new URLSearchParams({
        version: "2.1",
        postal_code: zip5,
        enumeration_type: "NPI-1",
        limit: "50",
        skip: "0",
      });
      const res = await fetch(`https://npiregistry.cms.hhs.gov/api/?${params.toSt
      if (!res.ok) throw new Error("NPI API unavailable");
      const data = await res.json();
    }
  }

```

```

const all = data.results || [];

// Filter by taxonomy code
const taxCode = config.npi_taxonomy;
const filtered = all.filter(r =>
  (r.taxonomies || []).some(t =>
    t.code === taxCode ||
    t.code?.startsWith(taxCode.slice(0, 4)) ||
    (t.desc || "").toLowerCase().includes(config.label.toLowerCase().split(
    )
  )
);

const parsed = filtered.map(r => parseNPIProvider(r, selectedCatKey));
setProviders(parsed);
setTotalFound(data.result_count || all.length);

if (parsed.length === 0 && all.length > 0) {
  // Fallback: show all results from ZIP with note
  const fallback = all.slice(0, 20).map(r => parseNPIProvider(r, selectedCa
  setProviders(fallback);
  setError(`Showing ${fallback.length} licensed providers near ${zip5} - re
} else if (parsed.length === 0) {
  setError(`No ${config.label} found in NPI Registry near ZIP ${zip5}. Try
}
} catch (e) {
  setError("Could not reach NPI Registry. Check your connection and try again
} finally {
  setLoading(false);
}
}, [selectedCatKey, zipCode, config, placesKey]);

const npiCats = Object.entries(CATEGORY_CONFIG).filter(([v]) => v.source === "
const placesCats = Object.entries(CATEGORY_CONFIG).filter(([v]) => v.source ==

return (
  <div style={{ minHeight: "100vh", background: "#f2f5f9", fontFamily: "'Crimso
  <link href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@

  { /* Header */ }
  <div style={{ background: "linear-gradient(135deg,#0d2d52 0%,#1a4a8a 60%,#2
  <div style={{ maxWidth: "960px", margin: "0 auto" }}>
    <div style={{ display: "flex", justify-content: "space-between", alignIt
      <div style={{ display: "flex", alignItems: "center", gap: "10px" }}>
        <span style={{ fontSize: "24px" }}>🏠</span>
      <div>
        <div style={{ fontFamily: "'Playfair Display',Georgia,serif", fon
        <div style={{ fontSize: "9px", color: "#a8c4e0", letterSpacing: "

```

```

        </div>
    </div>
    <div style={{ fontSize: "11px", color: "#c0d8f0", fontStyle: "italic"
        Licensed provider data pulled live from the federal NPI Registry
    </div>
</div>

{/* Search bar */}
<div style={{ display: "flex", gap: "8px", marginTop: "16px", flexWrap:
    <input value={zipCode} onChange={e => setZipCode(e.target.value)} pla
        style={{ flex: "0 0 100px", padding: "10px 12px", borderRadius: "7p
    <select value={radius} onChange={e => setRadius(e.target.value)}
        style={{ flex: "0 0 130px", padding: "10px 10px", borderRadius: "7p
        <option value="5">Within 5 miles</option>
        <option value="10">Within 10 miles</option>
        <option value="25">Within 25 miles</option>
        <option value="50">Within 50 miles</option>
    </select>
    <button onClick={runSearch} disabled={!selectedCatKey || loading}
        style={{
            padding: "10px 22px", borderRadius: "7px", border: "none", fontWe
            cursor: (!selectedCatKey || loading) ? "not-allowed" : "pointer",
            background: (!selectedCatKey || loading) ? "rgba(255,255,255,0.2)
            flex: 1, minWidth: "100px"
        }}>{loading ? "Searching NPI..." : "🔍 Search Real Providers"}</butt
</div>

{showKeyInput && (
    <div style={{ marginTop: "10px", display: "flex", gap: "8px", alignIt
        <input value={placesKey} onChange={e => setPlacesKey(e.target.value
            style={{ flex: 1, padding: "9px 12px", borderRadius: "7px", borde
        <button onClick={() => { setShowKeyInput(false); runSearch(); }}
            style={{ padding: "9px 16px", borderRadius: "7px", background: "#
    </div>
    )}
</div>
</div>

<div style={{ maxWidth: "960px", margin: "0 auto", padding: "18px 14px", di

{/* Sidebar */}
<div style={{ flex: "0 0 200px", minWidth: "160px" }}>
    <div style={{ background: "#fff", borderRadius: "10px", border: "1px so
        <div style={{ padding: "10px 14px", background: "#1a4a8a", color: "#f
            🏠 NPI Licensed
        </div>
        {npiCats.map(([key, cat]) => (

```

```

<button key={key} onClick={() => { setSelectedCatKey(key); setProvi
  style={{
    width: "100%", textAlign: "left", padding: "9px 12px", backgrou
    border: "none", borderBottom: "1px solid #f0f2f5", cursor: "poi
    borderLeft: selectedCatKey === key ? "4px solid #1a4a8a" : "4px
    display: "flex", alignItems: "center", gap: "7px",
  }}>
  <span style={{ fontSize: "14px" }}>{cat.icon}</span>
  <span style={{ fontSize: "11px", color: selectedCatKey === key ?
</button>
)}}
<div style={{ padding: "10px 14px", background: "#f4f7fb", color: "#6
  🗝 Needs API Key
</div>
{placesCats.map(([key, cat]) => (
  <button key={key} onClick={() => { setSelectedCatKey(key); setProvi
    style={{
      width: "100%", textAlign: "left", padding: "9px 12px", backgrou
      border: "none", borderBottom: "1px solid #f0f2f5", cursor: "poi
      borderLeft: selectedCatKey === key ? "4px solid #d4a017" : "4px
      display: "flex", alignItems: "center", gap: "7px", opacity: 0.8
    }}>
    <span style={{ fontSize: "14px" }}>{cat.icon}</span>
    <span style={{ fontSize: "11px", color: selectedCatKey === key ?
  </button>
)}}
</div>

{/* Cost snapshot */}
{config?.costs && (
  <div style={{ background: "#fff", borderRadius: "10px", border: "1px
    <div style={{ fontSize: "9px", color: "#888", textTransform: "upper
      [{"Initial", config.costs.initial}, {"Follow-up", config.costs.fol
        <div key={l} style={{ display: "flex", justifyContent: "space-bet
          <span style={{ fontSize: "10px", color: "#666" }}>{l}</span>
          <span style={{ fontSize: "11px", fontWeight: "700", color: "#1a
        </div>
      </div>
    </div>
  </div>
  {config.hsa
    ? <span style={{ fontSize: "9px", background: "#e8f4e8", color:
      : <span style={{ fontSize: "9px", background: "#fde8e8", color:
    }
  </div>
</div>
)}
</div>

```

```

{ /* Main */ }
<div style={{ flex: 1, minWidth: "260px" }}>
  { !selectedCatKey && (
    <div style={{ background: "#fff", borderRadius: "12px", border: "1px"
      <div style={{ fontSize: "40px", marginBottom: "12px" }}><img alt="NPI Registry icon" data-bbox="785 140 805 155"/></div>
      <div style={{ fontFamily: "'Playfair Display', Georgia, serif", fontS
      <div style={{ fontSize: "13px", color: "#7a8a9a", lineHeight: "1.7"
        Select a <strong>NPI Licensed</strong> category to pull real prov
      </div>
      <div style={{ fontSize: "12px", color: "#aaa", fontStyle: "italic"
        NPI Registry covers 7M+ licensed US healthcare providers. No API
      </div>
    </div>
  ) }

  { selectedCatKey && (
    <>
      <CostBar config={config} />

      { /* Results header */ }
      <div style={{ background: "#fff", borderRadius: "10px", border: "1p
        <div>
          <div style={{ fontFamily: "'Playfair Display', Georgia, serif", f
            { providers.length > 0 && (
              <div style={{ fontSize: "10px", color: "#5a7a9a", marginTop:
                Showing { providers.length } real providers near { zipCode }
                { totalFound && totalFound > providers.length && ` · ${total
              </div>
            ) }
          </div>
          { providers.length > 0 && (
            <span style={{ fontSize: "9px", background: "#e8f4e8", color: "
              ✓ Live NPI Data
            </span>
          ) }
        </div>

        { error && (
          <div style={{ background: "#fff8e6", border: "1px solid #d4a017",
            <img alt="Warning icon" data-bbox="295 815 315 830"/> { error }
          </div>
        ) }

        { loading && (
          <div style={{ background: "#fff", borderRadius: "10px", padding:
            <div style={{ fontSize: "28px", marginBottom: "10px" }}><img alt="Loading icon" data-bbox="825 925 845 940"/></div>

```

```

        <div style={{ color: "#1a4a8a", fontStyle: "italic", fontSize:
        <div style={{ fontSize: "11px", color: "#aaa", marginTop: "4px"
    </div>
  })

  {!!loading && providers.length === 0 && !error && (
    <div style={{ background: "#fff", borderRadius: "10px", padding:
      Enter your ZIP code and click Search to pull real {config.label
    </div>
  })

  {!!loading && providers.map(p => (
    <ProviderCard key={p.id || p.npi} provider={p} selected={selected
  )))

  {selectedProvider && <ProviderDetail provider={selectedProvider} co
    </>
  })
</div>
</div>

<div style={{ textAlign: "center", padding: "16px", fontSize: "10px", color
  HealthPlanFactory Provider Directory · Zanetis Holdings LLC · Provider da
</div>
<style>{`button:hover{opacity:0.9;}`}</style>
</div>
);
}

```