POLAR BOT EMERGENCY RECOVERY PROCEDURES

POLAR BOT EMERGENCY RECOVERY PROC

Document ID: PDR-ERP-2024-01

Version: 3.2

Effective Date: January 15, 2024

Classification: CONFIDENTIAL - Internal Use Only

1. PURPOSE AND SCOPE

1. This document establishes mandatory procedures for the emergenc

2. These procedures apply to all BlueCore(TM)-enabled PolarBot mod

2. DEFINITIONS

1. "Emergency Condition" means any situation that:

(a) Poses immediate risk to human safety;

(b) Threatens significant property damage;

(c) Results in PolarBot unresponsiveness or deviation from programm

parameters; or

(d) Triggers BlueCore(TM) safety protocols.

2. "Recovery Team" means Company-certified personnel authorized t

3. "Safe State" means the condition where a PolarBot's systems are fu

3. EMERGENCY SHUTDOWN PROTOCOLS

1. Primary Shutdown Sequence

(a) Initiate remote shutdown command through BlueCore(TM) Control

(b) Verify cessation of all mechanical movements

(c) Confirm power system isolation

(d) Enable mechanical lockdown systems

2. Manual Override Procedure

(a) Locate and access the emergency stop panel

(b) Enter authorized override code: [FACILITY-SPECIFIC CODE]

(c) Activate physical shutdown switch

(d) Wait minimum 30 seconds for complete system discharge

4. RECOVERY TEAM REQUIREMENTS

1. Minimum Personnel Requirements

(a) Two (2) Company-certified technicians

(b) One (1) safety supervisor

(c) Facility representative with access authorization

2. Required Safety Equipment

(a) Cold-environment protective gear rated for facility conditions

(b) Company-approved diagnostic tools

(c) Emergency power isolation equipment

(d) Communication devices with backup power

5. RECOVERY PROCEDURES

1. Initial Assessment

(a) Establish safety perimeter of minimum 5 meters

(b) Perform visual inspection for physical damage

(c) Document environmental conditions

(d) Verify BlueCore(TM) system status

2. Recovery Operations

(a) Deploy diagnostic interface

(b) Download system logs

(c) Execute recovery sequence appropriate to failure mode

(d) Verify successful system restart or initiate physical retrieval

3. Physical Retrieval Protocol

(a) Confirm mechanical lockdown

(b) Disable drive systems

(c) Deploy recovery vehicle

(d) Secure PolarBot using approved attachment points

6. POST-RECOVERY REQUIREMENTS

1. Documentation Requirements

(a) Complete Emergency Recovery Report Form (ERR-101)

(b) Record all diagnostic data

(c) Document environmental conditions

(d) Log all recovery actions taken

2. System Verification

(a) Conduct full diagnostic scan

(b) Verify BlueCore(TM) integrity

(c) Test all safety systems

(d) Obtain technical clearance before return to service

7. LIABILITY AND INDEMNIFICATION

1. These procedures must be executed only by authorized Company

2. The Company assumes no liability for damages resulting from failu

8. MODIFICATIONS AND UPDATES

1. This document is subject to revision based on technological update

2. Recovery Teams must verify they are using the current version bef

APPROVAL AND AUTHORIZATION

Approved by:

_

Dr. James Barrett

Chief Robotics Officer

Polar Dynamics Robotics, Inc.

_

Sarah Nordstrom

Chief Operating Officer

Polar Dynamics Robotics, Inc.

Date: January 15, 2024

Document Control: PDR-ERP-2024-01-v3.2