POLAR NAVIGATION SAFETY PROTOCOL DOCUMENTATION

Document ID: PDR-IP-2023-0142

Version: 3.1

Effective Date: January 15, 2024

Classification: Confidential & Proprietary

1. PURPOSE AND SCOPE

1. This Safety Protocol Documentation ("Protocol") establishes the mandatory safety requirements

and operational parameters for Polar Dynamics Robotics, Inc.'s ("PDR") proprietary IceNav(TM)

Navigation System and associated autonomous mobile robot ("AMR") operations in

temperature-controlled environments.

2. This Protocol applies to all PDR AMR units equipped with IceNav(TM) technology operating in

environments below 0 C (32 F).

2. DEFINITIONS

1. "IceNav(TM)" means PDR's proprietary navigation and control system designed for cold

environment operations.

2. "Critical Operating Temperature" means the temperature range of -40 C to 0 C (-40 F to 32 F).

3. "Safety Perimeter" means the defined operational boundary of 1.5 meters surrounding each AMR

unit.

4. "Thermal Management System" or "TMS" means PDR's proprietary system for maintaining

optimal internal component temperatures.

3. SAFETY CERTIFICATION REQUIREMENTS

1. Each IceNav(TM)-equipped AMR must maintain current certification under:

a) ISO/TS 15066:2016 for collaborative robot operations

b) EN 1525:1997 for driverless industrial trucks

c) ANSI/RIA R15.08-1-2020 for industrial mobile robots

2. Additional Cold Environment Certifications:

- a) PDR Cold Operations Certification (COC-2023)
- b) Temperature-Controlled Environment Safety Protocol (TCESP-V2)

4. OPERATIONAL SAFETY PROTOCOLS

- 1. Pre-Operation Requirements
- a) TMS verification check
- b) Sensor calibration confirmation
- c) Emergency stop system test
- d) Communication system verification
- e) Battery thermal protection check
- 2. Active Operation Requirements
- a) Continuous monitoring of internal component temperatures
- b) Real-time obstacle detection and avoidance
- c) Dynamic path planning with ice/frost compensation
- d) Maintenance of minimum 1.5m safety perimeter
- e) Maximum speed adjustment based on environmental conditions

5. THERMAL MANAGEMENT SPECIFICATIONS

- 1. Operating Temperature Ranges:
- a) Optimal: -30 C to -5 C (-22 F to 23 F)
- b) Extended: -40 C to 0 C (-40 F to 32 F)
- c) Emergency Shutdown: Below -40 C (-40 F)
- 2. TMS Performance Requirements:
- a) Maximum internal temperature variance: 2 C
- b) Temperature sensor accuracy: 0.5 C
- c) Response time: <500ms for thermal adjustments

6. EMERGENCY PROTOCOLS

- 1. Automatic Shutdown Triggers:
- a) Internal temperature exceeds specifications

- b) Safety perimeter breach
- c) Sensor malfunction
- d) Communication loss >30 seconds
- e) Battery thermal protection failure
- 2. Emergency Response Procedures:
- a) Immediate operation cessation
- b) Personnel notification
- c) Safe-state positioning
- d) System diagnostic execution
- e) Incident logging and reporting

7. MAINTENANCE AND INSPECTION

- 1. Regular Maintenance Schedule:
- a) Daily: Sensor cleaning and calibration check
- b) Weekly: TMS performance verification
- c) Monthly: Full system diagnostic
- d) Quarterly: Safety certification review
- 2. Documentation Requirements:
- a) Maintenance logs
- b) Incident reports
- c) Performance metrics
- d) Calibration records

8. PROPRIETARY RIGHTS AND CONFIDENTIALITY

- 1. All technical specifications, protocols, and procedures contained herein are confidential and proprietary to PDR.
- 2. This document may not be reproduced, distributed, or disclosed without prior written authorization from PDR.

9. COMPLIANCE AND UPDATES

This Protocol shall be reviewed and updated annually or as required by:

 Regulatory changes
 Technology updates
 Safety incident findings
 Operational requirements

 All updates must be approved by PDR's Safety Review Board.
 CERTIFICATION
 The undersigned hereby certifies that this Safety Protocol Documentation has been remaining the company of the comp

The undersigned hereby certifies that this Safety Protocol Documentation has been reviewed and approved:

Dr. Elena Frost
Chief Executive Officer
Polar Dynamics Robotics, Inc.
Date: _

Dr. James Barrett

Chief Robotics Officer

Polar Dynamics Robotics, Inc.

Date: _

Document Control:

Last Review: December 15, 2023

Next Review: December 15, 2024

Document Owner: Safety & Compliance Department