



BIM 360//WUSM NRBWUSM\_RB\_SPOOLING MASTER.rvt  
7/19/2021 9:40:06 AM




2 AS-L00-044 - ISOMETRIC  
AS-L00-044 SCALE:

A1	A3	B1	B3
A2	A4	B2	B4

1 AS-L00-044  
AS-L00-044 SCALE: 1/2" = 1'-0"



JOB: WASH U NRB  
TICKET: AS-L00-044  
Drawn By: Author  
DATE: 03/11/21  
DATE REQ:



1233 N. Price Rd.  
St. Louis, Mo 63132-2303  
314-997-6600 phone

JOB:	WASH U NRB
TICKET:	HP-L00-044
Drawn By:	Author
DATE:	05/11/21




A1	A3	<b>B1</b>	B3
A2	A4	B2	B4



Klo-sure clamp w/  
strut clamp  
for shipment to  
job site  
(2)  $13\frac{1}{8}$  OD  $\times$  1" insul.  
 ~~$1\frac{1}{8}$  OD  $\times$  1" insul.~~  
(2)  $1\frac{1}{8}$  OD  $\times$  1" insul.

BIM 360/WUSM NRB/WUSM RB PLF.rvt  
5/11/2021 2:40:04 PM




Mark	Qty	Size	Description	Length	Strut Width	Rod 1 Length	Rod 2 Length
1	1	1"	Cerro Type L Hard Copper Pipe	7'-8 1/16"			
2	1	2"	Cerro Type L Hard Copper Pipe	6'-9 1/16"			
3	1	2"	Cerro Type L Hard Copper Pipe	6'-7 11/16"			
4	1	2"	Cerro Type L Hard Copper Pipe	6'-5 3/8"			
5	1	1"	Cerro Type L Hard Copper Pipe	6'-2 15/16"			
6	1	1"	Cerro Type L Hard Copper Pipe	5'-10 15/16"			
7	1	3"	Brismet Sch 10S A312 EFW 304 PIPE	19'-11 7/8"			
8	1	3"	Victaulic Style 107N QuickVic EHP Pnt Rigid Cpl				
9	2	3/4"	Victaulic No.647 TT Dielectric Transition Fitting				
10	2	2"x3/4"	Nibco Wrot 611R CxCxC Reducing Tee				
11	2	1"x1/2"	Nibco Wrot 611R CxCxC Reducing Tee				
12	2	3/4"	Nibco Wrot 603-2 Ftg Adapter CxF				
13	1	2"	Nibco Wrot 600 Dimpled Stop Coupling CxC				
14	1	1"	Nibco Wrot 600 Dimpled Stop Coupling CxC				
15	2	3"x3/4"	Merit Brass 3000# 316L SS Thread-O-Let				
16	4	6"	B-Line B2000 ZN Sch 40 Pipe Clamp				
17	4	5"	B-Line B2000 ZN Sch 40 Pipe Clamp				
18	4	3"	B-Line B2000 ZN Sch 40 Pipe Clamp				

Handwritten notes:


- Klo-sure clamp on each end of rack used to secure during shipment to job site.
- (2) DCW 3"nom. x 1" insul.
- (2) DHW 2 1/8 O.D x 2" insul.
- (2) DRW 1 1/8 OD x 1" insul.

1 ISOMETRIC  
SCALE:




2 FRONT ELEVATION  
SCALE: 1/2" = 1'-0"

3 TOP VIEW  
SCALE: 1/2" = 1'-0"



A1	A3	B1	B3
A2	A4	B2	B4



JOB: WASH U NRB  
TICKET: PP-L00-044  
Drawn By: Author  
DATE: 04/07/21



1233 N. Price Rd.  
St. Louis, Mo 63132-2303  
314-997-6600 phone

BIM 360/WUSM NRBWUSM RB\_PUF.rvt  
5/11/2021 11:13:25 AM

Mark	Qty	Size	Description	Length	Strut Width	Rod 1 Length	Rod 2 Length
1	1	3/4"	Cerro Type L Hard Copper - CFOS	19'-11 7/8"			
2	4	0.63"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN				




1 ISOMETRIC  
SCALE:

2 TOP VIEW  
SCALE: 1/2" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4

JOB: WASH U NRB  
TICKET: PU-L00-044  
Drawn By: Author  
DATE: 05/07/21  
DATE REQ:



1233 N. Price Rd.  
St. Louis, Mo 63132-2303  
314-997-6600 phone