



BIM 360/WUSM NRBWUSM_RB_SPOOLING MASTER.rvt
11/1/2021 10:24:57 AM

CUT AND PACKAGE ONLY
DO NOT ASSEMBLE




2 AS-L06-067 - ISOMETRIC
AS-L06-067 SCALE:



1 AS-L06-067
AS-L06-067 SCALE: 1/2" = 1'-0"


A1	A3	B1	B3
A2	A4	B2	B4

JOB: WASH U NRB
TICKET: AS-L06-067
Drawn By: Author
DATE: 11/01/21
DATE REQ:





1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone

BIM 360://WUSM NRBWUSM_RB_HPF.rvt
10/18/2021 4:15:25 PM



Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	3	6 5/8"	B-Line B2000 2in Slot 10 Pipe Clamp					
02	1	58"	B-Line 1-5/8 GRN 12GA Bk/Bk 2in Slotted Unistrut		5' - 2"	4' - 0 5/8"	4' - 0 5/8"	
03	2	50"	B-Line 1-5/8 GRN 12GA Bk/Bk 2in Slotted Unistrut		4' - 6"	2' - 8 5/8"	2' - 8 5/8"	
01	3	6 5/8"	B-LINE #2020					
04	3	5 5/8"	B-LINE #2066					

1 ISOMETRIC
SCALE:




3 FRONT ELEVATION
SCALE: 1/2" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4

2 TOP VIEW
SCALE: 1/2" = 1'-0"


JOB:	WASH U NRB
TICKET:	HPHGR-L06-067
Drawn By: Author	
DATE: 10/11/21	DATE REQ:




1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone

BIM 360://WUSM NRBWUSM_RB_HPF.rvt
11/11/2021 4:47:22 PM

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	1	2 1/2"	Cerro Type K Hard Copper Pipe	7'-1 3/4"				1 1/2"
02	1	2 1/2"	Cerro Type K Hard Copper Pipe	12'-8 9/16"				1 1/2"
03	1	2 1/2"x3/4"x2 1/2"	Nibco Wrot 611R CxCxC Reducing Tee					1 1/2"
04	1	2 1/2"	Nibco Wrot 600 Dimpled Stop Coupling CxC					1 1/2"
05	1	3/4"	Generic Solder Joint					1"
06	2	2 1/2"	Generic Solder Joint					1 1/2"




1 ISOMETRIC
SCALE:



2 LEFT ELEVATION
SCALE: 1/2" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4


JOB:	WASH U NRB
TICKET:	HWR-L06-067
Drawn By: Author	
DATE: 10/28/21	DATE REQ:




1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone

BIM 360://WUSM NRBWUSM_RB_HPF.rvt
22-10-2021 16:49:31

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	1	3/4"	Cone Type K Hard Copper Pipe	8'-5 11/16"				1"
02	1	3"	Chicago Area Sch 40 SA-53B CS ERW Pipe PE	19'-11 7/8"				1 1/2"
03	1	3/4"	Victaulic No.647 TT Dielectric Transition Fitting					1"
04	1	3/4"	Nibco Wrot 887 90 Deg Ell 3x3					1"
05	1	3/4"	Nibco Wrot 885 Adapter CxT					1"
06	1	3"x3/4"	Anvil 3000# FS Thread-O-Let					1"




1 ISOMETRIC
SCALE:



2 LEFT ELEVATION
SCALE: 1/2" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4

JOB: WASH U NRB
TICKET: HWS-L06-067
Drawn By: Author
DATE: 10/22/21
DATE REQ:



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone