


		BOM-STEEL			
Item No	Order	Description	Qty	Size	Steel L
479	3/4" Thd Rod		4		
H1	Fig137	Fig.137 U—Bolt (4)—Nut Black	6	24	
H2	Fig137	Fig.137 U—Bolt (4)—Nut Black	6	24	
Н3	Fig66 No-Bolt - PLN	Fig.66 Weld Beam Attach without Bolt & Nut — BLK	3	1	
S1	C8x11.5	ASTM A36 CS C-Channel	1	C8x11.5	318"
S2	W8x40	ASTM A36 CS Wide Flange	3	W8x40	125 1/2"
S3		ASTM A36 CS Plate 1/4" Thick	3	1/4	8"x8"



 		_	
			v
	17		
		PINTOTE 1	007


CONSTRUCTORS **ENGINEERS MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303

314-997-66 BIMCAD@mur	00 phy-	ohon -stl.c	e com	
				APP
	MMENTS	#s		CHK

-WUS	W RE	WUSM RESEARCH BUILDING		QA/QC ACCEPT	CEPT	FLANG	FLANGE WEIGHT/ORIENTATION	ORIENT,	ATION	
)) : —	i -	NDD CID				ŽI L L L	FITTING ORIENTATION	TION		_
_	֓֞֞֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֓֡֓					BOLTS	BOLTS/CPLG'S/TH'D TIGHT	'D TIGH	_	
	₹	PIPE KACKS				SPOOL	SPOOL IDENTIFICATION	ATION		
SERVICE NAME	NAME			-						1
T	<u>-</u>	CIID I EVEL 02	SPEC.		ASME X-RAY HYDRO TEST PWHT	HYDRO TEST	PWHT	2	COMMENTS	
	5	LL	¥	¥	¥	¥	NA MURPHY WPS#	URPHY WP	#S	
	2	יים								ı
ú	. `		0							
o I		2 to 4						100	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ŀ

9-




<u>ن</u> و

9

SHT/NO 5 OF 0

REF.DWG.
DRAWING NO./TRACKING NO.
210140—A—UPL2—





1233 N. Price Rd. St. Louis, MO 63132–2303 314–997–6600 phone BIMCAD@murphy-stl.com

QQV	DON ZHZ NOV	200		IACITO GOOD	ייייייייייייייייייייייייייייייייייייייי	_ !	7747	٥	0
								ک ک لاہ	C.
	***	MURPHY WPS#	NA NA	¥	≨	¥	_		
	COMMENTS	8	PWHT	YDRO TEST	X-RAY HYDRO TEST PWHT	ASME	SPEC.		2
		ATION	SPOOL IDENTIFICATION	SPOOL					٨
	⊨	'D TIGH	BOLTS/CPLG'S/TH'D TIGHT	BOLTS/					c.
		NOI	FITTING ORIENTATION	FITTING				<u> </u>	!
	ATION	ORIENT	FLANGE WEIGHT/ORIENTATION	FLANG	CEPT	QA/QC ACCEPT	QA/(BIJII DING	

SERVICE NAME


CUP LEVEL (






Size	CONSTRUCTORS -ENGINEERS	MEGILI	S NICAL •	INCE 1907	<u> </u>
0x10 10 20 10	1233 N. Pri	ice Rd. 10 63 6600	132- pho	-2303 ne	-
		ו			APP
10 20	ration tt	COMMENTS	₽S₩		DRN CHK APP
	ORIENT ATION H'D TIGH	3	MURPHY WPS#		DRN
	FLANGE WEIGHT/ORIENTATION FITTING ORIENTATION BOLTS/CPLG'S/TH'D TIGHT SPOOL IDENTIFICATION	PWHT	¥		
	FLANGE WEIGHT/ORIEN FITTING ORIENTATION BOLTS/CPLG'S/TH'D TIGI	X-RAY HYDRO TEST	¥		DESCRIPTION
	CEPT	X-RAY	¥		DES
	QA/QC ACCEPT	ASME	¥		DATE
	l	SPEC.	¥	•	REV D
	BUILDING S			RE	0
	ISM RESEARCH BUIL NRB CUP PIPE RACKS	IDI 2_6 BACK	10EN 0-2-	SHT/NO	l of l
	A REI	NAME	5	ج	
	l Sn	MCE NAME		C	7_

	31'-22	2 4
11'-482'	2 4 6	No. War
5	1. 9/4.	







DRN JMM	4/20/2021 WIIC	M DECEAL	SW DESEABLE BILL DING		QA/QC ACCEPT	CEPT	FLANG	E WEIGHT,	FLANGE WEIGHT/ORIENTATIC
CHK							NILLIA	FITTING ORIENTATION	NOIL
APP		אבן פון	NKB COP				BOLTS	BOLTS/CPLG'S/TH'D TIGHT	I'D TIGHT
JOB NO. 210140	140	PIPE	PIPE RACKS				SPOO	SPOOL IDENTIFICATION	ATION
	YOUG	OF MANE		Ī					
	SERVICE		20	SPEC.	ASME	X-RAY	X-RAY HYDRO TEST PWHT	PWHT	COMMEN
KET.DWG.		01 52	וסטו	AN.	¥	¥	¥	W W	NA MURPHY WPS#
TOTAL OIL CITIES OF		V 20 10 10 10 10 10 10 10 10 10 10 10 10 10			:::				
DRAWING NO./ IRACKING NO.	CKING NO.	ON/IHS .IIO	אבר אפרי	(
0777	010110 A A A A A A A A A A A A A A A A A	•	7	>					
Z10140-	.A_0rrz_0_3	_	lor I O	REV DATE	DATE	DES	DESCRIPTION		DRN CH

			Murphy-PF	FS-SP	OOL-E	301	M	
	Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
1 1 Std Wt SA-53B CS ERW Pipe GRV Grooved Pipe End Grooved Pipe End 31'-2" 374.000 2	2	1	, , , ,					24
	1	1	Std Wt SA-53B CS ERW Pipe GRV	Grooved Pipe End	Grooved Pipe End	31'-2"	374.000	24




CONSTRUCTORS *EMBINEERS MECHANICAL *• INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132–2303
314–997–6600 phone

4/20/2021	4/20/2021 WIISM BESE	CEABCH BILL DING	CNIC	QAQ	QA/QC ACCEPT	EPT	FLANGE	WEIGHT	FLANGE WEIGHT/ORIENTATION			
							FITTING	FITTING ORIENTATION	ATION		П	BIN
		n					BOLTS/	CPLG'S/T	BOLTS/CPLG'S/TH'D TIGHT			4CAD
40	_	PIPE RACKS					SPOOL	SPOOL IDENTIFICATION	CATION			@mi
	SERVICE NAME			SPEC	ASME	X-RAY	X-RAY HYDRO TEST PWHT	PWHT	COMMENTS	<u> </u>	Ť	urph
	ב	JP1 2-6 RACK									1	μ -
	5	C 127C12		_	¥	ž	¥	¥	MURPHY WPS#			stl
014 01407	-	***	į						B		1	.C
KING NO.	. T	ON/IHS	O V									om
A-UFL2-0-4	-0-4	I OF I	O	REV DATE	Ę	DES	DESCRIPTION		DRN CHK APP	KAP	Ğ	
												I

	0
	31'-2'
2	



			Murphy-PFI	FS-SP	00L-	BO	M	
Ma	rk	Qty	Description	End 1	End 2	Lft	LDec	Size
4	7	1	Sch 40 SA-53B CS ERW Pipe Saddle			6°°	6.000	24x14
3	T	2	Style W07 Rigid Coupling					14
5		1	Style W07 Rigid Coupling					24
2		1	No W10 90 Deg Ell					14
1		1	Std Wt SA-53B CS ERW Pipe GRV	Grooved Pipe End	Grooved Pipe End	31'-2"	374.000	24



CONSTRUCTORS **NOIMERS MECHANICAL ** INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

/20/2021	MISI D		SNIG III a DJAVJS	DINIC	OA/O	QA/QC ACCEPT	EPT	FLANG	E WEIGHT,	FLANGE WEIGHT/ORIENTATION	_ z
				5				FITTIN	FITTING ORIENTATION	VIION	
		- !	NKB COP					BOLTS	BOLTS/CPLG'S/TH'D TIGHT	4'D TIGHT	
		<u>=</u>	IPE RACKS					SPOOL	SPOOL IDENTIFICATION	ATION	
	SERVICE NAM	AME			ŀ	r	-				
	i	<u>-</u>	IDIO-6 DACK	•	SPEC.	ASME	X-RAY	X-RAY HYDRO TEST PWHT	PWHT	COMMENTS	တ
		5	10AN 0-7:			¥.	Ą	Ą	AN AN	WIRPHY WPS#	
94		740	ON HIS	ا ۋ				:	ı		
- - -	U	. `	0N/ILC	0 A							
-0FLZ-0-0	0 0 0	_	<u>-</u> -))	REV DATE	_	DES	DESCRIPTION		DRN CHK	APP

11-21-11-21-11-11-11-11-11-11-11-11-11-1