

DATE: MANIFOLDED/SEALED/WRAP

BIM 360://WUSM NRB/WUSM\_RB\_SPOOLING MASTER.rvt 10/28/2021 1:10:03 PM




1 AS-L06-045 - ISOMETRIC AS-L06-045SCALE:





A1	А3	B1	В3
A2	A4	B2	B4



JOB: WASH U NRB

тіскет: AS-L06-045

Drawn By: Autho DATE: 10/27/21

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone

A1 A3 B1 B3

A2 A4 B2 B4


BIM 360://WUSM NRB/WUSM RB PLF.rvt 11/4/2021 12:49:39 PM

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
0.1	2	C"	P. Line P2000 7N Seh 40 Dine Clamp		<u>_</u>			
Ŭ.	_	Ĭ						
02	٦	1 5"	D Line D2000 7N Cab 40 Dine Clamp		<u>L</u>			
<u> </u>			B Ellio BEOOD Elit Ooli To Filpo Olamp					
		A = 11	D.I. D0000 ZN O I 40 D: Ol		<u> </u>			
00	14	۷.۷	D'EING DZ000 ZN OGN TO FIPG OIGINP					

01	2	4 5/8"	B-LINE #2058
02	2	3 5/8"	B-LINE #2050
03	2	2 7/8"	B-LINE #2014

	02		
03		01	





TOP VIEW  SCALE: 1: 10	

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone


тіскет: PPHGR-L06-045

Drawn By: Author DATE: 10/27/21

JOB: WASH U NRB


BIM 360://WUSM NRB/WUSM RB PUF.rvt 11/8/2021 8:21:35 AM

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	2	3.5"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN					
02	2	2"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN					
03	8	0.75"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN					





# ISOMETRIC SCALE:





## **TOP VIEW**

SCALE: 1/2" = 1'-0"

>	•
	7

тіскет: PUHGR-L06-045

Drawn By: Author DATE: 10/20/21

JOB: WASH U NRB

1		-		
	A1	A3	B1	В3
	A2	A4	B2	B4

А3

A4

B4


АЗ

A4


B2

B4


DATE REQ:



Mark	Qty	Size	Description	Length	Insulation	ROD 1	ROD 2	Strut Width
01	1	2 1/2"	Cerro Type K Hard Copper Pipe	5'-2 1/8"	1 1/2"			
02	1	2 1/2"	Cerro Type K Hard Copper Pipe	4'-4 1/4"	1 1/2"			
03	1	2 1/2"x3/4"	Nibco Wrot 611R CxCxC Reducing Tee		1 1/2"			
04	1	2 1/2"	Nibco Wrot 607 90 Deg Ell CxC		1 1/2"			
05	1	2 1/2"	Nibco Wrot 600 Dimpled Stop Coupling CxC		1 1/2"			








2 LEFT ELEVATION

SCALE: 1/2" = 1'-0"

A1	А3	B1	В3
A2	A4	B2	B4

BIM 360://WUSM NRB/WUSM RB HPF.rvt 12/17/2021 2:05:21 PM



JOB: 210140 - WASH U NRB

тіскет: HWR-L06-045


Drawn By: Author DATE: 10/22/21 CONNECT TO AS-L06-069

BIM 360://WUSM NRB/WUSM RB HPF.rvt 11/4/2021 12:22:02 PM

<u>02</u> 07 UP 04 05 SHIP LOOSE



ISOMETRIC SCALE:







**FRONT VIEW** 

A1	A3	B1	B3
A2	A4	B2	B4

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	1	3/4"	Cent Type K Hard Copper Pipe	0' 2 7/0"				1"
02	1	3"	Chicago Area Sch 40 SA-53B CS ERW Pipe PE	8'-8 3/8"				1 1/2"
03	1	3"	Weldbend Std Wt SA234 WPB CS BW LR 90 Deg Ell					1 1/2"
04	1	3/4"	Victaulic No.647 TT Dielectric Transition Fitting					1"
05	1	3/4"	Niboo Wrot 007 90 Day Eli Ox0					1"
00	1	3/4"	Niboo Wret 603 Adapter CxF					1"
07	1	3"x3/4"	Anvil 3000# FS Thread-O-Let					1"

TICKET:
HWS-L06-045
Drawn By: Author
DATE: 11/04/21
DATE JOB: WASH U NRB






A3


1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone

DATE: 10/18/21



Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	1	3/4"	Cerro Type L Hard Copper - CFOS	7'-4 13/16"				
02	1	3/4"	Nibco 607-CB CFOS Wrot 90 Elbow					
03	1	3/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop					







		<u>&gt;</u>	
	4		
	<u> </u>	7	
1			<b>&gt;</b>

DATE REQ:

TICKET:

CO2-L06-045

Drawn By: Author

DATE: 10/20/21

DATE: 10/20/21


JOB: WASH U NRB

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone


A1	A3	B1	В3
A2	A4	B2	B4

BIM 360://WUSM NRB/WUSM RB PUF.rvt 11/4/2021 12:30:34 PM

MarkQtySizeDescriptionLengthStrut WidthRob 1Rob 2Insulation0113/4"Swagelok SS316L 065 Wall Compression Seamless Tubing8'-4 3/16"8'-4 3/16"0213/4"Swagelok SS316 Compression Union Coupling90313/4"Swagelok SS316 Compression Union 90 Elbow9








# FRONT ELEVATION SCALE: 1/2" = 1'-0"

A1	A3	B1	В3
A2	A4	B2	B4

BIM 360://WUSM NRB/WUSM RB PUF.rvt 11/4/2021 12:30:31 PM



DATE REQ:


тіскет: ARV-L06-045

JOB: WASH U NRB

MarkQtySizeDescriptionLengthStrut WidthRob 1Rob 2Insulation0113/4"Swagelok SS316L 065 Wall Compression Seamless Tubing8'-1 15/16"8'-1 15/16"0213/4"Swagelok SS316 Compression Union Coupling90313/4"Swagelok SS316 Compression Union 90 Elbow9

# CONNECT TO AS-L06-044 HEV SHIP LOOSE CONNECT TO AS-L06-069 SHIP LOOSE

1 SCALE:




PRONT ELEVATION

SCALE: 1/2" = 1'-0"


A1	A3	B1	В3
A2	A4	B2	B4

BIM 360://WUSM NRB/WUSM RB PUF.rvt 11/4/2021 12:30:35 PM



тіскет: НЕV-L06-045

JOB: WASH U NRB






A3

A2


B2



DATE REQ:

JOB: WASH U NRB


тіскет: LA-L06-045





## **ISOMETRIC**

SCALE:



# **2**


A3

A2

B2

### **FRONT ELEVATION**

SCALE: 1/2" = 1'-0"



тіскет: LVAC-L06-045

JOB: WASH U NRB

Strut Width

Rob 1 Rob 2 Insulation

A1

A2

A3

B2