


CONSTRUCTORS •ENGINEERS MECHANICAL • INDUSTRIA


1233 N.	Price	Rd.
		63132-230
314-99	7-66	00 phone
BIMCAD@	mur	ohy-stl.com


1233 N. Price St. Louis, MO 314-997-66 BIMCAD@mur	63 00	phon	е


S N		A/QC /	QA/QC ACCEPT	L	FLANG	FLANGE WEIGHT/ORIENTATION	ORIENTAT	NO!	
<u>-</u>					NILLIA NILLIA	FITTING ORIENTATION	NOIT		
					BOLTS	BOLTS/CPLG'S/TH'D TIGHT	'D TIGHT		
				1	SPOOL	SPOOL IDENTIFICATION	ATION		
	SPEC.	ASME		MY H	X-RAY HYDRO TEST PWHT	PWHT	COMMENTS	ENTS	
	¥	X	X		¥	ΑN AN	MURPHY WPS#		
، د	•			_		1		H	
0	REV	REV DATE		DESC	DESCRIPTION		DRN CHK APP	¥	βb

			I	S S	₹		0	REV
טאוס וווומ	<u> </u>		×		-	į	کی د	0
			RAC				N	ი ე
пла		אב צבי	02 NRB RACK			 	2	I OF 3
FCEA	ן ני	Z	02			1		
WIISH BESEARCH	E	į	LEVEL	SERVICE NAME		<u> </u>	<u>.</u>	_
M) = 		1	SERM			(2










1233 N. Price Rd.
St. Louis, M0 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com


•	i	i i i i i i i i i i i i i i i i i i i	i		1
	ŇLLIE	FITTING ORIENTATION	VIION		
	BOLTS	BOLTS/CPLG'S/TH'D TIGHT	4'D TIGH	⊨	
1	SPOOL	SPOOL IDENTIFICATION	SATION		
₹¥	HYDRO TEST	PWHT	8	COMMENTS	
•	¥	NA N	MURPHY WPS#	#Sd	
DES	DESCRIPTION		DRN	DRN CHK APP	APP

	2						2
ス と と と と と	_						_
						5	-
7		SPEC.	. ASME	NE	X-RAY	нурво теѕт	
2		¥	2		¥	¥	
	,		:				
	ΑĒ.	0					
	0	į	ļ	L			ı

-02

-10





		Murphy-PFI	-5-5	SP00	L-B	ОМ		
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size	
1	2	Style 07 Zero-Flex Cplg					10	ı
7	1	No.647 TT Dielectric Transition Fitting					2-1/2	ı
6	1	Wrot 603 Adapter CxF					2-1/2	Ļ
4	1	Wrot 607 90 Deg Ell CxC					2-1/2	1
5	1	3000 ∦ FS Thread−0−Let			1 13/16"	1.813	2-1/2x10	
3	1	Type K Hard Copper Pipe	Copper Ftg	Copper Ftg	6 1/16"	6.074	2-1/2	ı
8	1	Type K Hard Copper Pipe	Copper Ftg	Copper Ftg	1'-1 1/2"	13.528	2-1/2	I
2	1	Sch 40 SA-53B CS ERW Pipe PE	Grooved End	Grooved End	30'-5 5/8"	365.655	10	
	_		•	•	•			1

20	COP	123 St.	33 N. Loui	Prices, M	ce Ro	d. 31	32	• INDI		AL
2 2 x10 2 2			4-99 (CAD	@mı			ohc stl		m	_
2 (10	z	Ц	Ц					L		APP
2 2	TATIO		누		COMMENTS		#Sd/			DRN CHK
	ORIEN	NOI	D TIG	VIION	ľ	•	MURPHY WPS#			DRN
	IGHT/(ENTA	S'S/TH	TIFIC/	I.	_				
	FLANGE WEIGHT/ORIENTATION	FITTING ORIENTATION	BOLTS/CPLG'S/TH'D TIGHT	SPOOL IDENTIFICATION	PWHT		¥			
	-LANG	NI L	SOLTS	SPOOL	O TEST		WA			NOL
	Ë			0)	- 2			4		DESCRIPTION
	ΞPΤ				X-RAY HYDRO TEST	5	¥			D
	QA/QC ACCEPT				H	-		1		
	QC /	•			ASME		¥			\TE
	QA	•			SPEC		¥	-		V DATE
	_	_		_	\ \[\vec{v}{} \])			0	REV
	DIN DING		;	×				REV	(2
				RACK		RACK			•	_
			- 1	m					4	<u> 이</u>
	WIISH BESEABCH	֡֝֞֝֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֡֓֡֓	אאם פאט	LEVEL 02 NRI		V 02-10		SHT/NO	•	
	PFC) 	•			<u> </u>			_	_
	Z	E	i	LEVE	SERVICE NAME	_	1	ΩIY.	7	4
	M) =			SERMI	•				
									7	_ 7
	6/8/2021			0				NG NO.		
	dash			21014				TRACK	-	
	JMM			JOB NO. 210140		044	WG.	DRAWING NO./TRACKING NO.	7 7 6	210140-LVL02-10-04
	DRN JMM	CH	APP	BOP		ו ני	KEL.DWG.	DRAWII	7	7

V .	