




Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	2	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-9"				1"
02	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-9"				1/2"
03	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-8 1/8"				1/2"
04	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	5'-11 11/16"				1/2"
05	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	5'-9 5/8"				1"
06	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	5'-4 7/8"				1"
07	2	1"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-6"				1"
08	2	1"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-4 13/16"				1"
09	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	1'-6 1/2"				1/2"
10	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	9'-9 11/16"				1/2"
11	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	9'-7 3/16"				1"
12	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	9'-2 7/16"				1"
13	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-11 11/16"				1"
14	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-11 9/16"				1"
15	2	1"	Victaulic No.647 TT Dielectric Transition Fitting Pressure Pipe					1"
16	8	3/4"	Nibco Wrot 607 90 Deg Ell CxC Pressure Pipe					1"
17	5	3/4"	Nibco Wrot 607 90 Deg Ell CxC Pressure Pipe					1/2"
18	2	1"	Nibco Wrot 606 45 Deg Ell CxC Pressure Pipe					1"
19	2	1"	Nibco Wrot 603 Adapter CxF Pressure Pipe					1"
20	2	1"x3/4"	Nibco Wrot 600R Red Cplg CxC Pressure Pipe					1"
21	6	2.5"	B-Line B2000 ZN Sch 40 Pipe Clamp					
22	3	1.5"	B-Line B2000 ZN Sch 40 Pipe Clamp					
23	1	38"	B-Line 1-5/8 GLV 12GA 2in Slotted Unistrut		3`-6"	3`-10 1/2"	3`-10 1/2"	
24	1	34"	B-Line 1-5/8 GLV 12GA 2in Slotted Unistrut		3`-2"	3`-10 1/2"	5`-2 1/2"	
25	1	14"	B-Line 1-5/8 GLV 12GA 2in Slotted Unistrut		1`-6"	3`-0 1/2"	4`-4 1/2"	



A1	A3	B1	ВЗ
A2	A4	B2	B4






JOB: WASH U NRB


тіскет: PP-L06-102

DATE: 11/02/21


BIM 360://WUSM NRB/WUSM RB PUF.rvt 1/7/2022 9:47:13 AM


Mark	Qty	Size	Description	Length	Insulation	ROD 1	ROD 2 Strut Width	
01	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	8'-3 1/2"				
02	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	8'-2 1/2"				
03	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	0'-7"				
)4	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	0'-6 3/8"				
)5	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	0'-5 1/2"				
)6	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	3'-9 7/8"				
7	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	3'-0 1/2"				
)8	2	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	0'-2 1/8"				
9	2	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	1'-5 3/4"				
0	2	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	0'-1"				
1	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	1/2"				
2	8	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion 90 SR Elbow					
3	4	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion 45 Elbow					
14	2	1 1/2"	George Fischer Sloane PROGEF STD-PP Type 515 EDPM Diaphragm Valve BF					
15	30	1 1/2"	Generic Standard-PP IR Butt-Fusion Joint					
16	4	2"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN				0"	
17	2	2"	B-I ine B3100 Clevis Hanger - HDG			2` - 10 1/4"	0"	





ISOMETRIC





тіскет: PU-L06-102