

		Murphy-PFFS	S-SP	00L-	-BC	DM		MURI
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size	CONSTRUCTORS •ENGINEERS I
2	5	Sch 40 SA-53B CS ERW Pipe Saddle	SADDLE	Grooved End	6"	6.000	24x14	1233 N. Price I St. Louis, MO
3	5	Style W07 Rigid Coupling					14	314-997-660
4	1	Style W77 Rigid Coupling					24	BIMCAD@murp
1	1	Std Wt SA234 WPB CS BW Cap					24	100001
5	1	Std Wt SA-53B CS ERW Pipe GRV	Grooved End	BEV	25'-3"	303.000	24	



CONSTRUCTORS CHARMERS MECHANICAL MOUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com


											<u> </u>
L≱	WIISM RESEARCH BIIII DING	SFARC	H RIIII	DING		A/QC A	QA/QC ACCEPT	FLANGE	E WEIGHT/	FLANGE WEIGHT/ORIENTATION	Z
<u>:</u>								FITTING	FITTING ORIENTATION	NOIL	
_			_					BOLTS/	BOLTS/CPLG'S/TH'D TIGHT	I'D TIGHT	
								SPOOL	SPOOL IDENTIFICATION	ATION	
SE	SERVICE NAME										I
<u> </u>	210	210140-003	7004		SPEC.		ASME X-RAY HYDRO TEST PWHT	HYDRO TEST	PWHT	COMMENTS	2
	717	0+10	2004		¥	ž	¥	¥	AN AN	NA MURPHY WPS#	
	<u> </u>	2.4.5		,						<b>#</b> 2	
,	œi Y	QIY. SHI/NO	,	الم الم	c						
		_		(	,						

ر 0

1 or 1

REF.DWG.
DRAWING NO./TRACKING NO.
210140-A003-01

ŀ	<del></del>	
<b>D</b> \	<b>⑤</b>	
_		]
· *9		4
φ • • • • • • • • • • • • • • • • • • •		<u>_</u>
	$\left  \frac{-2'-4\frac{1}{4}}{3} - \frac{5'-0"}{3} - 5'$	



		Murphy-PFF	-S-S	POOL	.–BC	)M	
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
2	14	Style W77 Rigid Coupling					14
4	5	3000∦ FS Thread-0-Let			1 1/16"	1.063	3/4x14
1	5	Std Wt SA-53B CS ERW Pipe PE	Grooved End	Grooved End	10"	10.000	14
3	5	Std Wt SA-53B CS ERW Pipe PE	Grooved End	Grooved End	3'-3 1/4"	39.254	14

QTY 5

CONSTRUCTORS \*\*CHORNERS MECHANICAL • MOUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

SM RE	WUSM RESEARCH BUILDING	DING	Ø	QA/QC ACCEPT	CEPT	FLANGE	<b>E WEIGHT</b>	FLANGE WEIGHT/ORIENTATION	
1		<u> </u>				FITTING	FITTING ORIENTATION	ATION	
	NYD					BOLTS/	CPLG'S/TI	BOLTS/CPLG'S/TH'D TIGHT	
						SPOOL	SPOOL IDENTIFICATION	CATION	
,			SPEC.	ASME	X-RAY	X-RAY HYDRO TEST PWHT	PWHT	COMMENTS	
_	210140-A005		ž	42	42	42		MIDDLY WOLF	
ı			5	<u> </u>	<u> </u>	<u> </u>	<u> </u>	MOINTIN WEST	
	SHT/NO	کي د							
_	I OF I	O R	REV   DATE	ATE	DES	DESCRIPTION		DRN CHK APP	APP

		Murphy-PFFS-S	520	OP-R	O	М	
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
2	5	Std Wt SA234 WPB CS BW CONC RED					14x10
3	5	150lb RF Sch 40 Bore SA105 CS WN Flg					10
1	5	Std Wt SA-53B CS ERW Pipe PE	BEV	Grooved End	5"	5.000	14

CONSTRUCTORS •ENGINEERS MECHANICAL • INDUSTRIA

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

COMMENTS	8	PWHT	X-RAY HYDRO TEST PWHT		ASME
	SATION	SPOOL IDENTIFICATION	SPOOL		
E	4'D TIGH	BOLTS/CPLG'S/TH'D TIGHT	BOLTS/		
	VIION	FITTING ORIENTATION	FITTING		
'ATION	/ORIENT	FLANGE WEIGHT/ORIENTATION	FLANGI	QC ACCEPT	QC A(

QA/QC

WUSM RESEARCH BUILDING NRB S O 

REF.DWG.
DRAWING NO./TRACKING NO.
210140-A003-03

QTY 5

Φ	
	Î
	107  -
2	Ţ
3	

	11%"	
0		<b>—</b> ①

			Murphy-PFFS-SF	00	)L—	BO	M	
	Mark	ğ	Description	End 1	End 2	Lft	LDec	Size
	1	10	150lb RF Sch 40 Bore SA105 CS WN Flg					10
Γ	2	5	Sch 40 SA-53B CS ERW Pipe PE	BEV	BEV	3 5/8"	3.625	10


QTY 5

7				
ı			$\Box  abla  abla$	•
ı	y)	K	П	
			 00.100.1000	

ONSTRUCTORS \*ENGINEERS MECHANICAL \* INDUSTRIAL

1233 N. Price Rd. St. Louis, MO 63132-2303 314-997-6600 phone

/10/2020 W	IICM DE	/2020 WILEW DESEABLE DINI DING		OA/OC ACCEPT	CEPT	FLANG	E WEIGHT	FLANGE WEIGHT/ORIENTATION	N	
	₩ 200	SEANCH BOILD		) ) {	j	FITTIN	FITTING ORIENTATION	ATION		BIN
		מצ				BOLTS/	CPLG'S/T	BOLTS/CPLG'S/TH'D TIGHT		/CAD
						SPOOL	SPOOL IDENTIFICATION	CATION		@mi
38	SERVICE NAME		SPEC	ASME	X-RAY	X-RAY HYDRO TEST PWHT	PWHT	COMMENTS	ا پر	urphy
		0140-4005	i	_						/ -
	7		¥	₹	¥	¥	¥	#SdM JHdaum		-stl
NO.	OTY.	SHT/NO RE	REV 0							.com
05-04	၃	10F 1   (	O REV	REV DATE	DES	DESCRIPTION		DRN CHK APP	APP	




		Murphy-PFFS-S	PO	OL-B	01	M	
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
2	5	Std Wt SA234 WPB CS BW CONC RED					14x8
3	5	150lb RF Sch 40 Bore SA105 CS WN Flg					8
1	5	Style W77 Rigid Coupling					14
4	5	Std Wt SA-53B CS FRW Pine PF	BEV	Grooved End	4"	4.000	14

QTY 5

	MURPHY SNCE 1907	
ze l	CONSTRUCTORS *ENGINEERS MECHANICAL * INDUSTRIAL	

1233 N. Price Rd. St. Louis, MO 63132-2303 314-997-6600 phone BIMCAD@murphy-st1.com

	REVEABLE BILLDING		などなりなりに	717	FLANG		FLANGE WEIGH / ORIEN I A LION	<b>-</b>
		)			FITTING	FITTING ORIENTATION	NOIL	
	פאא				BOLTS/	BOLTS/CPLG'S/TH'D TIGHT	'D TIGHT	
		-			SPOOL	SPOOL IDENTIFICATION	ATION	
SERVICE NAME		Jac	ACME	THAN TEST COUNTY VAC. Y SAVE SAVE	LINDED TECT	THMO	COMMENTS	
	210140-4003	5	, DMC	A-1551		-	COMMENTS	
7	10140-4000	AN A	<b>X</b>	¥	¥	¥N	NA MURPHY WPS#	
							W	
10 L		REV O						
201		O REV	REV DATE	DES	DESCRIPTION		DRN CHK APP	APP



			Murphy-PF	FS-S	POOL	BC	)M		
M	ark	Qty	Description	End 1	End 2	Lft	LDec	Size	
	2	10	Style W77 Rigid Coupling					14	
	1	5	3000# FS Thread-0-Let			1 1/16"	1.063	3/4x14	
	3	5	Std Wt SA-53B CS ERW Pipe PE	Grooved End	Grooved End	3'-1 9/16"	37.563	14	L

CONSTRUCTORS -CHGINEERS MECHANICAL - INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132–2303
314–997–6600 phone
BIMCAD@murphy=stl.com

QTY 5

APP	DRN CHK APP	DRN		DESCRIPTION	DES	TE	REV DATE	٥ ا	l OF I	ဂ	00-00
								کي د	_	. L	
	#Sc	NA MURPHY WPS#	NA N	¥	¥	¥	₹		r	: [	
	COMMENTS	8	PWHT	X-RAY HYDRO TEST PWHT	X-RAY	ASME	SPEC.		0140-4003	_	
]		)								CEDANCE NAME	CEDA
		ATION	SPOOL IDENTIFICATION	SPOOL							
	⊢	1'D TIGH	BOLTS/CPLG'S/TH'D TIGHT	BOLTS/							
		TION	ITTING ORIENTATION	FITTING				<u>)</u>			<u>;</u>
	ATION	ORIENT	FLANGE WEIGHT/ORIENTATION	FLANGE	CEPT	QA/QC ACCEPT	QAV	SNIC	(2020 WUSM RESEARCH BUILDING	SM RE	/10/2020 WU

