



BIM 360//WUSM NRBWUSM\_RB\_SPOOLING MASTER.rvt  
6/22/2021 12:27:34 PM




2 AS-L00-028 - ISOMETRIC  
AS-L00-028 SCALE:



1 AS-L00-028  
AS-L00-028 SCALE: 1/2" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4




1233 N. Price Rd.  
St. Louis, Mo 63132-2303  
314-997-6600 phone

JOB: WASH U NRB

TICKET: AS-L00-028

Drawn By: Author

DATE: 03/11/21 DATE REQ:



(4)  $1\frac{5}{8}$  OD x  $1\frac{1}{2}$  insul. Kilo-sure clamp at each end of rack. used to secure piping during shipment to job site.

The drawing illustrates a three-story building facade with a grid of columns. The dimensions for the column spacing are as follows:

Level	Span 1	Span 2	Span 3	Span 4	Span 5	Span 6
Top Floor	1' - 0 5/8"	3' - 0 1/4"	4' - 5 1/2"	2' - 7 3/4"	5' - 8 1/4"	3' - 3 1/8"
Middle Floor	7 5/8"	3' - 0 1/4"	4' - 5 1/2"	2' - 5 1/8"	5' - 7 3/8"	3' - 6 1/4"
Bottom Floor	7 5/8"	3' - 0 1/4"	4' - 5 1/2"	2' - 5 1/8"	5' - 7 3/8"	3' - 6 1/4"


The drawing also shows the building's footprint, including the ground floor and the upper floors, with a central entrance area and a series of windows and doors. The dimensions are provided in feet and inches, with fractions of an inch.

**3 TOP VIEW**  
SCALE: 1/2" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4

1233 N. Price Rd.  
St. Louis, Mo 63132-2303  
314-997-6600 phone


BIM 360://MUSM NRB/WUSM RB PLF-M  
5/18/2021 2:15:16 PM



Mark	Qty	Size	Description	Length	Strut Width	Rod 1 Length	Rod 2 Length
1	1	2"	Cerro Type L Hard Copper Pipe	5'-3 7/16"			
2	1	2"	Cerro Type L Hard Copper Pipe	5'-0 11/16"			
3	1	1"	Cerro Type L Hard Copper Pipe	4'-9 1/2"			
4	1	1"	Cerro Type L Hard Copper Pipe	15'-1 3/8"			
5	1	2"	Cerro Type L Hard Copper Pipe	14'-10 5/16"			
6	1	2"	Cerro Type L Hard Copper Pipe	14'-7 9/16"			
7	2	2"x3/4"	Nibco Wrot 611R CxCxC Reducing Tee				
8	1	1"x1/2"	Nibco Wrot 611R CxCxC Reducing Tee				
9	2	2"	Nibco Wrot 600 Dimpled Stop Coupling CxC				
10	1	1"	Nibco Wrot 600 Dimpled Stop Coupling CxC				
11	4	6"	B-Line B2000 ZN Sch 40 Pipe Clamp				
12	4	4"	B-Line B2000 ZN Sch 40 Pipe Clamp				
13	4	3"	B-Line B2000 ZN Sch 40 Pipe Clamp				


1 ISOMETRIC

SCALE:



2 FRONT ELEVATION

SCALE: 1/2" = 1'-0"



3 TOP VIEW

SCALE: 1/2" = 1'-0"

JOB: WASH U NRB

TICKET: PP-L00-028

Drawn By: Author


DATE: 04/01/21



1233 N. Price Rd.  
St. Louis, Mo 63132-2303  
314-997-6600 phone

A1	A3	B1	B3
A2	A4	B2	B4


BIM 360/WUSM NRBWUSM RB\_PUF.rvt  
5/12/2021 11:21:21 AM



Mark	Qty	Size	Description	Length	Strut Width	Rod 1 Length	Rod 2 Length
1	2	3/4"	Cerro Type L Hard Copper - CFOS	19'-11 7/8"			
2	2	3/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop				
3	8	0.63"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN				


1 ISOMETRIC

SCALE:



2 LEFT ELEVATION

SCALE: 1/2" = 1'-0"



3 TOP VIEW

SCALE: 1/2" = 1'-0"


A1	A3	B1	B3
A2	A4	B2	B4

JOB: WASH U NRB

TICKET: PU-L00-028

Drawn By: Author

DATE REQ: 05/11/21



1233 N. Price Rd.  
St. Louis, Mo 63132-2303  
314-997-6600 phone