


В3

B4


A3

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone BIM 360://WUSM NRB/WUSM RB PUF.rvt 1/18/2022 12:59:30 PM

_					1
Mark	Qty	Size	Description	Length	Insulation
01	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-8 3/8"	
02	1	3/4"	Cerro Type L Hard Copper - CFOS	6'-5 3/4"	
03	1	3/4"	Cerro Type L Hard Copper - CFOS	4'-6 7/8"	
04	1	3/4"	Cerro Type L Hard Copper - CFOS	3'-2 7/8"	
05	1	3/4"	Cerro Type L Hard Copper - CFOS	2'-0 1/2"	
06	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-10 7/8"	
07	2	3/4"x1/2"x3/4"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee		
08	3	3/4"	Nibco 607-CB CFOS Wrot 90 Elbow		
09	2	3/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop		
10	1	3/4"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve		




ISOMETRIC SCALE:



RIGHT ELEVATION SCALE: 1/2" = 1'-0"

A1	A3	B1	В3
A2	A4	B2	В4




JOB: WASH U NRB

тіскет: LA-L06-028


1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone

BIM 360://WUSM NRB/WUSM RB PUF.rvt

Mark	Qty	Size	Description	Length	Insulation	
01	1	2"	Cerro Type L Hard Copper - CFOS	6'-2 3/4"		
02	1	2"	Cerro Type L Hard Copper - CFOS	4'-7 7/8"		
03	1	2"	Cerro Type L Hard Copper - CFOS	0'-5 5/8"		
04	1	2"	Cerro Type L Hard Copper - CFOS	3'-4 1/8"		
05	1	2"	Cerro Type L Hard Copper - CFOS	1'-10 5/8"		
06	1	2"	Cerro Type L Hard Copper - CFOS	0'-11 1/4"		
07	2	2"x3/4"x2"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee			
08	3	2"	Nibco 607-CB CFOS Wrot 90 Elbow			
09	2	2"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop			
10	1	2"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve			
			SHIP LOOSE CONNECT TO LVAC-L06-027			JOB: WASH U NRB




1 ISOMETRIC SCALE:



RIGHT ELEVATION SCALE: 1/2" = 1'-0"


	A1	A3	B1	В3
	A2	A4	B2	B4





тіскет: LVAC-L06-028

-	
>	١
_	(
ш	(
=	
_	
1_RB_PUF.rvt	000000000000000000000000000000000000000
ш,	,
	•
m	
щ,	•
WUSM_RE	(
_	2
- 1	•
$\overline{}$	(
I NRB/WUSM	
'n	•
<u></u>	ľ
\neg	•
=	
2	(
_	•
~~	•
ш	
\sim	
ш	
$\overline{}$	
_	
_	
>	
_	
m	
=:	
_	
$\overline{}$	
<	
<	
\sim	
<u>.</u> .,	
0	
CO	
360://WUSM	

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	3'-10 1/4"				
02	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	2'-5 9/16"				
03	2	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Tee					
04	2	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion 90 SR Elbow					
05	1	1 1/2"	George Fischer Sloane PROGEF STD-PP Type 515 EDPM Diaphragm Valve BF					







1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone

DATE REQ:

тіскет: PW3-L06-028

JOB: WASH U NRB

ı				
	A1	А3	B1	В3
	A2	A4	B2	B4