



BIM 360//WUSM NRBWUSM_RB_SPOOLING MASTER.rvt
6/22/2021 12:18:23 PM




4 AS-L00-026 - ISOMETRIC
AS-L00-026 SCALE:



3 AS-L00-026
AS-L00-026 SCALE: 1/2" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone


JOB: WASH U NRB

TICKET: AS-L00-026

Drawn By: Author

DATE: 03/11/21 DATE REQ:

BIM 360://VUSM NRB\\VUSM RB HPF.M
5/14/2021 4:35:59 PM



Mark	Qty	Size	Description	Length	Strut Width	Rod 1 Length	Rod 2 Length
1	2	2"	Cerro Type K Hard Copper Pipe	5'-11 1/8"			
2	2	2"	Cerro Type K Hard Copper Pipe	2'-2 9/16"			
3	1	2"	Cerro Type K Hard Copper Pipe	11'-8 7/16"			
4	1	2"	Cerro Type K Hard Copper Pipe	11'-3 7/16"			
5	4	2"x3/4"	Nibco Wrot 611R CxCxC Reducing Tee				
6	1	2"x1 1/2"x3/4"	Nibco Wrot 611R CxCxC Reducing Tee				
7	2	2"	Nibco Wrot 600 Dimpled Stop Coupling CxC				
8	8	5"	B-Line B2000 ZN Sch 40 Pipe Clamp				
9	4	80"	B-Line 1-5/8 GLV 12GA Bk/Bk 2in Slotted Unistrut		7' - 0"	2' - 5"	3' - 9"


snap-it blocks provided
by insul. contractor
will be used w/ strut
clamps shown
(4) 2 1/8 OD x 1 1/2 insul.

(4) 2 1/8 OD x 1 1/2 insul. Kib-sure clamps
at each end of rack, used to
secure piping during shipment to
job site

1 ISOMETRIC
SCALE:



2 LEFT ELEVATION
SCALE: 1/2\"/>



3 TOP VIEW
SCALE: 1/2\"/>

A1	A3	B1	B3
A2	A4	B2	B4

JOB: WASH U NRB
TICKET: HP-L00-026
Drawn By: Author
DATE: 05/11/21

DATE REQ:



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone

A1	A3	B1	B3
A2	A4	B2	B4


Mark	Qty	Size	Description	Length	Strut Width	Rod 1 Length	Rod 2 Length
1	1	1"	Cerro Type L Hard Copper Pipe	0'-7 1/8"			
2	1	2"	Cerro Type L Hard Copper Pipe	5'-5 7/16"			
3	1	2"	Cerro Type L Hard Copper Pipe	4'-3 1/2"			
4	1	1"	Cerro Type L Hard Copper Pipe	4'-0"			
5	1	3/4"	Swagelok SS316L 065 Wall Compression Seamless Tubing	15'-8 3/8"			
6	1	1"	Cerro Type L Hard Copper Pipe	15'-2 3/8"			
7	1	2"	Cerro Type L Hard Copper Pipe	13'-8 3/8"			
8	1	2"	Cerro Type L Hard Copper Pipe	1'-4 7/16"			
9	1	2"	Cerro Type L Hard Copper Pipe	12'-1 7/8"			
10	1	2"	Cerro Type L Hard Copper Pipe	0'-11 13/16"			
11	1	3/4"	Swagelok SS316 Compression Union Coupling				
12	1	3/4"	Swagelok SS316 Compression Union 90 Elbow				
13	2	2"x3/4"	Nibco Wrot 611R CxCxC Reducing Tee				
14	1	1"x1/2"	Nibco Wrot 611R CxCxC Reducing Tee				
15	1	1"	Nibco Wrot 611 CxCxC Tee				
16	4	2"	Nibco Wrot 607 90 Deg Ell CxC				
17	2	2"	Nibco Wrot 600 Dimpled Stop Coupling CxC				
18	1	1"	Nibco Wrot 600 Dimpled Stop Coupling CxC				
19	4	6"	B-Line B2000 ZN Sch 40 Pipe Clamp				
20	4	4"	B-Line B2000 ZN-Sch 40 Pipe Clamp				
21	4	3"	B-Line B2000 ZN Sch 40 Pipe Clamp				
22	3	0.75"	B-Line B2000 ZN Sch 40 Pipe Clamp		0' - 0"	0' - 0"	0' - 0"

1 ISOMETRIC
SCALE:

Drawn By: Author
DATE: 04/01/21

1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone


BIM 360/WUSM NRBWUSM RB_PUF.rvt
5/12/2021 10:31:43 AM



Mark	Qty	Size	Description	Length	Strut Width	Rod 1 Length	Rod 2 Length
1	1	3/4"	Cerro Type L Hard Copper - CFOS	3'-9 3/4"			
2	3	3/4"	Cerro Type L Hard Copper - CFOS	19'-11 7/8"			
3	1	3/4"	Cerro Type L Hard Copper - CFOS	16'-1 1/8"			
4	1	3/4"	Nibco 611-CB CFOS Wrot Copper Tee				
5	4	3/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop				
6	16	0.63"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN				


1 ISOMETRIC

SCALE:



2 LEFT ELEVATION

SCALE: 1/2" = 1'-0"



3 TOP VIEW

SCALE: 1/2" = 1'-0"


A1	A3	B1	B3
A2	A4	B2	B4

JOB: WASH U NRB

TICKET: PU-L00-026

Drawn By: Author

DATE REQ: 05/11/21



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone