


CONSTRUCTORS •ENGINEERS MECHANICAL • INDUSTRIA 1233 N. Price Rd.
St. Louis, M0 63132–2303
314–997–6600 phone
BIMCAD@murphy-stl.com FLANGE WEIGHT/ORIENTATION
FITTING ORIENTATION
BOLTS/CPLG'S/TH'D TIGHT
SPOOL IDENTIFICATION QA/QC ACCEPT WUSM RESEARCH BUILDING NRB LEVEL 02 NRB RACK <u>ه</u> ٥ <u>1</u> SHT/NO LEVEL SERVICE NAME ∰. ____ REF.DWG.
DRAWING NO./TRACKING NO.
201140-LVL02-5/24/2021


CHK APP JOB NO.




| | V 1 | 1 • | - \ | |
|---|-----|---------|--------|------|
| _ | | 4 4 | | _ |
| | | 1 | | |
| _ | | | SINICI | 1007 |

1233 N. Price Rd.
St. Louis, M0 63132–2303
314–997–6600 phone

| | 0 | | H | Ī | /±1-01-1/4/ | | | |
|-------------------------------|--------|------|----------|-----------------------|-------------------------|---------------------------------|-----|------|
| USM RESEARCH BUILDING CARCEPT | ر ک | 7 | П - | FLANG | = WEIGH I/ | FLANGE WEIGH I/ORIEN I A I I ON | | |
| | | | | FITTING | FITTING ORIENTATION | NOIL | | BIM |
| | | | | BOLTS/ | BOLTS/CPLG'S/TH'D TIGHT | 'D TIGHT | | CAD |
| | | | | SPOOL | SPOOL IDENTIFICATION | ATION | | 9mu |
| SPEC. ASIA | ASK | ASME | X-RAY | X-RAY HYDRO TEST PWHT | PWHT | COMMENTS | ş | rphy |
| AM | 2 | T. | 42 | ₹ N | AM AM | #Saw YHGGIIN | | -st |
| | | 1 | <u> </u> | <u> </u> | ı | # m | | l.c |
| 0 | | | | | | | | om |
| DEV DATE | ושב | | טבט | DESCRIPTION | | DRN CHK APP | APP | |







| 1233 N. Price Ra. | |
|--------------------------|--|
| St. Louis, MO 63132-2303 | |
| 314-997-6600 phone | |
| BIMCAD@murphy-stl.com | |
| | |

| Т | 5 | | <u> </u> | <u> </u> | § | <u> </u> | <u></u> |
|---|---------------|---------|---------------------------|------------------|-------|--------------|---------|
| Т | | | Į: |] - | | | |
| | COMMENTS | 8 | PWHT | X-RAY HYDRO TEST | X-RAY | ASME | SPEC. |
| | | CATION | SPOOL IDENTIFICATION | SPOOL | | | |
| _ | 누 | H'D TIG | BOLTS/CPLG'S/TH'D TIGHT | BOLTS/ | | | |
| _ | | ATION | FITTING ORIENTATION | FITIN | | | |
| _ | IATION | VORIEN | FLANGE WEIGHT/ORIENTATION | FLANG | ŒPT | QA/QC ACCEPT | Q |

WUSM RESEARCH BUILDING NRB LVL02 RACKS

SERNCE NAME

LVL02-2 RACK

OTY. | SHT/NO 1


| = | | |
|-------|-------------------------------------|--|
| 7'-3" | 9'-9 ¹ 1/ ₆ " | |
| | 2 | |
| | | |
| | | |

| Φ |
|---|
| |
| |
| |
| |
| |

-32'-7¹⁵⁄16"-

-12'-1**%**"-

ANVIL SLIDE ASSEMBLY FIG. 439 12" TYPE 1 (TYP.)—/




| | | Murphy-PFFS-S | PO | OL- | -BO | М | |
|------|-----|--------------------------------------|-------|-------|---------|---------|------|
| Mark | Qty | Description | End 1 | End 2 | Lft | LDec | Size |
| 2 | 1 | Std Wt SA234 WPB CS BW LR 90 Deg Ell | | | | | 14 |
| 1 | 1 | Std Wt SA-53B CS ERW Pipe PE | BEV | BEV | 28'-10" | 346.000 | 14 |

CONSTRUCTORS - EMGINEERS MECHANICAL - INGUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone

| /25/2021 | N N | | 25/2021 WIICH DESEABLE BIII DING | CN | QAC | QA/QC ACCEPT | EPT | FLANGE | E WEIGHT | FLANGE WEIGHT/ORIENTATION | _ _ | |
|------------------|--------------|-------------------|----------------------------------|-----------|----------|--------------|-------|-----------------|----------------------|---------------------------|--------|--------------|
| | ה ה ב | 1 2 5 | באוליו שטור | | | | | FITTING | FITTING ORIENTATION | TION | | SI BIN |
| | | | אאמ | | | | | BOLTS/ | CPLG'S/T | BOLTS/CPLG'S/TH'D TIGHT | | 4-99 (CAD |
| 0 | | LVL0; | .02 RACKS | | | | | SPOOL | SPOOL IDENTIFICATION | ATION | | 9/-t @mi |
| | SERVICE NAME | NAME | | | Jac | ACME | Y-DAY | TUMO TEST DAMES | THMO | COMMENTS | | urph |
| | | ເ | COLO BACK | | | | | | | | | y - |
| | | וֹבְא רְבְּ רא | NOWN 7 70 | | ¥ | ¥ | ¥ | ¥ | ¥ | MURPHY WPS# | | ohc -stl |
| | | | 24,410 | ,,,, | | - | | • | | # | | |
| | c | E | SHI/NO | ر کا (| | | | | | | | e om |
| VLUZ-Z-UZ | 70- | _ | l of l | ر ا | REV DATE | E | DES | DESCRIPTION | | DRN CHK APP | APP | |
| | | | | | | | | | | | | |



| | | Murphy-PFFS-SI | 200 |)L- | -BO | М | |
|------|-----|--------------------------------------|-------|-------|-----|------|------|
| Mark | Qty | Description | End 1 | End 2 | Lft | LDec | Size |
| 1 | 1 | Std Wt SA234 WPB CS BW LR 90 Deg EII | | | | | 14 |

BEV BEV 27'-0" 324.000 14

Std Wt SA-53B CS ERW Pipe PE

| / , ' , \ U | |
|-------------|------------|
| | |
| | SINCE 1007 |

CONSTRUCTORS *-NGINEERS MECHANICAL *- INDUSTRIAL

1233 N. Price Rd.

5t. Louis, MO 63132–2303

314–997–6600 phone

| DRN JMM | 5/25/2021 WIICM DECEA | N IST | N DESE | SNIC III a HOOV. | ONIO - | QA/QC/ | QA/QC ACCEPT | FLAN | SE WEIGHT | FLANGE WEIGHT/ORIENTATION | NOI | L |
|--------------------------|------------------------|--|------------|------------------|--------|------------|--------------|-----------------------|-------------------------|---------------------------|-------------|--------------|
| CHK | | ֓֞֝֞֝֞֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֡֓֓֡֓֡֓֡֓֓֓֡֓֡֓֡֓֡֓֡ | M NESE | | | | | FITTIN | FITTING ORIENTATION | ATION | | BIM |
| APP | | | | Ľ | | | | BOLTS | BOLTS/CPLG'S/TH'D TIGHT | H'D TIGHT | | 4-99 (CAD |
| JOB NO. 210140 | 1140 | | LVL02 | 2 RACKS | | | | SPOO | SPOOL IDENTIFICATION | SATION | _ | @m |
| | | CEDANCE MANE | MAME | | | | | | | | | ur |
| | | SERVICE | | | | SPEC. ASME | | X-RAY HYDRO TEST PWHT | PWHT | COMMENTS | SIN | phy |
| REF DWG | | | | LVL02-2 RACK | | + | \dagger | | | | | را ا |
| יאבו יבויס: | | | | | | ≨ | ≨ | ≨ | ≨ | MURPHY WPS# | | ho stl. |
| DRAWING NO./TRACKING NO. | ACKING NO. | | <u>의</u> . | SHT/NO | ر چ | - | | | | | F | cor |
| 01010 | 210140 1 1 1 02 2 02 | 20 | • | T | ° | | | | | | | n |
| 210140- | | 201 | _ | I OF I | O | REV DATE | D | DESCRIPTION | | DRN | DRN CHK APP | _ |

| Mark | Qty | Description | End 1 | End 2 | Lft | LDec | Size |
|------|-----|----------------------------------|-------|-------|--------|---------|------|
| 1 | 1 | XH SA234 WPB CS BW LR 90 Deg Ell | | | | | 4 |
| 2 | 1 | XH SA-53B CS SMLS Pipe | BEV | BEV | 20'-0" | 240.000 | 4 |
| 3 | 1 | XH SA-53B CS SMLS Pipe | BEV | BEV | 6'-5" | 76.997 | 4 |

| | | Murphy-PFFS-S | PO | OL- | -BC | M | |
|------|-----|----------------------------------|-------|-------|--------|---------|------|
| Mark | Qtу | Description | End 1 | End 2 | Lft | LDec | Size |
| 1 | 1 | XH SA234 WPB CS BW LR 90 Deg Ell | | | | | 4 |
| 2 | 1 | XH SA-53B CS SMLS Pipe | BEV | BEV | 20'-0" | 240.000 | 4 |
| 3 | 1 | XH SA-53B CS SMLS Pipe | BEV | BEV | 6'-5" | 76.997 | 4 |



CONSTRUCTORS CHIGHERS MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132–2303
314–997–6600 phone
BIMCAD@murphy-stl.com

| 1707/ | | MIN PER | | CZ | CACEPI ACCEPI | ACCEP- | FLANG | E WEIGH I/ | FLANGE WEIGH I/ORIEN I A I I ON |] |
|----------|--------------|----------|------------------------|----------|------------------|----------------------------------|-------------|-------------------------|---------------------------------|-----|
| | | <u>`</u> | | <u> </u> | | | FITTIN | FITTING ORIENTATION | NOI | |
| | | | אצ | | | | BOLTS/ | BOLTS/CPLG'S/TH'D TIGHT | 'D TIGHT | |
| | | ∑ | LO2 RACKS | | | | COG | SPOOL IDENTIFICATION | NOITA | |
| T | | 2000 | | | | | | | |] |
| | SERVICE NAME | | | 8 | SPEC. ASM | ASME X-RAY HYDRO TEST PWHT | HYDRO TEST | PWHT | COMMENTS | |
| | | <u> </u> | CO-C BACK | 5 | | _ ~ | | | | |
| | | | 1041 2 20 1041 1 20 | _ | - AN | Ą | Ą | NA N | NA MURPHY WPS# | |
| | | | | | | | | | W | |
| ر ع ج | 2 | | _ | KEV 0 | | | | | | |
| .02-2-04 | 40 | _ | - - - | O REC | REV DATE | DES | DESCRIPTION | | DRN CHK APP | APP |
| | | | | | | | | | | |

| | D \ | |
|----------|------------|---|
| 26'-11¼" | | 3 |
| | | |