
MANIFOLDED/SEALED/WRAP DATE:




1	\bigcirc 2	AS-L07	7-071
A	6 -L07-0	'1SCALE:	1/2" = 1'-0'

A1	А3	B1	В3
A2	A4	B2	B4

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone

JOB: WASH U NRB

тіскет: AS-L07-071







ISOMETRIC

SCALE:

A1	A3	B1	В3	
A2	A4	B2	B4	

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone


TICKET: PUHGR-L07-071

A4


DATE: 11/23/21


BIM 360://WUSM NRB/WUSM RB PUF.rvt 12/30/2021 9:31:05 AM

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	1	3/4"	Cerro Type L Hard Copper - CFOS	6'-1 1/4"				
02	1	3/4"	Cerro Type L Hard Copper - CFOS	4'-0 5/8"				
03	1	3/4"	Cerro Type L Hard Copper - CFOS	3'-5 1/16"				
04	1	3/4"	Cerro Type L Hard Copper - CFOS	2'-10 15/16"				
05	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-7 1/2"				
06	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-4 15/16"				
07	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-2 5/8"				
08	3	3/4"x1/2"x3/4"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee					
09	3	3/4"	Nibco 607-CB CFOS Wrot 90 Elbow					
10	2	3/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop					
11	1	3/4"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve					















тіскет: СО4-L07-071

Drawn By: Author DATE: 11/23/21


JOB: WASH U NRB

BIM 360://WUSM NRB/WUSM RB PUF.rvt 12/30/2021 9:48:40 AM

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	1	1"	Cerro Type L Hard Copper - CFOS	6'-1"				
02	1	1"	Cerro Type L Hard Copper - CFOS	2'-10 13/16"				
03	1	1"	Cerro Type L Hard Copper - CFOS	2'-10 11/16"				
04	1	1"	Cerro Type L Hard Copper - CFOS	2'-6 3/8"				
05	1	1"	Cerro Type L Hard Copper - CFOS	2'-4 11/16"				
06	1	1"	Cerro Type L Hard Copper - CFOS	1'-8 7/16"				
07	1	1"	Cerro Type L Hard Copper - CFOS	1'-3 7/8"				
08	4	1"x3/4"x1"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee					
09	3	1"	Nibco 607-CB CFOS Wrot 90 Elbow					
10	2	1"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop					
11	1	1"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve					








ı				
	A1	A3	B1	В3
	A2	A4	B2	B4

RIGHT ELEVATION

SCALE: 1/2" = 1'-0"




1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone

тіскет: LVAC-L07-071


DATE: 11/23/21

JOB: WASH U NRB

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation
01	1	3/4"	Cerro Type L Hard Copper - CFOS 3'-10 15/16"					
02	1	3/4"	Cerro Type L Hard Copper - CFOS	2'-10 15/16"				
03	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-2 3/4"				
04	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-2 5/8"				
05	1	3/4"	Cerro Type L Hard Copper - CFOS	10'-11 13/16"				
06	1	3/4"x1/2"x3/4"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee					
07	3	3/4"	Nibco 607-CB CFOS Wrot 90 Elbow					
08	3	3/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop					
09	1	3/4"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve					




ISOMETRIC SCALE:



RIGHT ELEVATION SCALE: 1/2" = 1'-0"

A1	A3	B1	В3
A2	A4	B2	B4



JOB: WASH U NRB

тіскет: 02-L07-071

Drawn By: Author DATE: 11/23/21

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone