

CONSTRUCTORS •ENGINEERS MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132–2303
314–997–6600 phone
BIMCAD@murphy-stl.com

FLANGE WEIGHT/ORIENTATION
FITTING ORIENTATION
BOLTS/CPLG'S/TH'D TIGHT
SPOOL IDENTIFICATION

QA/QC ACCEPT

WUSM RESEARCH BUILDING NRB LEVEL 02 NRB RACK


LEVEL SERVICE NAME

<u>ه</u> ٥

**1**9


SHT/NO


REF.DWG.
DRAWING NO./TRACKING NO.
201140-LVL02-



		1/2" INSULATION	
©	10 <sup>5</sup> / <sub>6</sub> "	+	

-1" INSULATION





		Murphy-PFFS	-SP	00L-	-BON	1	
Mark	Qty		End 1	End 2	Lft	LDec	Size
1	2	Style 107 EHP Pnt QuickVic Rigid Coupling					6
3	1	Std Wt SA234 WPB CS BW LR 90 Deg EII					6
2	1	Sch 40 SA-53B CS ERW Pipe PE	Grooved End	BEV	13'-1 1/8"	157.143	6
4	1	Sch 40 SA-53B CS ERW Pipe PE	BEV	Grooved End	2 3/16"	2.185	6



St. L 314- BIMC	ouis, -997	-66	63 00	phon	е

f	2 4	**************************************
<b>1</b>		4
		<b>3</b>
	13'-101/4"	

6/7/2021	WICH		DESEABLE BILLDING	ONIC	QA	QA/QC ACCEPT	EPT	FLANG	FLANGE WEIGHT/ORIENTATION	ORIENTA	NOIT
			SEANCH DOLL	2	•			FITTIN	FITTING ORIENTATION	TION	
	-	į	NKG 					BOLTS/	BOLTS/CPLG'S/TH'D TIGHT	I'D TIGHT	
0140		VEL	'EL 02 NRB RACK	<u>_</u>				الالمال	SPOOL INFINITIENCATION	NOITA	
	CEDARCE NIAN	TANAT.						0 0	בויוו		
	- SERVICE T		Z		SPEC.	ASME	X-RAY	X-RAY HYDRO TEST PWHT	PWHT	MOS	COMMENTS
		_	ZIIA KACR	1	¥	¥	Ą	ž	AN AN	MURPHY WPS#	
ACKING NO.	7	OTY.	SHT/NO	REV							
LVLU2-11A-01		-	l of l	ک ات	REV DATE	ATE	DES	DESCRIPTION		DRN CHK	CHK

Murphy
2   1   Sch 40 SA-538 CS ERW Pipe PE   BEV   Growed End   I4'-6 5/8"   174.638   6
2 1 Sch 40 SA-538 CS ERW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE SCHW Fipe PE BEV Growed End 14'-6 5/8" 174.638 6 G SCHW Fipe PE SCHW Fip
WUSM RESEARCH BUILDING
DRN JMM 6/7/2021 WU CHK APP

 
 Murphy-PFFS-SPOOL-BOM

 ty
 Description
 End 1
 End 2
 Lft
 LDec
 Size


 1
 Sch 40 SA-53B CS Smls Pipe PE
 BEV
 BEV
 29'-0"
 348.000
 10
 Mark Qty
1 1 –29'–0**"**–

constructors \*Engineers Mechanical \* Industrial

1233 N. Price Rd.

St. Louis, MO 63132–2303

RESEARCH BUILDING		QA/QC ACCEPT	CEPT	FLANG	E WEIGHT	FLANGE WEIGHT/ORIENTATION		
				Ň F F E	FITTING ORIENTATION	NOIL		DIIW
_				BOLTS	BOLTS/CPLG'S/TH'D TIGHT	I'D TIGHT		
- UZ NKB KACK	 			SPOOL	SPOOL IDENTIFICATION	ATION		
•	SPEC	ASME	X-RAY	X-RAY HYDRO TEST PWHT	DWHT	COMMENTS	SIN.	ii pii
02-11A RACK	í							,
<b>-</b>	≨	¥	¥	¥	¥	MURPHY WPS#		311.
SHT/NO F	ه کي						H	com
1 lor l	O Pil	REV DATE	DES	DESCRIPTION		DRN CHK APP	¥	٦



<u>ه</u> ٥

REF.DWG.
DRAWING NO./TRACKING NO.
210140-LVL02-