



BIM 360/WUSM NRBWUSM_RB_SPOOLING MASTER.rvt
7/29/2021 4:55:14 PM




2 AS-L02-015 - ISOMETRIC
AS-L02-015 SCALE:

1 AS-L02-015
AS-L02-015 SCALE: 1/2" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4


JOB: WASH U NRB
TICKET: AS-L02-015
Drawn By: Author
DATE: 07/06/21
DATE REQ:




1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone

BIM 360://WUSM NRB\\WUSM_RB_PUF.rvt
7/7/2021 10:56:13 AM

Mark	Qty	Size	Description	Length	Strut Width	Rod 1	Rod 2	Insulation
01	3	13 3/8"	B-Line 1-5/8 GRN 12GA 2in Slotted Unistrut		1' - 6"	9' - 5"	9' - 5"	
02	6	1.5"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN		0"	0"	0"	
03	3	1.25"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN		0"	0"	0"	
04	3	1"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN		0"	0"	0"	




1 ISOMETRIC
SCALE:



2 TOP VIEW
SCALE: 1/4" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4


JOB:	WASH U NRB
TICKET:	PUHGR-L02-015
Drawn By: Author	
DATE: 07/06/21	DATE REQ:



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone


BIM 360://WUSM NRB\\WUSM_RB_PUF.rvt
7/12/2021 10:03:59 AM

Mark	Qty	Size	Description	Length	Strut Width	Rod 1	Rod 2	Insulation
01	1	1 1/4"	Cerro Type L Hard Copper - CFOS	0'-7 5/8"				
02	1	1 1/4"	Cerro Type L Hard Copper - CFOS	0'-5 5/16"				
03	1	1 1/4"	Cerro Type L Hard Copper - CFOS	0'-4 11/16"				
04	1	1 1/4"	Cerro Type L Hard Copper - CFOS	1'-3 3/8"				
05	1	1 1/4"	Cerro Type L Hard Copper - CFOS	12'-2 7/8"				
06	3	1 1/4"	Nibco 607-CB CFOS Wrot 90 Elbow					
07	2	1 1/4"	Nibco 606-CB CFOS Wrot Copper 45 Elbow					
08	2	1 1/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop					
09	1	1 1/4"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve					



1 ISOMETRIC

SCALE:




2 RIGHT ELEVATION

SCALE: 3/4" = 1'-0"


A1	A3	B1	B3
A2	A4	B2	B4

JOB: WASH U NRB
TICKET: LA-L02-015
Drawn By: Author
DATE: 07/02/21
DATE REQ:




1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone

BIM 360://WUSM NRB\\WUSM_RB_PUF.rvt
7/12/2021 10:05:25 AM




1 ISOMETRIC
SCALE:



2 LEFT ELEVATION
SCALE: 1/2" = 1'-0"


Mark	Qty	Size	Description	Length	Strut Width	Rod 1	Rod 2	Insulation
01	1	1"	Cerro Type L Hard Copper - CFOS	7'-11 3/16"				
02	1	1"	Cerro Type L Hard Copper - CFOS	0'-6 7/16"				
03	1	1"	Cerro Type L Hard Copper - CFOS	1'-1 11/16"				
04	1	1"	Cerro Type L Hard Copper - CFOS	10'-4"				
05	1	1"	Cerro Type L Hard Copper - CFOS	0'-10 1/16"				
06	5	1"	Nibco 607-CB CFOS Wrot 90 Elbow					
07	2	1"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop					
08	1	1"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve					



3 TOP VIEW
SCALE: 1/2" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4


JOB:	WASH U NRB
TICKET:	LVAC-L02-015
Drawn By: Author	
DATE: 07/09/21	DATE REQ:



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone


BIM 360://WUSM NRB\\WUSM_RB_PUF.rvt
7/12/2021 10:02:24 AM

Mark	Qty	Size	Description	Length	Strut Width	Rod 1	Rod 2	Insulation
01	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	14'-6 5/16"				
02	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion 90 SR Elbow					



1 ISOMETRIC

SCALE:




2 RIGHT ELEVATION

SCALE: 3/4" = 1'-0"

A1	A3	B1	B3
A2	A4	B2	B4


JOB: WASH U NRB
TICKET: PW2-L02-015
Drawn By: Author
DATE: 07/02/21
DATE REQ:




1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone

BIM 360://WUSM NRB\\WUSM_RB_PUF.rvt
7/12/2021 9:57:21 AM

Mark	Qty	Size	Description	Length	Strut Width	Rod 1	Rod 2	Insulation
01	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	14'-7 3/4"				
02	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion 90 SR Elbow					




1 ISOMETRIC
SCALE:



2 RIGHT ELEVATION
SCALE: 3/4\"/>

A1	A3	B1	B3
A2	A4	B2	B4

JOB:	WASH U NRB
TICKET:	PW3-L02-015
Drawn By: Author	
DATE: 07/02/21	DATE REQ:



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone