





--2<u>%</u>6"-

1/2" INSULATION









		Murphy-PFFS	S-SP	00L-	ВО	М	
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
1	1	Style 07 Zero—Flex Cplg					10
2	1	Sch 40 SA-53B CS ERW Pipe PE	Grooved End	Grooved End	21'-0"	252.000	10



CONSTRUCTORS \*ENGINEERS MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132–2303
314–997–6600 phone
BIMCAD@murphy-stl.com

-WSW	-WUSM RESEARCH BUILDING		QA/QC	QA/QC ACCEPT	FLANG	E WEIGHT/C	FLANGE WEIGHT/ORIENTATION	
; ) ;	agn	)			FITTING	FITTING ORIENTATION	NOI	
֡֝֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡	מועם מיוע מיי				BOLTS/	BOLTS/CPLG'S/TH'D TIGHT	) TIGHT	
	LEVEL UZ NKB KACK	٠ -			SPOOL	SPOOL IDENTIFICATION	NOIT	
SERVICE NAME	2010	is.	SPEC. ASI	ASME   X-RAY  HYDRO TEST  PWHT	HYDRO TEST	PWHT	COMMENTS	
<u></u>	LVLUZ- 9 KACK		N N	AN AN	Į.	Π	#SOM AHOBIIN	
		Ī						
A C	SHI/NO	o O						
- non-			7110		1000000		ממע   אחט   ואמט	GGV

-03

. 6 -

1	
Ψ	
	21' 0"

		Murphy-PFFS	S-SP	00L-	ВО	М	
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
1	1	Style 07 Zero-Flex Cplg					10
2	1	Sch 40 SA-53B CS ERW Pipe PE	Grooved End	Grooved End	21'-0"	252.000	10



CONSTRUCTORS \*\*ORGINEERS MECHANICAL \*\*INDUSTRIAL\*\*

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

M	VIISM RE	SFARCH BILL DING	SNIC	QA/QC ACCEPT	ACCEP"	l ⊢	FLANG	E WEIGHT	FLANGE WEIGHT/ORIENTATION	NO	
<u>}</u>	<u> </u>		<u> </u>				FITTING	FITTING ORIENTATION	ATION		
: 		NAD AGN CO					BOLTS/	'CPLG'S/T	BOLTS/CPLG'S/TH'D TIGHT		
	LVEL	UZ NKB KACK	_ 			1	SPOOL	SPOOL IDENTIFICATION	CATION		
SERVICE NAME	NAME			ŀ	ŀ	ľ					
T	7	NO BACK	g	SPEC. ASI	ASME   X-RAY   HYDRO TEST   PWHT	aY  ⊦	ndro test	PWHT	COMMENTS	NTS	
		אסשאו כ ז	_	2	Z	_	¥	AN	MURPHY WPS#		
	7	0.4 5.0						- 1	<b>8</b> 0		7
3	3	ON/ING	REV O								
3 4 0 1 8	_	- -	O REG	REV DATE		DESC	DESCRIPTION		DRN CHK APP	K A	գ
			· .	:							1

REF.DWG.
DRAWING NO./TRACKING NO.
210140-LVL02-9-04

-	21'-0"
	2
T T	
1	