
DATE: MANIFOLDED/SEALED/WRAP 360://WUSM NRB/WUSM_RB_SPOOLING MASTER.rvt 12/16/2021 2:50:12 PM 5' - 10" (TYP.4) 6 3/4"-5 3/4"-3 1/4" 3 1/4" 1' - 10 1/2" JOB: WASH U NRB тіскет: AS-L07-063 DATE: 11/23/21 2" LVAC-3/4" LA-3/4" CO2—— 1 1/2" HWR— 1 1/2" HWS-2" DCWM-3/4" CHS-3/4" CHR-1 1/2" DHWM-AS-L07-063 - ISOMETRIC 2" LVAC-3/4" LA-3/4" CO2-1 1/2" PW3---1 1/2" HWR (1 1/2")— 1 1/2" HWS (1 1/2")— 3/4" CHS (1")-AS-L07-063 AS-L07-063SCALE: 1/2" = 1'-0" 3/4" CHR (1")-2" DCWM (1")— 1 1/2" DHWM (2")-1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone



А3

В3

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone


1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone


А3

В3

BIM 360://WUSM NRB/WUSM RB PUF.rvt 2/8/2022 1:02:18 PM

Mark	Qty	Size	Description	Length	Insulation	
01	1	3/4"	Cerro Type L Hard Copper - CFOS	6'-7 5/8"		
02	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-7 1/2"		
03	1	3/4"	Cerro Type L Hard Copper - CFOS	4'-4 1/8"		
04	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-5 5/8"		
05	1	3/4"	Cerro Type L Hard Copper - CFOS	2'-4 1/2"		
06	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-10 3/8"		
07	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-9 1/2"		
08	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-8 1/2"		
09	3	3/4"x1/2"x3/4"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee			
10	1	3/4"	Nibco 611-CB CFOS Wrot Copper Tee			
11	3	3/4"	Nibco 607-CB CFOS Wrot 90 Elbow			NRB
12	1	3/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop			
	-					$\rceil \supset $
						ᅟᅟᅟᅟᅟᅟᅟᅟᅟᅟ
						WASH
						$ \ge $
			CONNECT TO LA-L07-064			JOB:
						2






RIGHT ELEVATION

SCALE: 1/2" = 1'-0"


A1	A3	B1	В3
A2	A4	B2	B4




тіскет: LA -L07-063

Drawn By: Author DATE: 11/23/21 BIM 360://WUSM NRB/WUSM RB PUF.rvt 2/8/2022 1:02:41 PM


Mark	Qty	Size	Description	Length	Insulation	
01	1	2"	Cerro Type L Hard Copper - CFOS	7'-0"		
02	1	2"	Cerro Type L Hard Copper - CFOS	0'-6 1/4"		
03	1	2"	Cerro Type L Hard Copper - CFOS	0'-5 1/2"		
04	1	2"	Cerro Type L Hard Copper - CFOS	3'-7 7/8"		
05	1	2"	Cerro Type L Hard Copper - CFOS	2'-2"		
06	1	2"	Cerro Type L Hard Copper - CFOS	2'-0 3/8"		7
07	1	2"	Cerro Type L Hard Copper - CFOS	1'-11 1/4"		7
08	1	2"	Cerro Type L Hard Copper - CFOS	1'-8 1/2"		7
09	3	2"x3/4"x2"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee			7
10	1	2"x1"x2"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee			
11	3	2"	Nibco 607-CB CFOS Wrot 90 Elbow			U NRB
12	1	2"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop			一声
			(05) CONNECT TO LVAC-L07-064			JOB: WASH U







	A1	A3	B1	В3
	A2	A4	B2	B4



тіскет: LVAC -L07-063

Drawn By: Author DATE: 11/23/21

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone

В3

А3

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone