




DRN JMM	4/19/2021 WIICM DECEADCH	WIICH	I DEC	ווום חספאם	JING	OA	DA/QC ACCEPT	CEPT	FLANG	FLANGE WEIGHT/ORIENTATION	DRIENTAT	NOI		col
CHK			7 7						FITTIN	FITTING ORIENTATION	NOI			
APP			Z !	NKB CUP					BOLTS	BOLTS/CPLG'S/TH'D TIGHT	D TIGHT			33 N. Loui 4–99
JOB NO. 210140	0140		<u> </u>	PIPE RACKS					SPOO	SPOOL IDENTIFICATION	ATION			s, M 97-6
		SERVICE NAME	AME			CDEC	ACME	×-DAV	-[DWLT	COMMENTS			ce R 0 6 6600
			<u>م</u>			3	J MON	N V		- 1				d. 331
REF.DWG.			5			¥	≨	≨	≨	¥	URPHY WPS#			ho
DRAWING NO./TRACKING NO.	ACKING NO.		ar.	SHT/NO	REV)	0	_							-2303
Z10140-	210140-A-0FLZ-/	_		ਹਿ ਾ 6	<u> </u>	REV	DATE	 - 	DESCRIPTION		DRN CHK	Ĭ,	APP	_








	MURPHY
_	SINCE 1907

constructors • engineers mechanical • industrial 1233 N. Price Rd.

					FITTING	FITTING ORIENTATION BOLTS/CPLG'S/TH'D TIGHT	TION 'D TIGHT			1233 N. St. Louis 314–99 BIMCADO
					- SPOOL	SPOOL IDENTIFICATION	ATION			7 - 66
_		SPEC.	ASME	E X-RAY	HYDRO TEST	PWHT	COMMENTS	ENTS		63
7		¥	ž	¥	¥	NA M	JURPHY WPS#			pho
	REV	·								-2303 ne .com
	-	į	1	 			1100	1	6	

9			SPEC	≨	\[\]	1
LUING					REV	_
USM RESEARCH BUILDING	J L	CKS	60	02 -	(2 L
SEARC	NRB CUP	PIPE RACKS	ME I EVEL OO	 	SHT/NO	_
7 KEV	Z		WME COLO	5	QTY.	•
			FRVICE NAME			



		BOM-STEE	EL		
Item No	Order	Description	Qty	Size	Steel L
H1	Fig137	Fig.137 U-Bolt (4)—Nut Black	6	24	
S1	C8x11.5	ASTM A36 CS C-Channel	1	C8x11.5	348 3/4"
S2	W8x40	ASTM A36 CS Wide Flange	3	W8x40	73"
S3		ASTM A36 CS Plate 1/4" Thick	3	1/4	8"x8"

MU	RPHY
	SINCE 1907


CONSTRUCTORS * EMBINEERS MECHANICAL * INDUSTRIAL


1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone


314-997-66 BIMCAD@mur	00	ohon	е	
	ဟု			Г

		(\$3) ~	SZ2 HI
	S3 HD	SI	
(S3) (H1) (S2) (S2)	S2)		

4/19/2021 WIICM DE	WIICH) 	SKEAPCH BILL DING	DINC	QA	QA/QC ACCEPT	CEPT	FLANG	E WEIGHT	FLANGE WEIGHT/ORIENTATION	□ NC
		֝֞֝֝֝֝֝֝֝֝֝֝֝ ֡֡֞֞֓֞֞֞֜֞֞֞֜֞֜֞֜֞֜֜֞֜֜֞֜֜֜֜֓֓֓֓֓֓֡						FITTIN	FITTING ORIENTATION	ATION	
		<u>-</u> :	ואלם לאנוים בייו					BOLTS	'CPLG'S/T	BOLTS/CPLG'S/TH'D TIGHT	
10140		Ī	IPE KACKS					SPOOL	SPOOL IDENTIFICATION	CATION	
	AN TOWNS	1							i		1
	SERVICE INME	=		_	SPEC.	ASME	X-RAY	X-RAY HYDRO TEST PWHT	PWHT	COMMENTS	<u>1</u> 2
			r LEVEL UZ	_							
					¥	ž	ž	≨	≨	MURPHY WPS#	
IRACKING NO.		ج ج	SHT/NO	<u>ک</u> (0						
-A-UFL2-/		-	O OF D	_ o	REV D	DATE	DES	DESCRIPTION		DRN	DRN CHK APP








CONSTRUCTORS •ENGINEERS MECHANICAL • INDUSTRIA 1233 N. Price Rd. St. Louis, MO 63132-2303

314-997-6600 phone BIMCAD@murphy-stl.com

ATION	BOLTS/CPLG'S/TH'D TIGHT	CATION	COMMENTS	#30m Andelin
FITTING ORIENTATION	/CPLG'S/T	SPOOL IDENTIFICATION	PWHT	VA
FITTIN	BOLTS	SPOOL	нурко теѕт	AIA
				Г

RESEARCH BUILDING NRB CUP PIPE RACKS <u>§</u> O 02 LEVEL

NAME



		Murphy-PFF	S-SP	00L-I	BOI	M		
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size	
4	2	Sch 40 SA-53B CS ERW Pipe Saddle			5"	5.000	20x10	
7	3	Style 07 Zero-Flex Cplg					10	
5	1	Style W07 Rigid Coupling					20	L
1	3	Std Wt SA234 WPB CS BW LR 90 Deg EII					10	
6	3	Sch 40 SA-53B CS ERW Pipe PE	BEV	Grooved End	6"	6.000	10	7
3	1	Std Wt SA-53B CS ERW Pipe GRV	Grooved Pipe End	Grooved Pipe End	40'-0"	480.000	20	i i

. Lo	ouis 99	7–66	63 00	132-2303 phone -stl.com
			_	

1/22/2021	WISM RESI	PF	SEARCH BILL DING	CNIC		QA/QC ACCEPT	CCEPT	FLANG	E WEIGHT	FLANGE WEIGHT/ORIENTATION	NOL	
		<u> </u>						FITTIN	FITTING ORIENTATION	VIION		
		- !	אלם כטר					BOLTS	BOLTS/CPLG'S/TH'D TIGHT	4'D TIGHT		
0		PIPE	PE RACKS					SPOOL	SPOOL IDENTIFICATION	ATION (
	SERVICE NAME	AME										
		2	I EVEL 02		SPEC.	- ASME	X-RAY	X-RAY HYDRO TEST PWHT	PWHT	COMMENTS	ENTS	
		ב כ			≜	₹	¥	¥	ž	MURPHY WPS#		
NG NO.		OTY.	SHT/NO	REV		}				-	\mid	Τ
0	7	•	7	(0							
+-/-7JJO-	4 /	_	- 당	>	REV	REV DATE	DES	DESCRIPTION		DRN CHK APP	¥	ΡP

