DATE: MANIFOLDED/SEALED/WRAP 3' - 10" (TYP 3) 3 1/4" —3 1/2" —3 1/4" 1' - 10 1/2" -3/4" DHWM JOB: WASH U NRB —1 1/2" DCWM тіскет: AS-L07-062 ─2" LVAC /─3/4" LA AS-L07-062 - ISOMETRIC AS-L07-062SCALE: 3/4" DHRM (1")----1 1/2" DCWM (1")— 2" LVAC-3/4" LA--3/4" CO2-1 1/2" PW3— AS-L07-062 AS-L07-062SCALE: 1/2" = 1'-0" A3 B1 В3 1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone

B4

**ISOMETRIC** 

АЗ

В3

B4

HPHGR-L07-062

DATE:

Mark Qty Size Description Length Strut Width Rob 1 Rob 2 Insulation 44" B-Line 1-5/8 GLV 12GA 2in Slotted Unistrut 4` - 0" 3` - 10 15/16" 3` - 10 15/16" 02 2 44" B-Line 1-5/8 GLV 12GA 2in Slotted Unistrut 4` - 0" 5` - 2 15/16" 5` - 2 15/16"

> 3' - 10" (TYP.3)


-(02) <u>—(01)</u> <del>-</del>02


> **TOP VIEW** SCALE: 1/2" = 1'-0"



TICKET: HPHGR-L07-062

JOB: WASH U NRB






1 ISOMETRIC SCALE:

А3






LVAC-L07-062

DATE:

Mark Oty Size
01 1 2"
02 1 2"
03 1 2"
04 1 2"
05 1 2"
06 1 2"
07 1 2"
08 1 2"
08 1 2"
09 1 2"
09 1 2"
09 1 2"
09 1 2"
10 5 2"x3/4"x2"
11 3 2"


Mark	Qty	Size	Description	Length	Insulation
01	1	2"	Cerro Type L Hard Copper - CFOS	0'-9 7/8"	
02	1	2"	Cerro Type L Hard Copper - CFOS	0'-7 1/2"	
03	1	2"	Cerro Type L Hard Copper - CFOS	5'-2 5/8"	
04	1	2"	Cerro Type L Hard Copper - CFOS	3'-7 3/8"	
05	1	2"	Cerro Type L Hard Copper - CFOS	0'-5"	
06	1	2"	Cerro Type L Hard Copper - CFOS	0'-4 1/2"	
07	1	2"	Cerro Type L Hard Copper - CFOS	2'-10 5/8"	
08	1	2"	Cerro Type L Hard Copper - CFOS	1'-8 5/8"	
09	1	2"	Cerro Type L Hard Copper - CFOS	0'-10 1/8"	
10	5	2"x3/4"x2"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee		
11	3	2"	Nibco 607-CB CFOS Wrot 90 Elbow		
12	3	2"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop		
13	1	2"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve		



## **1**

## **ISOMETRIC**

CCALE:




2

## RIGHT ELEVATION

SCALE: 1/2" = 1'-0"

A1	A3	B1	В3
A2	A4	B2	B4




тіскет: LVAC-L07-062

Drawn By: Author DATE: 11/18/21


JOB: WASH U NRB

BIM 360://WUSM NRB/WUSM RB PUF.rvt 2/8/2022 10:18:25 AM

Mark	Qty	Size	Description	Length	Insulation	
01	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-6 1/2"		
02	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-5 5/8"		
03	1	3/4"	Cerro Type L Hard Copper - CFOS	3'-2 3/8"		
04	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-3 3/4"		
05	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-3 1/2"		
06	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-10 1/2"		
07	1	3/4"	Cerro Type L Hard Copper - CFOS	9'-3"		
08	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-11 1/8"		
09	4	3/4"x1/2"x3/4"	Nibco 611R-CB CFOS Wrot Copper Reducing Tee			
10	3	3/4"	Nibco 607-CB CFOS Wrot 90 Elbow			
11	3	3/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop			NRB
12	1	3/4"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve			<b>=</b>
			09 08 CONNECT TO LA LOZ 064			JOB: WASH U












A1	A3	B1	В3
A2	A4	B2	B4



тіскет: LA-L07-062

Drawn By: Author DATE: 11/18/21





A1	A3	B1	В3
A2	A4	B2	B4




тіскет: DHWM-L07-062

DATE: 11/18/21

JOB: WASH U NRB


Rob 1 Rob 2 Insulation

АЗ



11 1 3/4"

Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve




RIGHT ELEVATION

SCALE: 1/2" = 1'-0"

**ISOMETRIC** 

A1	A3	B1	В3
A2	A4	B2	B4



DATE REQ:

тіскет: СО2-L07-062

JOB: WASH U NRB

Strut Width Rob 1 Rob 2 Insulation