


DRN JMM		4/19/2021	WUSM RESEARCH BUILDING				QA/QC ACCEPT		FLANGE WEIGHT/ORIENTATION				REF.DWG.		MURPHY			
CHK			NRB CUP						FITTING ORIENTATION						CONSTRUCTORS • ENGINEERS • MECHANICAL • INDUSTRIAL			
APP			PIPE RACKS						BOLTS/CPLG'S/TH'D TIGHT						1233 N. Price Rd.			
JOB NO.		210140	SERVICE NAME						SPOOL IDENTIFICATION						St. Louis, MO 63132-2303			
			CUP LEVEL 02						SPEC. NA						314-997-6600 phone			
			QTY. 1						ASME NA						BIMCAD@murphy-stl.com			
			SHT/NO 2 of 6						X-RAY NA									
			REV 2						ADDED BFV TO MAINS CHANGED PIPE									
			DESCRIPTION						HYDRO TEST NA									
									PWHT NA									
									COMMENTS									
									MURPHY WPS#									
									DRN									
									CHK									
									APP									




BOM-STEEL					
Item No	Order	Description	Qty	Size	Steel L
H1	Fig137	Fig.137 U-Bolt (4)-Nut Black	4	24	
S1	W6x40	ASTM A36 CS Wide Flange	2	W6x40	73"
S2	C8x11.5	ASTM A36 CS C-Channel	1	C8x11.5	105"
S3		ASTM A36 CS Plate 1/4" Thick	2	1/4	8"x8"

MURPHY
SINCE 1907
CONSTRUCTORS • ENGINEERS MECHANICAL • INDUSTRIAL




1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

DRN JMM	4/19/2021	WUSM RESEARCH BUILDING NRB CUP PIPE RACKS				QA/QC ACCEPT				FLANGE WEIGHT/ORIENTATION <input type="checkbox"/> FITTING ORIENTATION <input type="checkbox"/> BOLTS/CPLG'S/TH'D TIGHT <input type="checkbox"/> SPOOL IDENTIFICATION <input type="checkbox"/>						
CHK										SPEC.	ASME	X-RAY	HYDRO TEST	PWHT	COMMENTS	
APP										NA	NA	NA	NA	NA	MURPHY WPS#	
JOB NO.	210140									0						
REF.DWG.		SERVICE NAME		CUP LEVEL 02		REV		QTY.		SHT/NO		REV				
DRAWING NO./TRACKING NO.		210140-A-UPL2-5		1		6 OF 6		0		DESCRIPTION		DRN <input type="checkbox"/> CHK <input type="checkbox"/> APP <input type="checkbox"/>				




MURPHY
SINCE 1907
CONSTRUCTORS • ENGINEERS • MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com



DRN	JMM	4/19/2021	WUSM RESEARCH BUILDING			QA/QC ACCEPT			<input type="checkbox"/>	FLANGE WEIGHT/ORIENTATION	<input type="checkbox"/>	FITTING ORIENTATION	<input type="checkbox"/>	BOLTS/CPLGS/TH'D TIGHT	<input type="checkbox"/>	SPOOL IDENTIFICATION	<input type="checkbox"/>
CHK			NRB CUP			SPEC.			NA	ASME	NA	X-RAY	NA	HYDRO TEST	NA	PWHT	NA
APP			PIPE RACKS			REV			0	NA	NA	NA	NA	NA	NA	MURPHY WPS#	
JOB NO.	210140	SERVICE NAME	CUP LEVEL 02			DESCRIPTION			REV	DATE	DRN			CHK	APP		
REF.DWG.			QTY.			REV			1	3 OF 6							
DRAWING NO./TRACKING NO.	210140-A-UPL2-5																





BOM-STEEL

Item No	Order	Description	Qty	Size	Steel L
H1	Fig137	Fig.137 U-Bolt (4)-Nut Black	4	24	
H2	Fig137	Fig.137 U-Bolt (4)-Nut Black	4	24	
H3	Fig66 No-Bolt - PLN	Fig.66 Weld Beam Attach without Bolt & Nut - BLK	2	1	
S1	W8x40	ASTM A36 CS Wide Flange	2	W8x40	125 1/2"
S2	C8x11.5	ASTM A36 CS C-Channel	1	C8x11.5	105"
S3		ASTM A36 CS Plate 1/4" Thick	2	1/4	8"x8"



DRN JMM	4/19/2021	WUSM RESEARCH BUILDING				Q/A/QC ACCEPT				FLANGE WEIGHT/ORIENTATION				<input type="checkbox"/>				
CHK		NRB CUP								FITTING ORIENTATION				<input type="checkbox"/>				
APP		PIPE RACKS								BOLTS/CPLG'S/TH'D TIGHT				<input type="checkbox"/>				
JOB NO.	210140									SPOOL IDENTIFICATION				<input type="checkbox"/>				
REF.DWG.		SERVICE NAME				CUP LEVEL 02				SPEC.		ASME	X-RAY	HYDRO TEST	PWHT	COMMENTS		
										NA		NA	NA	NA	NA	MURPHY WPS#		
										0								
DRAWING NO./TRACKING NO.		QTY.		SHT/NO		REV				REV		DATE	DESCRIPTION			DRN	CHK	APP
210140-A-UPL2-5		1		4 OF 6		0												



Murphy-PFFS-SPOOL-BOM

Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
10	1	Sch 40 SA-53B CS ERW Pipe Saddle			7 9/16"	7.563	20x4
3	1	Sch 40 SA-53B CS ERW Pipe Saddle			6"	6.000	20x6
1	1	150lb RF Sch 40 Bore SA105 CS WN Flg					6
17	1	150lb RF SA105 CS Slip-On FLG					20
4	1	Style 107-ETP Pnt QuickVic Rigid Coupling					4
13	1	Style W07 Rigid Coupling					20
7	1	Std Wt SA234 WPB CS BW LR 90 Deg El					4
8	1	Std Wt SA234 WPB CS BW LR 90 Deg El					20
15	1	Std Wt SA234 WPB CS BW 45 Deg El					20
18	3	3000# FS Thread-O-Let			1 1/16"	1.063	3/4x20
5	1	Sch 40 SA-53B CS ERW Pipe PE	Grooved End	BEV	7"	7.000	4
11	1	Std Wt SA-53B CS ERW Pipe PE	BEV	BEV	3'-1 1/8"	37.125	20
14	1	Std Wt SA-53B CS ERW Pipe PE	BEV	BEV	5 9/16"	5.532	20
16	1	Std Wt SA-53B CS ERW Pipe PE	BEV	BEV	6 15/16"	6.944	20
12	1	Std Wt SA-53B CS ERW Pipe PE	BEV	Grooved End	20'-0"	240.000	20



MURPHY
SINCE 1907

CONSTRUCTORS • ENGINEERS MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

<input type="checkbox"/>	FLANGE WEIGHT/ORIENTATION				
<input type="checkbox"/>	FITTING ORIENTATION				
<input type="checkbox"/>	BOLTS/CPLG'S/TH'D TIGHT				
<input type="checkbox"/>	SPOOL IDENTIFICATION				
		SPEC.	ASME	X-RAY	HYDRO TEST
		NA	NA	NA	NA
		2	6/1/21	ADDED BEV TO MAINS	CHANGED PIPE
		REV	DATE	DESCRIPTION	
					DRN
					CHK
					APP

DRN	JMM	4/20/2021	WUSM RESEARCH BUILDING		
CHK			NRB CUP		
APP			PIPE RACKS		
JOB NO.	210140		SERVICE NAME	UPL2-5 RACK	
REF.DWG.					
DRAWING NO./TRACKING NO.	210140-A-UPL2-5-1	1	QTY.	SHT/NO	REV
				1 of 1	2



Murphy-PFFS-SPOOL-BOM							
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
8	1	Sch 40 SA-53B CS ERW Pipe Saddle			7 9/16"	7.563	20x4
11	1	Sch 40 SA-53B CS ERW Pipe Saddle			6"	6.000	20x6
12	2	Sch 40 SA-53B CS ERW Pipe Saddle			5"	5.000	20x10
21	1	150lb RF Sch 40 Bore SA105 CS WN Flg					6
9	1	150lb RF Sch 40 Bore SA105 CS WN Flg					10
20	1	150lb RF SA105 CS Slip-On FLG					20
16	1	Style 07 Zero-Flex Cplg					10
1	1	Style 107N QuickVic EHP Pnt Rigid Cpl					4
14	1	Style W07 Rigid Coupling					20
4	1	Std Wt SA234 WPB CS BW LR 90 Deg El					4
13	1	Std Wt SA234 WPB CS BW LR 90 Deg El					10
5	1	Std Wt SA234 WPB CS BW LR 90 Deg El					20
18	1	Std Wt SA234 WPB CS BW 45 Deg El					20
2	1	Sch 40 SA-53B CS ERW Pipe PE	Grooved End	BEV	2'-11"	35.001	4
17	1	Std Wt SA-53B CS ERW Pipe PE	BEV	BEV	5 9/16"	5.532	20
19	1	Std Wt SA-53B CS ERW Pipe PE	BEV	BEV	6 15/16"	6.944	20
15	1	Sch 40 SA-53B CS ERW Pipe PE	BEV	Grooved End	6 1/8"	6.125	10
6	1	Std Wt SA-53B CS ERW Pipe PE	BEV	Grooved End	20'-6"	246.000	20

MURPHY

CONSTRUCTORS • ENGINEERS

MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

FLANGE WEIGHT/ORIENTATION

FITTING ORIENTATION

BOLTS/CPLG'S/TH'D TIGHT

SPOOL IDENTIFICATION

QA/QC ACCEPT

WUSM RESEARCH BUILDING

NRB CUP

PIPE RACKS

SERVICE NAME

UPL2-5 RACK

REF.DWG.

DRAWING NO./TRACKING NO.

210140-A-UPL2-5-2

4/20/2021

JOB NO.

210140

QTY.

1

SHT/NO

1 of 1

REV

2

SPEC.

ASME

X-RAY

HYDRO TEST

PMHT

COMMENTS

MURPHY WPS#

NA

NA

NA

NA

NA

6/1/21

ADDED BEV TO MAINS CHANGED PIPE

REV


DATE

DESCRIPTION

DRN

CHK

APP



Murphy-PFFS-SPOOL-BOM							
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
5	1	Sch 40 SA-53B CS ERW Pipe Saddle			5"	5.000	20x10
4	1	150lb RF Sch 40 Bore SA105 CS WN Flg					10
7	1	Style W07 Rigid Coupling					20
1	1	Std Wt SA234 WPB CS BW Cap					20
6	1	Std Wt SA-53B CS ERW Pipe PE	Grooved End	BEV	19'-6"	234.000	20

MURPHY
SINCE 1907

CONSTRUCTORS • ENGINEERS MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

<input type="checkbox"/>	FLANGE WEIGHT/ORIENTATION
<input type="checkbox"/>	FITTING ORIENTATION
<input type="checkbox"/>	BOLTS/CPLG'S/TH'D TIGHT
<input type="checkbox"/>	SPOOL IDENTIFICATION

QA/QC ACCEPT		X-RAY		ASME		HYDRO TEST		PWHT		COMMENTS	
SPEC.	NA	NA	NA	NA	NA	NA	NA	NA	NA	MURPHY WPS#	
0	REV	DATE	DESCRIPTION				DRN	CHK	APP		



DRN JMM	4/20/2021	WUSM RESEARCH BUILDING			
CHK		NRB CUP			
APP		PIPE RACKS			
JOB NO.	210140	SERVICE NAME			
REF.DWG.		UPL2-5 RACK			
DRAWING NO./TRACKING NO.	210140-A-UPL2-5-3	QTY.	1	SHT/NO	1 of 1
				REV	0



MURPHY
SINCE 1907
CONSTRUCTORS • ENGINEERS • MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

DRN JMM	4/20/2021	WUSM RESEARCH BUILDING				QA/QC ACCEPT				FLANGE WEIGHT/ORIENTATION				<input type="checkbox"/>				
CHK		NRB CUP								FITTING ORIENTATION				<input type="checkbox"/>				
APP		PIPE RACKS								BOLTS/CPLG'S/TH'D TIGHT				<input type="checkbox"/>				
JOB NO.	210140									SPOOL IDENTIFICATION				<input type="checkbox"/>				
		SERVICE NAME				UPL2-5 RACK				SPEC.		ASME	X-RAY	HYDRO	TEST	PWHT	COMMENTS	
REF.DWG.										NA		NA	NA	NA	NA	NA	MURPHY WPS#	
DRAWING NO./TRACKING NO.		QTY.		SHT/NO		REV				0								
210140-A-UPL2-5-4		1		1 OF 1		0				REV		DATE		DESCRIPTION		DRN CHK APP		



Murphy-PFFS-SPOOL-BOM

Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
4	1	Sch 40 SA-53B CS ERW Pipe Saddle			6"	6.000	24x14
3	2	Style W07 Rigid Coupling					14
1	3	Style W07 Rigid Coupling					24
5	1	No W10 90 Deg El					14
2	1	No W10 90 Deg El					24
6	1	Std Wt SA-53B CS ERW Pipe PE	Grooved End	Grooved End	14'-8 3/4"	176.750	24

MURPHY
SINCE 1907

CONSTRUCTORS • ENGINEERS MECHANICAL • INDUSTRIAL


1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

<input type="checkbox"/>	FLANGE WEIGHT/ORIENTATION
<input type="checkbox"/>	FITTING ORIENTATION
<input type="checkbox"/>	BOLTS/CPLG'S/TH'D TIGHT
<input type="checkbox"/>	SPOOL IDENTIFICATION

QA/QC ACCEPT	ASME	X-RAY	HYDRO TEST	PWHT	COMMENTS
	NA	NA	NA	NA	MURPHY WPS#

0	REV	DATE	DESCRIPTION	DRN	CHK	APP

DRN JMM	4/20/2021	WUSM RESEARCH BUILDING	
CHK		NRB CUP	
APP		PIPE RACKS	
JOB NO.	210140	SERVICE NAME	
REF.DWG.		UPL2-5 RACK	
DRAWING NO./TRACKING NO.	QTY.	SHT/NO	REV
210140-A-UPL2-5-5	1	1 of 1	0



Murphy-PFFS-SPOOL-BOM							
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
2	1	Sch 40 SA-53B CS ERW Pipe Saddle			6"	6.000	24x14
3	2	Style W07 Rigid Coupling					14
5	1	Style W07 Rigid Coupling					24
1	1	Std Wt SA234 WPB CS BW Cap					24
4	1	No W10 90 Deg Ell					14
6	1	Std Wt SA-53B CS ERW Pipe GRV	Grooved Pipe End	BEV	14'-8 3/4"	176.750	24

MURPHY
CONSTRUCTORS • ENGINEERS MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

<input type="checkbox"/>	FLANGE WEIGHT/ORIENTATION
<input type="checkbox"/>	FITTING ORIENTATION
<input type="checkbox"/>	BOLTS/CPLG'S/TH'D TIGHT
<input type="checkbox"/>	SPOOL IDENTIFICATION

QA/QC ACCEPT	ASME	X-RAY	HYDRO TEST	PWHT	COMMENTS
	NA	NA	NA	NA	MURPHY WPS#

0	REV	DATE	DESCRIPTION	DRN	CHK	APP
---	-----	------	-------------	-----	-----	-----

DRN JMM	4/20/2021	WUSM RESEARCH BUILDING	
CHK		NRB CUP	
APP		PIPE RACKS	
JOB NO.	210140	SERVICE NAME	
REF.DWG.		UPL2-5 RACK	
DRAWING NO./TRACKING NO.	QTY.	SHT/NO	REV
210140-A-UPL2-5-6	1	1 of 1	0