

Murphy-PFFS-SPOOL-BOM
 Mark
 Qty
 Description
 End 1
 End 2
 Lft
 LDec
 Size

 1
 1
 Sch 40 SA-53B CS ERW Pipe PE
 Grooved End
 Grooved End
 31'-3 7/8"
 375.850
 6
 CONSTRUCTORS •ENGINEERS MECHANICAL • INDUSTRIA 1233 N. Price Rd.
St. Louis, M0 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com FLANGE WEIGHT/ORIENTATION
FITTING ORIENTATION
BOLTS/CPLG'S/TH'D TIGHT
SPOOL IDENTIFICATION QA/QC ACCEPT 1 WUSM RESEARCH BUILDING

NRB


LEVEL 02 NRB RACK

SERVICE NAME

LVL02-10A RACK -31'-3<u>%</u>"-

O

REF.DWG.
DRAWING NO./TRACKING NO.
210140-LVL02-10A-01



CONSTRUCTORS • ENGINEERS MECHANICAL • INDUSTRIAL

1233 N. Price Rd.
St. Louis, MO 63132-2303
314-997-6600 phone
BIMCAD@murphy-stl.com

≥ -	S E E	TAN RESTEADED BIND CASC ACCEPT	C Z	₹ 3	とし みつつ	Ĺ –	LANGE		L'ANGE WEIGH L'ORIEN ALION		_
)))		<u> </u>				FITTING	FITTING ORIENTATION	VOITA	Ц	
[-	į						BOLTS/	CPLG'S/TH	BOLTS/CPLG'S/TH'D TIGHT	Ц	_
1	VEL C	LEVEL UZ NKB KACK	<u>_</u>				SPOOL	SPOOL IDENTIFICATION	SATION	Ц	
RVICE NAME	AME			г							Ť
	V 02.	IVIO2-10A PACK		SPEC.	ASME	X-RAY	ASME X—RAY HYDRO TEST PWHT	PWHT	COMMENTS	2	
1	- 1 - 1 - 1	ייייייייייייייייייייייייייייייייייייייי			¥	¥	ž	¥	NA MURPHY WPS#		
<u> </u>	QTY. SHT/NO	SHT/NO	ا کي (_	-					L	T
7,7	1	lor l	0	REV DATE	E	DES	DESCRIPTION		DRN CHK APP	< APF	

		Murphy-PFFS [.]	- S	PO(DL-BO	М	
Mark	Qty	Description	End 1	End 2	Lft	LDec	Size
1	1	Sch 40 SA-53B CS Smls Pipe PE	BEV	BEV	30'-5 13/16"	365.813	10



1233 N. Price Rd.
St. Louis, MO 63132–2303
314–997–6600 phone
BIMCAD@murphy-stl.com

	PWHT COMMENTS NA MURPHY WPS#	PWHT	ASME X—RAY HYDRO TEST PWHT NA NA NA NA	X-RAY	ASME	SPEC.	LVL02-10A RACK	SERVICE NAME LVL02-10,
]	CALION	SPOOL IDENTIFICATION	SFUOL					CEDANCE MAME
] [LEVEL 02 NRB RACK	LEVEL
	BOI TS/CPI G'S/TH'D TIGHT	CPI G'S/T	BOI TS/				אאמ	
	ATION	FITTING ORIENTATION	FITTING					
	FLANGE WEIGHT/ORIENTATION	E WEIGHT	FLANGE)EPT	QA/QC ACCEPT		WUSM RESEARCH BUILDING	WUSM RE

/TRACKING NO. -LVL02-10A-03

-	30'-5 ¹ 3⁄ ₁₆ "	
	Φ	
ANVIL SLIDE ASSEMBLY 10" FIG. 439 TYPE 1		

