
MANIFOLDED/SEALED/WRAP DATE:


BIM 360://WUSM NRB/WUSM_RB_SPOOLING MASTER.rvt 12/1/2021 2:05:42 PM

CUT AND PACKAGE ONLY DO NOT ASSEMBLE




AS-L06-143 - ISOMETRIC

AS-L06-143 SCALE:




A1 A3 B1 B3 A2 A4 B2 B4







JOB: WASH U NRB

Mark	Qty	Size	Description	Length	Strut Width	Rob 1	Rob 2	Insulation	
01	2	1"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-7 9/16"				1"	
02	2	1"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-4 7/8"				1"	
03	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-4"				1/2"	
04	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	0'-3 1/16"				1/2"	
05	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	1'-6 13/16"				1/2"	
06	1	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	14'-3 13/16"				1/2"	
07	2	3/4"	Cerro Type L Hard Copper Pipe Pressure Pipe	13'-9 1/2"				1"	
08	2	1"	Victaulic No.647 TT Dielectric Transition Fitting Pressure Pipe					1"	
09	2	3/4"	Nibco Wrot 607 90 Deg Ell CxC Pressure Pipe					1"	
10	4	3/4"	Nibco Wrot 607 90 Deg Ell CxC Pressure Pipe					1/2"	
11	4	1"	Nibco Wrot 606 45 Deg Ell CxC Pressure Pipe					1"	NRB
12	2	1"	Nibco Wrot 603 Adapter CxF Pressure Pipe					1"	Ž
13	2	1"x3/4"	Nibco Wrot 600-2 Ftg Red FTGxC Pressure Pipe					1"	
14	G	2.5"	B Line B2000 ZN Ceh 40 Pipe Clamp						WASH
15	3	1.5	B-Line B2000 ZN Sch 40 Pipe Clamp						X
14	6	3 1/8"	B-LINE #2046			•	•	•	>
15	3	1 7/8"	B-LINE #2012						JOB:








A1	А3	B1	ВЗ
A2	A4	B2	B4

BIM 360://WUSM NRB/WUSM RB PLF.rvt 12/1/2021 10:34:01 AM




тіскет: PP-L06-143

Drawn By: Author DATE: 11/08/21

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone

Mark	Qty	Size	Description	Length	Insulation	ROD 1	ROD 2	Strut Width	
01	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	0'-5 3/4"					
02	1	1/2"	Cerro Type L Hard Copper - CFOS	0'-5 3/8"					
03	1	3/4"	Cerro Type L Hard Copper - CFOS	0'-3 3/4"					
04	1	3/4"	Cerro Type L Hard Copper - CFOS	2'-4"					
05	1	1/2"	Cerro Type L Hard Copper - CFOS	2'-3"					
06	1	1/2"	Cerro Type L Hard Copper - CFOS	2'-1 3/4"					
07	1	3/4"	Cerro Type L Hard Copper - CFOS	1'-6 1/8"					
08	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	14'-4 1/2"					
09	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	13'-11 7/8"					
10	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	0'-11 3/8"					
11	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	0'-10 5/8"					NRB
12	2	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion Pipe	3/4"					
13	1	3/4"	Nibco 611-CB CFOS Wrot Copper Tee						
14	1	1/2"	Nibco 611-CB CFOS Wrot Copper Tee						_ 뜻
15	1	3/4"	Nibco 607-CB CFOS Wrot 90 Elbow						WASH
16	1	1/2"	Nibco 607-CB CFOS Wrot 90 Elbow						>
17	2	3/4"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop						JOB:
18	2	1/2"	Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop						75
19	4	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion 90 SR Elbow						
20	1	1 1/2"	Geroge Fischer Slone PROGEF STD-PP IR Butt-Fusion 45 Elbow						
21	2	1 1/2"	George Fischer Sloane PROGEF STD-PP Type 515 EDPM Diaphragm Valve BF						
22	1	3/4"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve						
23	1	1/2"	Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve						
24	6	2"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN						
25	1	0.75"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN						
26	1	0.63"	B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN						
27	1	34"	B-Line 13/16 GRN 12GA 2in Slotted Unistrut			4` - 8"	4` - 8"	3` - 2"	
28	2	27"	B-Line 13/16 GRN 12GA 2in Slotted Unistrut			4` - 8"	4` - 8"	2` - 8"	




ISOMETRIC

	_	
S	CAI	F٠

BIM 360://WUSM NRB/WUSM RB PUF.rvt 1/20/2022 10:13:32 AM

3, - 2 2\8 _"	"8/2 T - '오 미		
	n p		
8/E tE	8/L EE	8/9 0110 2/8	
		6	
ω, — δ		PW3-	٠
		.9 1 1	•

A1	A3	B1	B3
A2	A4	B2	B4



тіскет: PU-L06-143

Drawn By: Author DATE: 11/09/21

1233 N. Price Rd. St. Louis, Mo 63132-2303 314-997-6600 phone