



BIM 360//WUSM NRBWUSM_RB_SPOOLING MASTER.rvt
24-11-2021 16:14:00




2 AS-L07-090 - ISOMETRIC
AS-L07-090 SCALE:



1 AS-L07-090
AS-L07-090 SCALE: 1/2" = 1'-0"

| | | | |
|----|----|----|----|
| A1 | A3 | B1 | B3 |
| A2 | A4 | B2 | B4 |




1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone


| | |
|------------------|------------|
| JOB: | WASH U NRB |
| TICKET: | AS-L07-090 |
| Drawn By: Author | |
| DATE: 11/24/21 | DATE REQ: |

BIM 360://WUSM NRBWUSM_RB_PUF.rvt
24-11-2021 18:08:38

| Mark | Qty | Size | Description | Length | Strut Width | Rob 1 | Rob 2 | Insulation |
|------|-----|-------|---|--------|-------------|-------------|-------------|------------|
| 01 | 3 | 2" | B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN | | 0" | | 0" | |
| 02 | 6 | 0.75" | B-Line BVT Series Vibra-Clamp Strut-Mnt Tube - ZN | | 0" | | 0" | |
| 03 | 2 | 14" | B-Line 1-5/8 GLV 12GA 2in Slotted Unistrut | | 1' - 6" | 3' - 4 1/2" | 4' - 8 1/2" | |
| 04 | 1 | 14" | B-Line 1-5/8 GLV 12GA 2in Slotted Unistrut | | 1' - 6" | 3' - 9 1/2" | 3' - 9 1/2" | |




1 ISOMETRIC
SCALE:



2 TOP VIEW
SCALE: 1/2" = 1'-0"


| | | | |
|----|----|----|----|
| A1 | A3 | B1 | B3 |
| A2 | A4 | B2 | B4 |

| | |
|------------------|---------------|
| JOB: | WASH U NRB |
| TICKET: | PUHGR-L07-090 |
| Drawn By: Author | |
| DATE: 11/24/21 | DATE REQ: |



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone


BIM 360//WUSM NRBWUSM_RB_PUF.rvt
24-11-2021 15:10:48



| Mark | Qty | Size | Description | Length | Strut Width | Rob 1 | Rob 2 | Insulation |
|------|-----|------|---|-------------|-------------|-------|-------|------------|
| 01 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 5'-6 1/16" | | | | |
| 02 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 0'-6 5/16" | | | | |
| 03 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 3'-3 13/16" | | | | |
| 04 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 2'-7 5/16" | | | | |
| 05 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 2'-4 1/2" | | | | |
| 06 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 1'-7 1/2" | | | | |
| 07 | 4 | 3/4" | Nibco 606-CB CFOS Wrot Copper 45 Elbow | | | | | |
| 08 | 3 | 3/4" | Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop | | | | | |
| 09 | 1 | 3/4" | Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve | | | | | |


1 ISOMETRIC

SCALE:



2 TOP VIEW

SCALE: 1/2" = 1'-0"



3 FRONT ELEVATION

SCALE: 1/2" = 1'-0"

| | | | |
|----|----|----|----|
| A1 | A3 | B1 | B3 |
| A2 | A4 | B2 | B4 |


JOB: WASH U NRB

TICKET: CO2-L07-090

Drawn By: Author


DATE: 11/24/21

DATE REQ:



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone


BIM 360//WUSM NRBWUSM_RB_PUF.rvt
24-11-2021 15:11:00



| Mark | Qty | Size | Description | Length | Strut Width | Rob 1 | Rob 2 | Insulation |
|------|-----|------|---|--------------|-------------|-------|-------|------------|
| 01 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 5'-6" | | | | |
| 02 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 0'-6 5/16" | | | | |
| 03 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 2'-10 15/16" | | | | |
| 04 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 2'-8" | | | | |
| 05 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 2'-4 1/2" | | | | |
| 06 | 1 | 3/4" | Cerro Type L Hard Copper - CFOS | 1'-9" | | | | |
| 07 | 4 | 3/4" | Nibco 606-CB CFOS Wrot Copper 45 Elbow | | | | | |
| 08 | 3 | 3/4" | Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop | | | | | |
| 09 | 1 | 3/4" | Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve | | | | | |


1 ISOMETRIC

SCALE:



2 TOP VIEW

SCALE: 1/2" = 1'-0"



3 FRONT ELEVATION

SCALE: 1/2" = 1'-0"


| | | | |
|----|----|----|----|
| A1 | A3 | B1 | B3 |
| A2 | A4 | B2 | B4 |

JOB: WASH U NRB

TICKET: LA-L07-090


Drawn By: Author

DATE: 11/24/21 DATE REQ:




1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone

BIM 360//WUSM NRBWUSM_RB_PUF.rvt
24-11-2021 18:10:02




| Mark | Qty | Size | Description | Length | Strut Width | Rob 1 | Rob 2 | Insulation |
|------|-----|--------|---|-------------|-------------|-------|-------|------------|
| 01 | 1 | 1 1/2" | Cerro Type L Hard Copper - CFOS | 5'-5 11/16" | | | | |
| 02 | 1 | 1 1/2" | Cerro Type L Hard Copper - CFOS | 0'-5 7/8" | | | | |
| 03 | 1 | 1 1/2" | Cerro Type L Hard Copper - CFOS | 2'-11 3/4" | | | | |
| 04 | 1 | 1 1/2" | Cerro Type L Hard Copper - CFOS | 2'-5 1/16" | | | | |
| 05 | 1 | 1 1/2" | Cerro Type L Hard Copper - CFOS | 2'-4 1/8" | | | | |
| 06 | 1 | 1 1/2" | Cerro Type L Hard Copper - CFOS | 1'-5 7/16" | | | | |
| 07 | 1 | 1 1/2" | Nibco 607-CB CFOS Wrot 90 Elbow | | | | | |
| 08 | 4 | 1 1/2" | Nibco 606-CB CFOS Wrot Copper 45 Elbow | | | | | |
| 09 | 3 | 1 1/2" | Nibco 600-DS-CB CFOS Wrot Copper Coupling Staked Stop | | | | | |
| 10 | 1 | 1 1/2" | Beacon Medaes SSB-820-10 Brz 3pc Dual FP Shut-Off wLk Lvr Valve | | | | | |

1 ISOMETRIC
SCALE:



2 TOP VIEW
SCALE: 1/2" = 1'-0"



3 FRONT ELEVATION
SCALE: 1/2" = 1'-0"

| | | | |
|----|----|----|----|
| A1 | A3 | B1 | B3 |
| A2 | A4 | B2 | B4 |


JOB: WASH U NRB

TICKET: LVAC-L07-090

Drawn By: Author

DATE: 11/24/21

DATE REQ:



1233 N. Price Rd.
St. Louis, Mo 63132-2303
314-997-6600 phone