

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<wsdl:definitions xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/" xmlns:wsoap12="http://schemas.xmlsoap.org/wsdl/soap12/"
xmlns:http="http://schemas.xmlsoap.org/wsdl/http/" xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/" xmlns:tns="http://sap.com/xi/SAPSCORE/SFIN"
xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
xmlns:n1="http://sap.com/xi/SAPGlobal/Global" targetNamespace="http://sap.com/xi/SAPSCORE/SFIN">
  <wsdl:documentation>
    <sidl:sidl xmlns:sidl="http://www.sap.com/2007/03/sidl"/>
  </wsdl:documentation>
  <wsp:UsingPolicy wsdl:required="true"/>
  <wsp:Policy wsu:Id="BN__JE_BulkCreation_bind">
    <wsp:ExactlyOne>
      <wsp:All>
        <saptrnbnd:OptimizedMimeSerialization xmlns:saptrnbnd="http://schemas.xmlsoap.org/ws/2004/09/policy/optimizedmimeserialization"
wsp:Optional="true"/>
        <wsrmp:RMAssertion xmlns:wsrmp="http://docs.oasis-open.org/ws-rx/wsrmp/200702">
          <wsp:Policy xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"/>
        </wsrmp:RMAssertion>
        <wsaw:UsingAddressing xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
        <wsp:All xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy">
          <sp:TransportBinding xmlns:sp="http://docs.oasis-open.org/ws-sx/ws-securitypolicy/200702"
xmlns:sapsp="http://www.sap.com/webas/630/soap/features/security/policy" xmlns:wsa="http://www.w3.org/2005/08/addressing"
xmlns:wst="http://docs.oasis-open.org/ws-sx/ws-trust/200512" xmlns:wsu="http://schemas.xmlsoap.org/ws/2002/07/utility"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex">
            <wsp:Policy>
              <sp:TransportToken>
                <wsp:Policy>
                  <sp:HttpsToken>
                    <wsp:Policy>
                      <sp:HttpBasicAuthentication/>
                    </wsp:Policy>
                  </sp:HttpsToken>
                </wsp:Policy>
              </sp:TransportToken>
              <sp:AlgorithmSuite>
                <wsp:Policy>
                  <sp:Basic128Rsa15/>
                </wsp:Policy>
              </sp:AlgorithmSuite>
              <sp:Layout>
                <wsp:Policy>
                  <sp:Strict/>
                </wsp:Policy>
              </sp:Layout>
            </wsp:Policy>
          </sp:TransportBinding>
        </wsp:All>
      </wsp:All>
    </wsp:All>
  </wsp:All>
  <wsp:All>
    <saptrnbnd:OptimizedMimeSerialization xmlns:saptrnbnd="http://schemas.xmlsoap.org/ws/2004/09/policy/optimizedmimeserialization"
wsp:Optional="true"/>
    <wsrm:RMAssertion xmlns:wsrm="http://schemas.xmlsoap.org/ws/2005/02/rm/policy"/>
    <wsaw:UsingAddressing xmlns:wsaw="http://schemas.xmlsoap.org/ws/2004/08/addressing"/>
    <wsp:All xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy">
      <sp:TransportBinding xmlns:sp="http://docs.oasis-open.org/ws-sx/ws-securitypolicy/200702"
xmlns:sapsp="http://www.sap.com/webas/630/soap/features/security/policy" xmlns:wsa="http://www.w3.org/2005/08/addressing"
xmlns:wst="http://docs.oasis-open.org/ws-sx/ws-trust/200512" xmlns:wsu="http://schemas.xmlsoap.org/ws/2002/07/utility"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex">
        <wsp:Policy>
          <sp:TransportToken>
            <wsp:Policy>
              <sp:HttpsToken>
                <wsp:Policy>
                  <sp:HttpBasicAuthentication/>
                </wsp:Policy>
              </sp:HttpsToken>
            </wsp:Policy>
          </sp:TransportToken>
          <sp:AlgorithmSuite>
            <wsp:Policy>
              <sp:Basic128Rsa15/>
            </wsp:Policy>
          </sp:AlgorithmSuite>
          <sp:Layout>
            <wsp:Policy>
              <sp:Strict/>
            </wsp:Policy>
          </sp:Layout>
        </wsp:Policy>
      </sp:TransportBinding>
    </wsp:All>
  </wsp:All>
  <wsp:All>
    <saptrnbnd:OptimizedXMLTransfer xmlns:saptrnbnd="http://www.sap.com/webas/710/soap/features/transportbinding/"
uri="http://xml.sap.com/2006/11/esi/esp/binxml" wsp:Optional="true"/>
    <wsrmp:RMAssertion xmlns:wsrmp="http://docs.oasis-open.org/ws-rx/wsrmp/200702">
      <wsp:Policy xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"/>
    </wsrmp:RMAssertion>
    <wsaw:UsingAddressing xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsdl"/>
    <wsp:All xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy">
      <sp:TransportBinding xmlns:sp="http://docs.oasis-open.org/ws-sx/ws-securitypolicy/200702"
xmlns:sapsp="http://www.sap.com/webas/630/soap/features/security/policy" xmlns:wsa="http://www.w3.org/2005/08/addressing"
xmlns:wst="http://docs.oasis-open.org/ws-sx/ws-trust/200512" xmlns:wsu="http://schemas.xmlsoap.org/ws/2002/07/utility"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex">
        <wsp:Policy>
```

```
<sp:TransportToken>
  <wsp:Policy>
    <sp:HttpsToken>
      <wsp:Policy>
        <sp:HttpBasicAuthentication/>
      </wsp:Policy>
    </sp:HttpsToken>
  </wsp:Policy>
</sp:TransportToken>
<sp:AlgorithmSuite>
  <wsp:Policy>
    <sp:Basic128Rsa15/>
  </wsp:Policy>
</sp:AlgorithmSuite>
<sp:Layout>
  <wsp:Policy>
    <sp:Strict/>
  </wsp:Policy>
</sp:Layout>
</wsp:Policy>
</sp:TransportBinding>
</wsp:All>
</wsp:All>
<wsp:All>
  <saptrnbnd:OptimizedXMLTransfer xmlns:saptrnbnd="http://www.sap.com/webas/710/soap/features/transportbinding/"
    uri="http://xml.sap.com/2006/11/esi/esp/binxml" wsp:Optional="true"/>
  <wsrm:RMAssertion xmlns:wsrm="http://schemas.xmlsoap.org/ws/2005/02/rm/policy"/>
  <wsaw:UsingAddressing xmlns:wsaw="http://schemas.xmlsoap.org/ws/2004/08/addressing"/>
  <wsp:All xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy">
    <sp:TransportBinding xmlns:sp="http://docs.oasis-open.org/ws-sx/ws-securitypolicy/200702"
      xmlns:sapsp="http://www.sap.com/webas/630/soap/features/security/policy" xmlns:wsa="http://www.w3.org/2005/08/addressing"
      xmlns:wst="http://docs.oasis-open.org/ws-sx/ws-trust/200512" xmlns:wsu="http://schemas.xmlsoap.org/ws/2002/07/utility"
      xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex">
      <wsp:Policy>
        <sp:TransportToken>
          <wsp:Policy>
            <sp:HttpsToken>
              <wsp:Policy>
                <sp:HttpBasicAuthentication/>
              </wsp:Policy>
            </sp:HttpsToken>
          </wsp:Policy>
        </sp:TransportToken>
        <sp:AlgorithmSuite>
          <wsp:Policy>
            <sp:Basic128Rsa15/>
          </wsp:Policy>
        </sp:AlgorithmSuite>
        <sp:Layout>
          <wsp:Policy>
            <sp:Strict/>
          </wsp:Policy>
        </sp:Layout>
      </wsp:Policy>
    </sp:TransportBinding>
  </wsp:All>
</wsp:All>
</wsp:ExactlyOne>
</wsp:Policy>
<wsp:Policy wsu:Id="BN__JE_BulkCreation_bind_soap12">
  <wsp:ExactlyOne>
    <wsp:All>
      <saptrnbnd:OptimizedMimeSerialization xmlns:saptrnbnd="http://schemas.xmlsoap.org/ws/2004/09/policy/optimizedmimeserialization"
        wsp:Optional="true"/>
      <wsrmp:RMAssertion xmlns:wsrmp="http://docs.oasis-open.org/ws-rx/wsrmp/200702">
        <wsp:Policy xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"/>
      </wsrmp:RMAssertion>
      <wsaw:UsingAddressing xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsd1"/>
      <wsp:All xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy">
        <sp:TransportBinding xmlns:sp="http://docs.oasis-open.org/ws-sx/ws-securitypolicy/200702"
          xmlns:sapsp="http://www.sap.com/webas/630/soap/features/security/policy" xmlns:wsa="http://www.w3.org/2005/08/addressing"
          xmlns:wst="http://docs.oasis-open.org/ws-sx/ws-trust/200512" xmlns:wsu="http://schemas.xmlsoap.org/ws/2002/07/utility"
          xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex">
          <wsp:Policy>
            <sp:TransportToken>
              <wsp:Policy>
                <sp:HttpsToken>
                  <wsp:Policy>
                    <sp:HttpBasicAuthentication/>
                  </wsp:Policy>
                </sp:HttpsToken>
              </wsp:Policy>
            </sp:TransportToken>
            <sp:AlgorithmSuite>
              <wsp:Policy>
                <sp:Basic128Rsa15/>
              </wsp:Policy>
            </sp:AlgorithmSuite>
            <sp:Layout>
              <wsp:Policy>
                <sp:Strict/>
              </wsp:Policy>
            </sp:Layout>
          </wsp:Policy>
        </sp:TransportBinding>
      </wsp:All>
    </wsp:All>
  </wsp:All>
</wsp:All>
```

```
<saptrnbnd:OptimizedMimeSerialization xmlns:saptrnbnd="http://schemas.xmlsoap.org/ws/2004/09/policy/optimizedmimeserialization"
wsp:Optional="true"/>
<wsrm:RMAssertion xmlns:wsrm="http://schemas.xmlsoap.org/ws/2005/02/rm/policy"/>
<wsaw:UsingAddressing xmlns:wsaw="http://schemas.xmlsoap.org/ws/2004/08/addressing"/>
<wsp:All xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy">
  <sp:TransportBinding xmlns:sp="http://docs.oasis-open.org/ws-sx/ws-securitypolicy/200702"
xmlns:sapsp="http://www.sap.com/webas/630/soap/features/security/policy" xmlns:wsa="http://www.w3.org/2005/08/addressing"
xmlns:wst="http://docs.oasis-open.org/ws-sx/ws-trust/200512" xmlns:wsu="http://schemas.xmlsoap.org/ws/2002/07/utility"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex">
    <wsp:Policy>
      <sp:TransportToken>
        <wsp:Policy>
          <sp:HttpsToken>
            <wsp:Policy>
              <sp:HttpBasicAuthentication/>
            </wsp:Policy>
          </sp:HttpsToken>
        </sp:TransportToken>
      <sp:AlgorithmSuite>
        <wsp:Policy>
          <sp:Basic128Rsa15/>
        </wsp:Policy>
      </sp:AlgorithmSuite>
      <sp:Layout>
        <wsp:Policy>
          <sp:Strict/>
        </wsp:Policy>
      </sp:Layout>
    </wsp:Policy>
  </sp:TransportBinding>
</wsp:All>
</wsp:All>
<wsp:All>
  <saptrnbnd:OptimizedXMLTransfer xmlns:saptrnbnd="http://www.sap.com/webas/710/soap/features/transportbinding/"
uri="http://xml.sap.com/2006/11/esi/esp/binxml" wsp:Optional="true"/>
  <wsrm:RMAssertion xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsrm/200702">
    <wsp:Policy xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"/>
  </wsrm:RMAssertion>
  <wsaw:UsingAddressing xmlns:wsaw="http://www.w3.org/2006/05/addressing/wsd1"/>
  <wsp:All xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy">
    <sp:TransportBinding xmlns:sp="http://docs.oasis-open.org/ws-sx/ws-securitypolicy/200702"
xmlns:sapsp="http://www.sap.com/webas/630/soap/features/security/policy" xmlns:wsa="http://www.w3.org/2005/08/addressing"
xmlns:wst="http://docs.oasis-open.org/ws-sx/ws-trust/200512" xmlns:wsu="http://schemas.xmlsoap.org/ws/2002/07/utility"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex">
      <wsp:Policy>
        <sp:TransportToken>
          <wsp:Policy>
            <sp:HttpsToken>
              <wsp:Policy>
                <sp:HttpBasicAuthentication/>
              </wsp:Policy>
            </sp:HttpsToken>
          </sp:TransportToken>
        <sp:AlgorithmSuite>
          <wsp:Policy>
            <sp:Basic128Rsa15/>
          </wsp:Policy>
        </sp:AlgorithmSuite>
        <sp:Layout>
          <wsp:Policy>
            <sp:Strict/>
          </wsp:Policy>
        </sp:Layout>
      </wsp:Policy>
    </sp:TransportBinding>
  </wsp:All>
</wsp:All>
<wsp:All>
  <saptrnbnd:OptimizedXMLTransfer xmlns:saptrnbnd="http://www.sap.com/webas/710/soap/features/transportbinding/"
uri="http://xml.sap.com/2006/11/esi/esp/binxml" wsp:Optional="true"/>
  <wsrm:RMAssertion xmlns:wsrm="http://schemas.xmlsoap.org/ws/2005/02/rm/policy"/>
  <wsaw:UsingAddressing xmlns:wsaw="http://schemas.xmlsoap.org/ws/2004/08/addressing"/>
  <wsp:All xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy">
    <sp:TransportBinding xmlns:sp="http://docs.oasis-open.org/ws-sx/ws-securitypolicy/200702"
xmlns:sapsp="http://www.sap.com/webas/630/soap/features/security/policy" xmlns:wsa="http://www.w3.org/2005/08/addressing"
xmlns:wst="http://docs.oasis-open.org/ws-sx/ws-trust/200512" xmlns:wsu="http://schemas.xmlsoap.org/ws/2002/07/utility"
xmlns:wsx="http://schemas.xmlsoap.org/ws/2004/09/mex">
      <wsp:Policy>
        <sp:TransportToken>
          <wsp:Policy>
            <sp:HttpsToken>
              <wsp:Policy>
                <sp:HttpBasicAuthentication/>
              </wsp:Policy>
            </sp:HttpsToken>
          </sp:TransportToken>
        <sp:AlgorithmSuite>
          <wsp:Policy>
            <sp:Basic128Rsa15/>
          </wsp:Policy>
        </sp:AlgorithmSuite>
        <sp:Layout>
          <wsp:Policy>
            <sp:Strict/>
          </wsp:Policy>
        </sp:Layout>
      </wsp:Policy>
    </sp:TransportBinding>
  </wsp:All>
</wsp:All>
```

```
</sp:Layout>
</wsp:Policy>
</sp:TransportBinding>
</wsp:All>
</wsp:All>
</wsp:ExactlyOne>
</wsp:Policy>
<wsp:Policy wsu:Id="IF__JournalEntryBulkCreationRequest_In">
  <wsp:ExactlyOne>
    <wsp:All>
      <sapcentraladmin:CentralAdministration xmlns:sapcentraladmin="http://www.sap.com/webas/700/soap/features/CentralAdministration/"
        wsp:Optional="true">
        <sapcentraladmin:BusinessApplicationID>55E593A670A91FE0A0EDBC6C5C010ADE</sapcentraladmin:BusinessApplicationID>
        </sapcentraladmin:CentralAdministration>
        <sapcentraladmin:CentralAdministration xmlns:sapcentraladmin="http://www.sap.com/webas/700/soap/features/CentralAdministration/"
          wsp:Optional="true">
            <sapcentraladmin:InterfaceChecksum>29D92D305BFA07F74AD64408FA4B4400CE61B597</sapcentraladmin:InterfaceChecksum>
            </sapcentraladmin:CentralAdministration>
          </wsp:All>
        </wsp:ExactlyOne>
      </wsp:Policy>
    <wsp:Policy wsu:Id="OP__JournalEntryBulkCreationRequest_In">
      <wsp:ExactlyOne>
        <wsp:All>
          <saptrhnw05:required xmlns:saptrhnw05="http://www.sap.com/NW05/soap/features/transaction/">yes</saptrhnw05:required>
          <sapcomhnd:enableCommit xmlns:sapcomhnd="http://www.sap.com/NW05/soap/features/commit/">true</sapcomhnd:enableCommit>
          <sapblock:enableBlocking xmlns:sapblock="http://www.sap.com/NW05/soap/features/blocking/">false</sapblock:enableBlocking>
          <saprmnw05:enableWSRM xmlns:saprmnw05="http://www.sap.com/NW05/soap/features/wsrn/">true</saprmnw05:enableWSRM>
        </wsp:All>
        </wsp:ExactlyOne>
      </wsp:Policy>
    <wsdl:types>
      <xsd:schema xmlns="http://sap.com/xi/SAPSCORE/SFIN"
        xmlns:ccts="urn:un:unece:uncefact:documentation:standard:CoreComponentsTechnicalSpecification:3.0" xmlns:sprx="urn:sap.com:abap:proxy"
        xmlns:xi0="http://sap.com/xi/SAPGlobal/Global" targetNamespace="http://sap.com/xi/SAPSCORE/SFIN">
        <xsd:annotation>
          <xsd:documentation>
            <sprx:documentation version="1" baseURL="https://vhanads4ci.ifrs.vivaaerobus.com:44300/sap/bc/esdt/docu/xsd_type?sap-client=150"/>
          </xsd:documentation>
        </xsd:annotation>
        <xsd:element name="JournalEntryBulkCreateRequest" type="JournalEntryCreateRequestBulkMessage"/>
        <xsd:simpleType name="AccountAssignmentType">
          <xsd:annotation>
            <xsd:documentation xml:lang="EN">
              <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
            </xsd:documentation>
          </xsd:annotation>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="2"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
        <xsd:simpleType name="AccountingBusinessTransactionTypeCode">
          <xsd:annotation>
            <xsd:documentation xml:lang="EN">
              <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
            </xsd:documentation>
          </xsd:annotation>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="4"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
        <xsd:simpleType name="AccountingDocument">
          <xsd:annotation>
            <xsd:documentation xml:lang="EN">
              <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
            </xsd:documentation>
          </xsd:annotation>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="10"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
        <xsd:simpleType name="AccountingDocumentHeaderReferenceID_GFN">
          <xsd:annotation>
            <xsd:documentation xml:lang="EN">
              <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
            </xsd:documentation>
          </xsd:annotation>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="20"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
        <xsd:simpleType name="AccountingDocumentTypeCode">
          <xsd:annotation>
            <xsd:documentation xml:lang="EN">
              <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
            </xsd:documentation>
          </xsd:annotation>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="5"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
        <xsd:complexType name="Amount">
          <xsd:annotation>
```

```
<xsd:documentation xml:lang="EN">
  <ccts:RepresentationTerm>Amount</ccts:RepresentationTerm>
</xsd:documentation>
</xsd:annotation>
<xsd:simpleContent>
  <xsd:extension base="Amount.Content">
    <xsd:attribute name="currencyCode" use="required" type="CurrencyCode"/>
  </xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="Amount.Content">
  <xsd:restriction base="xsd:decimal">
    <xsd:totalDigits value="28"/>
    <xsd:fractionDigits value="6"/>
    <xsd:maxInclusive value="99999999999999999999.999999"/>
    <xsd:minInclusive value="-99999999999999999999.999999"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="AssignmentReference">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="18"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BankAccount">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="18"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BankAccountHolderName">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Name</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="60"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BankAccountStandardID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="34"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BankControlKey">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BankCountry">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="3"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BankDetailReference">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="20"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BankNumber">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
```

```
</xsd:documentation>
</xsd:annotation>
<xsd:restriction base="xsd:token">
  <xsd:maxLength value="15"/>
  <xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BankStandardID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="11"/>
    <xsd:minLength value="8"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BillableControl_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Name</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BusinessArea_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="BusinessDocumentMessageHeader">
  <xsd:sequence>
    <xsd:element name="ID" minOccurs="0" type="BusinessDocumentMessageID"/>
    <xsd:element name="UUID" minOccurs="0" type="UUID"/>
    <xsd:element name="ReferenceID" minOccurs="0" type="BusinessDocumentMessageID"/>
    <xsd:element name="ReferenceUUID" minOccurs="0" type="UUID"/>
    <xsd:element name="CreationDateTime" type="GLOBAL_DateTime"/>
    <xsd:element name="TestDataIndicator" minOccurs="0" type="Indicator"/>
    <xsd:element name="ReconciliationIndicator" minOccurs="0" type="Indicator"/>
    <xsd:element name="SenderBusinessSystemID" minOccurs="0" type="BusinessSystemID"/>
    <xsd:element name="RecipientBusinessSystemID" minOccurs="0" type="BusinessSystemID"/>
    <xsd:element name="SenderParty" minOccurs="0" type="BusinessDocumentMessageHeaderParty"/>
    <xsd:element name="RecipientParty" minOccurs="0" maxOccurs="unbounded" type="BusinessDocumentMessageHeaderParty"/>
    <xsd:element name="BusinessScope" minOccurs="0" maxOccurs="unbounded" type="BusinessScope"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="BusinessDocumentMessageHeaderParty">
  <xsd:sequence>
    <xsd:element name="InternalID" minOccurs="0" type="PartyInternalID"/>
    <xsd:element name="StandardID" minOccurs="0" maxOccurs="unbounded" type="PartyStandardID"/>
    <xsd:element name="ContactPerson" minOccurs="0" type="BusinessDocumentMessageHeaderPartyContactPerson"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="BusinessDocumentMessageHeaderPartyContactPerson">
  <xsd:sequence>
    <xsd:element name="InternalID" minOccurs="0" type="ContactPersonInternalID"/>
    <xsd:element name="OrganisationFormattedName" minOccurs="0" maxOccurs="4" type="LANGUAGEINDEPENDENT_MEDIUM_Name"/>
    <xsd:element name="PersonFormattedName" minOccurs="0" maxOccurs="4" type="LANGUAGEINDEPENDENT_LONG_Name"/>
    <xsd:element name="PhoneNumber" minOccurs="0" maxOccurs="unbounded" type="PhoneNumber"/>
    <xsd:element name="FaxNumber" minOccurs="0" maxOccurs="unbounded" type="PhoneNumber"/>
    <xsd:element name="EmailURI" minOccurs="0" maxOccurs="unbounded" type="EmailURI"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="BusinessDocumentMessageID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="BusinessDocumentMessageID.Content">
      <xsd:attribute name="schemeID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="schemeAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
```



```
</xsd:complexType>
<xsd:simpleType name="BusinessDocumentMessageID.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="35"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BusinessPartnerInternalID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BusinessPlace_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="BusinessScope">
  <xsd:sequence>
    <xsd:element name="TypeCode" type="BusinessScopeTypeCode"/>
    <xsd:element name="InstanceID" minOccurs="0" type="BusinessScopeInstanceID"/>
    <xsd:element name="ID" minOccurs="0" type="BusinessScopeID"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="BusinessScopeID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="BusinessScopeID.Content">
      <xsd:attribute name="schemeID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="schemeAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="BusinessScopeID.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="36"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="BusinessScopeInstanceID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="BusinessScopeInstanceID.Content">
      <xsd:attribute name="schemeID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="schemeAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="BusinessScopeInstanceID.Content">
  <xsd:restriction base="xsd:token">
```

```
<xsd:maxLength value="36"/>
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="BusinessScopeTypeCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="BusinessScopeTypeCode.Content">
      <xsd:attribute name="listID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listVersionID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="15"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="BusinessScopeTypeCode.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BusinessSystemID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="60"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BusinessTransactionDocumentID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="35"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BusinessTransactionDocumentItemID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="BusinessTransactionDocumentTypeCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="5"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="ChartOfAccountsItemCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="ChartOfAccountsItemCode.Content">
      <xsd:attribute name="listID">
```



```
<xsd:simpleType>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:attribute>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="ChartOfAccountsItemCode.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CityName">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Name</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="35"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CompanyCodeID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ConditionType_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="ContactPersonInternalID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="ContactPersonInternalID.Content">
      <xsd:attribute name="schemeID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="schemeAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="ContactPersonInternalID.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="32"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CostCentreID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CountryCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
```

```

<xsd:restriction base="xsd:token">
  <xsd:maxLength value="3"/>
  <xsd:minLength value="2"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CountryDiallingCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CreatedByUser">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="12"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CreditControlArea">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="CurrencyCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:length value="3"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Customer">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="CustomerGroupCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="CustomerGroupCode.Content">
      <xsd:attribute name="listID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listVersionID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="15"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="CustomerGroupCode.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>

```

```
<xsd:simpleType name="CustomerPostOfficeBox">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="DAY_Duration">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Duration</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:duration">
    <xsd:pattern value="[-P0-9D]{1,20}"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="DataMediumExchangeIndicator">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="DataMediumExchangeKey">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Date">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Date</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:date">
    <xsd:pattern value="[0-9]{4}-[0-9]{2}-[0-9]{2}"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="DebitCreditCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:length value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="DigitalPaymentType">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="DistributionChannelCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="DistributionChannelCode.Content">
      <xsd:attribute name="listID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listVersionID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="15"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
```

```
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:attribute>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="DistributionChannelCode.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="DivisionCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="DivisionCode.Content">
      <xsd:attribute name="listID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listVersionID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="15"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="DivisionCode.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="DocumentHeaderText">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Note</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="25"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="DocumentItemText">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Note</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="50"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="DocumentReferenceID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="16"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="EcsEnvironment_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Email">
  <xsd:annotation>
```

```
<xsd:documentation xml:lang="EN">
  <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
</xsd:documentation>
</xsd:annotation>
<xsd:restriction base="xsd:string">
  <xsd:maxLength value="130"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="EmailURI">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>URI</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="xsd:anyURI">
      <xsd:attribute name="schemeID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:complexType name="ExchangeFaultData">
  <xsd:sequence>
    <xsd:element name="faultText" type="xsd:string"/>
    <xsd:element name="faultUrl" minOccurs="0" type="xsd:string"/>
    <xsd:element name="faultDetail" minOccurs="0" maxOccurs="unbounded" type="ExchangeLogData"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="ExchangeLogData">
  <xsd:sequence>
    <xsd:element name="severity" minOccurs="0" type="xsd:string"/>
    <xsd:element name="text" type="xsd:string"/>
    <xsd:element name="url" minOccurs="0" type="xsd:string"/>
    <xsd:element name="id" minOccurs="0" type="xsd:string"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:simpleType name="ExchangeRateRate">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Numeric</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:decimal">
    <xsd:totalDigits value="28"/>
    <xsd:fractionDigits value="14"/>
    <xsd:maxInclusive value="999999999999.9999999999999999"/>
    <xsd:minInclusive value="-999999999999.9999999999999999"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="FinancialServicesBranchID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="FinancialServicesDataSource">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="FinancialServicesProductGroup">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="FinancialTransactionTypeCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="3"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="FixedAssetID">
  <xsd:annotation>
```

```
<xsd:documentation xml:lang="EN">
  <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
</xsd:documentation>
</xsd:annotation>
<xsd:restriction base="xsd:token">
  <xsd:maxLength value="4"/>
  <xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="FunctionalArea_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="16"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Fund_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="GLOBAL_DateTime">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>DateTime</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:dateTime">
    <xsd:pattern value="[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(. [0-9]{1,7})?Z"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Grant_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="20"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="HouseBankAccountID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="5"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="HouseBank_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="5"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Indicator">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Indicator</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:boolean"/>
</xsd:simpleType>
<xsd:complexType name="IndustrialSectorCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="IndustrialSectorCode.Content">
      <xsd:attribute name="listID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
```



```
<xsd:attribute name="listVersionID">
  <xsd:simpleType>
    <xsd:restriction base="xsd:token">
      <xsd:maxLength value="15"/>
      <xsd:minLength value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:attribute>
<xsd:attribute name="listAgencyID">
  <xsd:simpleType>
    <xsd:restriction base="xsd:token">
      <xsd:maxLength value="60"/>
      <xsd:minLength value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:attribute>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="IndustrialSectorCode.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="IsEUTriangularDeal">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Indicator</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:boolean"/>
</xsd:simpleType>
<xsd:simpleType name="IsNaturalPerson">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ItemGroup">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="6"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="JointVenture">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="6"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="JointVentureBillingType">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="JointVentureEquityGroup">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="3"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="JointVentureRecoveryCode_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="JournalEntryCreateRequestBulkMessage">
  <xsd:sequence>
    <xsd:element name="MessageHeader" type="BusinessDocumentMessageHeader"/>
    <xsd:element name="JournalEntryCreateRequest" maxOccurs="unbounded" type="JournalEntryCreateRequestMessage"/>
  </xsd:sequence>
</xsd:complexType>
```

```
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntry">
  <xsd:sequence>
    <xsd:element name="OriginalReferenceDocumentType" type="BusinessTransactionDocumentTypeCode"/>
    <xsd:element name="OriginalReferenceDocument" minOccurs="0" type="ReferenceDocumentID"/>
    <xsd:element name="OriginalReferenceDocumentLogicalSystem" minOccurs="0" type="OriginalReferenceDocumentLogicalSystem"/>
    <xsd:element name="BusinessTransactionType" type="AccountingBusinessTransactionTypeCode"/>
    <xsd:element name="AccountingDocumentType" type="AccountingDocumentTypeCode"/>
    <xsd:element name="AccountingDocument" minOccurs="0" type="AccountingDocument"/>
    <xsd:element name="DocumentReferenceID" minOccurs="0" type="DocumentReferenceID"/>
    <xsd:element name="OriginalPredecessorRefDocument" minOccurs="0" type="ReferenceDocumentID"/>
    <xsd:element name="DocumentHeaderText" minOccurs="0" type="DocumentHeaderText"/>
    <xsd:element name="ReversalReason" minOccurs="0" type="ReversalReason"/>
    <xsd:element name="ReversalReferenceDocument" minOccurs="0" type="ReversalReferenceDocument"/>
    <xsd:element name="ReversalDate" minOccurs="0" type="Date"/>
    <xsd:element name="DoTaxAmountCheck" minOccurs="0" type="Indicator"/>
    <xsd:element name="TaxFulfillmentDate" minOccurs="0" type="TaxFulfillmentDate"/>
    <xsd:element name="CreatedByUser" type="CreatedByUser"/>
    <xsd:element name="CompanyCode" type="CompanyCodeID"/>
    <xsd:element name="DocumentDate" type="Date"/>
    <xsd:element name="PostingDate" type="Date"/>
    <xsd:element name="PostingFiscalPeriod" minOccurs="0" type="PostingFiscalPeriod"/>
    <xsd:element name="TaxReportingDate" minOccurs="0" type="Date"/>
    <xsd:element name="TaxDeterminationDate" minOccurs="0" type="TaxDeterminationDate_GFN"/>
    <xsd:element name="InvoiceReceiptDate" minOccurs="0" type="Date"/>
    <xsd:element name="ExchangeRateDate" minOccurs="0" type="Date"/>
    <xsd:element name="ECSEnvironment" minOccurs="0" type="EcsEnvironment_GFN"/>
    <xsd:element name="ExchangeRate" minOccurs="0" type="ExchangeRateRate"/>
    <xsd:element name="IndirectQuotedExchangeRate" minOccurs="0" type="ExchangeRateRate"/>
    <xsd:element name="SourceSystemCompanyCode" minOccurs="0" type="OrganisationalCentreID"/>
    <xsd:element name="SourceSystemAccountingDocument" minOccurs="0" type="BusinessTransactionDocumentID"/>
    <xsd:element name="Reference1InDocumentHeader" minOccurs="0" type="AccountingDocumentHeaderReferenceID_GFN"/>
    <xsd:element name="Reference2InDocumentHeader" minOccurs="0" type="AccountingDocumentHeaderReferenceID_GFN"/>
    <xsd:element name="JrnlEntryCntrySpecificRef1" minOccurs="0" type="JrnlEntryCntrySpecificRef1"/>
    <xsd:element name="JrnlEntryCntrySpecificDate1" minOccurs="0" type="JrnlEntryCntrySpecificDate"/>
    <xsd:element name="JrnlEntryCntrySpecificRef2" minOccurs="0" type="JrnlEntryCntrySpecificRef2"/>
    <xsd:element name="JrnlEntryCntrySpecificDate2" minOccurs="0" type="JrnlEntryCntrySpecificDate"/>
    <xsd:element name="JrnlEntryCntrySpecificRef3" minOccurs="0" type="JrnlEntryCntrySpecificRef2"/>
    <xsd:element name="JrnlEntryCntrySpecificDate3" minOccurs="0" type="JrnlEntryCntrySpecificDate"/>
    <xsd:element name="JrnlEntryCntrySpecificRef4" minOccurs="0" type="JrnlEntryCntrySpecificRef4"/>
    <xsd:element name="JrnlEntryCntrySpecificDate4" minOccurs="0" type="JrnlEntryCntrySpecificDate"/>
    <xsd:element name="JrnlEntryCntrySpecificRef5" minOccurs="0" type="JrnlEntryCntrySpecificRef4"/>
    <xsd:element name="JrnlEntryCntrySpecificDate5" minOccurs="0" type="JrnlEntryCntrySpecificDate"/>
    <xsd:element name="JrnlEntryCntrySpecificBp1" minOccurs="0" type="JrnlEntryCntrySpecificBp1"/>
    <xsd:element name="JrnlEntryCntrySpecificBp2" minOccurs="0" type="JrnlEntryCntrySpecificBp1"/>
    <xsd:element name="Item" minOccurs="0" maxOccurs="unbounded" type="JournalEntryCreateRequestJournalEntryItem"/>
    <xsd:element name="DebtorItem" minOccurs="0" maxOccurs="unbounded" type="JournalEntryCreateRequestJournalEntryDebtorItem"/>
    <xsd:element name="CreditorItem" minOccurs="0" maxOccurs="unbounded" type="JournalEntryCreateRequestJournalEntryCreditorItem"/>
    <xsd:element name="ProductTaxItem" minOccurs="0" maxOccurs="unbounded" type="JournalEntryCreateRequestJournalEntryProductTaxItem"/>
    <xsd:element name="WithholdingTaxItem" minOccurs="0" maxOccurs="unbounded" type="JournalEntryCreateRequestJournalEntryWithholdingTaxItem"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryCashDiscountTerms">
  <xsd:sequence>
    <xsd:element name="CashDiscountBaseAmount" minOccurs="0" type="Amount"/>
    <xsd:element name="DueCalculationBaseDate" type="Date"/>
    <xsd:element name="CashDiscount1Days" minOccurs="0" type="DAY_Duration"/>
    <xsd:element name="CashDiscount1Percent" minOccurs="0" type="Percent"/>
    <xsd:element name="CashDiscount2Days" minOccurs="0" type="DAY_Duration"/>
    <xsd:element name="CashDiscount2Percent" minOccurs="0" type="Percent"/>
    <xsd:element name="NetPaymentDays" type="DAY_Duration"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryCreditorItem">
  <xsd:sequence>
    <xsd:element name="ReferenceDocumentItem" type="BusinessTransactionDocumentItemID"/>
    <xsd:element name="Creditor" type="BusinessPartnerInternalID"/>
    <xsd:element name="AmountInTransactionCurrency" type="Amount"/>
    <xsd:element name="AmountInCompanyCodeCurrency" minOccurs="0" type="Amount"/>
    <xsd:element name="AmountInGroupCurrency" minOccurs="0" type="Amount"/>
    <xsd:element name="AmountInFreeDefinedCurrency1" minOccurs="0" type="Amount"/>
    <xsd:element name="DebitCreditCode" minOccurs="0" type="DebitCreditCode"/>
    <xsd:element name="AltVRecnclnAccts" minOccurs="0" type="ChartOfAccountsItemCode"/>
    <xsd:element name="DocumentItemText" minOccurs="0" type="DocumentItemText"/>
    <xsd:element name="AssignmentReference" minOccurs="0" type="AssignmentReference"/>
    <xsd:element name="Reference1IDByBusinessPartner" minOccurs="0" type="ReferenceKey"/>
    <xsd:element name="Reference2IDByBusinessPartner" minOccurs="0" type="ReferenceKey"/>
    <xsd:element name="Reference3IDByBusinessPartner" minOccurs="0" type="ReferenceKey_3"/>
    <xsd:element name="CashDiscountTerms" minOccurs="0" type="JournalEntryCreateRequestJournalEntryCashDiscountTerms"/>
    <xsd:element name="PaymentDetails" minOccurs="0" type="JournalEntryCreateRequestJournalEntryCreditorItemPaymentDetails"/>
    <xsd:element name="StateCentralBankPaymentReason" minOccurs="0" type="StateCentralBankPaymentReason"/>
    <xsd:element name="OplAcctgDocItmCntrySpcfcRef1" minOccurs="0" type="OplAcctgDocItmCntrySpcfcRef1"/>
    <xsd:element name="VATRegistration" minOccurs="0" type="VATRegistration"/>
    <xsd:element name="BranchAccount" minOccurs="0" type="BusinessPartnerInternalID"/>
    <xsd:element name="BusinessPlace" minOccurs="0" type="BusinessPlace_GFN"/>
    <xsd:element name="HouseBank" minOccurs="0" type="HouseBank_GFN"/>
    <xsd:element name="HouseBankAccount" minOccurs="0" type="HouseBankAccountID"/>
    <xsd:element name="JointVentureBillingType" minOccurs="0" type="JointVentureBillingType"/>
    <xsd:element name="JointVenture" minOccurs="0" type="JointVenture"/>
    <xsd:element name="JointVentureRecoveryCode" minOccurs="0" type="JointVentureRecoveryCode_GFN"/>
    <xsd:element name="JointVentureEquityGroup" minOccurs="0" type="JointVentureEquityGroup"/>
    <xsd:element name="TaxCountry" minOccurs="0" type="CountryCode"/>
    <xsd:element name="DownPaymentTerms" minOccurs="0" type="JournalEntryCreateRequestJournalEntryDownPaymentCreditor"/>
    <xsd:element name="OneTimeVendorDetails" minOccurs="0" type="JournalEntryCreateRequestJournalEntryOneTimeVendor"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryCreditorItemPayeeBankAccount">
```

```
<xsd:sequence>
  <xsd:element name="Country" type="CountryCode"/>
  <xsd:element name="BankNumber" minOccurs="0" type="BankNumber"/>
  <xsd:element name="SWIFTCode" minOccurs="0" type="BankStandardID"/>
  <xsd:element name="BankAccount" minOccurs="0" type="BankAccount"/>
  <xsd:element name="IBAN" minOccurs="0" type="BankAccountStandardID"/>
  <xsd:element name="BankAccountHolderName" minOccurs="0" type="BankAccountHolderName"/>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryCreditorItemPaymentDetails">
  <xsd:sequence>
    <xsd:element name="PaymentMethod" minOccurs="0" type="PaymentMethod"/>
    <xsd:element name="PaymentMethodSupplement" minOccurs="0" type="PaymentMethodSupplement"/>
    <xsd:element name="PaymentReference" minOccurs="0" type="PaymentReferenceID"/>
    <xsd:element name="PaymentReason" minOccurs="0" type="PaymentReason"/>
    <xsd:element name="PaymentBlockingReason" minOccurs="0" type="PaymentBlockingReasonCode"/>
    <xsd:element name="AlternativePayee" minOccurs="0" type="BusinessPartnerInternalID"/>
    <xsd:element name="PayeeBankAccount" minOccurs="0" type="JournalEntryCreateRequestJournalEntryCreditorItemPayeeBankAccount"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryDebtorItem">
  <xsd:sequence>
    <xsd:element name="ReferenceDocumentItem" type="BusinessTransactionDocumentItemID"/>
    <xsd:element name="Debtor" type="BusinessPartnerInternalID"/>
    <xsd:element name="AmountInTransactionCurrency" type="Amount"/>
    <xsd:element name="AmountInCompanyCodeCurrency" minOccurs="0" type="Amount"/>
    <xsd:element name="AmountInGroupCurrency" minOccurs="0" type="Amount"/>
    <xsd:element name="AmountInFreeDefinedCurrency1" minOccurs="0" type="Amount"/>
    <xsd:element name="DebitCreditCode" minOccurs="0" type="DebitCreditCode"/>
    <xsd:element name="AltVRecnclnAccts" minOccurs="0" type="ChartOfAccountsItemCode"/>
    <xsd:element name="DocumentItemText" minOccurs="0" type="DocumentItemText"/>
    <xsd:element name="AssignmentReference" minOccurs="0" type="AssignmentReference"/>
    <xsd:element name="Reference1IDByBusinessPartner" minOccurs="0" type="ReferenceKey"/>
    <xsd:element name="Reference2IDByBusinessPartner" minOccurs="0" type="ReferenceKey"/>
    <xsd:element name="Reference3IDByBusinessPartner" minOccurs="0" type="ReferenceKey_3"/>
    <xsd:element name="CashDiscountTerms" minOccurs="0" type="JournalEntryCreateRequestJournalEntryCashDiscountTerms"/>
    <xsd:element name="PaymentDetails" minOccurs="0" type="JournalEntryCreateRequestJournalEntryDebtorItemPaymentDetails"/>
    <xsd:element name="StateCentralBankPaymentReason" minOccurs="0" type="StateCentralBankPaymentReason"/>
    <xsd:element name="ReportingCountry" minOccurs="0" type="CountryCode"/>
    <xsd:element name="VATRegistration" minOccurs="0" type="VATRegistration"/>
    <xsd:element name="IsEUTriangularDeal" minOccurs="0" type="IsEUTriangularDeal"/>
    <xsd:element name="OplAcctgDocItmCntrySpcfcRef1" minOccurs="0" type="OplAcctgDocItmCntrySpcfcRef1"/>
    <xsd:element name="BranchAccount" minOccurs="0" type="BusinessPartnerInternalID"/>
    <xsd:element name="JointVentureBillingType" minOccurs="0" type="JointVentureBillingType"/>
    <xsd:element name="JointVenture" minOccurs="0" type="JointVenture"/>
    <xsd:element name="JointVentureRecoveryCode" minOccurs="0" type="JointVentureRecoveryCode_GFN"/>
    <xsd:element name="JointVentureEquityGroup" minOccurs="0" type="JointVentureEquityGroup"/>
    <xsd:element name="BusinessPlace" minOccurs="0" type="BusinessPlace_GFN"/>
    <xsd:element name="HouseBank" minOccurs="0" type="HouseBank_GFN"/>
    <xsd:element name="HouseBankAccount" minOccurs="0" type="HouseBankAccountID"/>
    <xsd:element name="TaxCountry" minOccurs="0" type="CountryCode"/>
    <xsd:element name="CreditControlArea" minOccurs="0" type="CreditControlArea"/>
    <xsd:element name="DownPaymentTerms" minOccurs="0" type="JournalEntryCreateRequestJournalEntryDownPayment"/>
    <xsd:element name="OneTimeCustomerDetails" minOccurs="0" type="JournalEntryCreateRequestJournalEntryOneTimeCustomer"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryDebtorItemPaymentDetails">
  <xsd:sequence>
    <xsd:element name="PaymentMethod" minOccurs="0" type="PaymentMethod"/>
    <xsd:element name="PaymentMethodSupplement" minOccurs="0" type="PaymentMethodSupplement"/>
    <xsd:element name="SEPA_Mandate" minOccurs="0" type="SEPA_Mandate"/>
    <xsd:element name="PaymentReference" minOccurs="0" type="PaymentReferenceID"/>
    <xsd:element name="PaymentReason" minOccurs="0" type="PaymentReason"/>
    <xsd:element name="PaymentBlockingReason" minOccurs="0" type="PaymentBlockingReasonCode"/>
    <xsd:element name="PaymentServiceProvider" minOccurs="0" type="PaymentServiceProvider"/>
    <xsd:element name="PaymentByPaymentServicePrvdr" minOccurs="0" type="PaymentByPaymentServicePrvdr"/>
    <xsd:element name="DigitalPaymentType" minOccurs="0" type="DigitalPaymentType"/>
    <xsd:element name="PaymentByDigitalPaymentService" minOccurs="0" type="PaymentByDigitalPaymentService"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryDownPayment">
  <xsd:sequence>
    <xsd:element name="SpecialGLCode" minOccurs="0" type="SpecialGLCode"/>
    <xsd:element name="SalesOrder" minOccurs="0" type="SalesOrder"/>
    <xsd:element name="SalesOrderItem" minOccurs="0" type="SalesOrderItem"/>
    <xsd:element name="TaxItemGroup" minOccurs="0" type="TaxItemGroupID"/>
    <xsd:element name="TaxCode" minOccurs="0" type="ProductTaxationCharacteristicsCode"/>
    <xsd:element name="TaxJurisdiction" minOccurs="0" type="TaxJurisdictionCode"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryDownPaymentCreditor">
  <xsd:sequence>
    <xsd:element name="SpecialGLCode" minOccurs="0" type="SpecialGLCode"/>
    <xsd:element name="TaxItemGroup" minOccurs="0" type="TaxItemGroupID"/>
    <xsd:element name="ProfitCenter" minOccurs="0" type="ProfitCentreID"/>
    <xsd:element name="WbsElement" minOccurs="0" type="WBS_Element"/>
    <xsd:element name="TaxCode" minOccurs="0" type="ProductTaxationCharacteristicsCode"/>
    <xsd:element name="TaxJurisdiction" minOccurs="0" type="TaxJurisdictionCode"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryItem">
  <xsd:sequence>
    <xsd:element name="ReferenceDocumentItem" minOccurs="0" type="BusinessTransactionDocumentItemID"/>
    <xsd:element name="ItemGroup" minOccurs="0" type="ItemGroup"/>
    <xsd:element name="CompanyCode" minOccurs="0" type="CompanyCodeID"/>
    <xsd:element name="GLAccount" type="ChartOfAccountsItemCode"/>
    <xsd:element name="AmountInTransactionCurrency" type="Amount"/>
    <xsd:element name="AmountInCompanyCodeCurrency" minOccurs="0" type="Amount"/>
```

```
<xsd:element name="AmountInGroupCurrency" minOccurs="0" type="Amount"/>
<xsd:element name="AmountInFreeDefinedCurrency1" minOccurs="0" type="Amount"/>
<xsd:element name="DebitCreditCode" minOccurs="0" type="DebitCreditCode"/>
<xsd:element name="DocumentItemText" minOccurs="0" type="DocumentItemText"/>
<xsd:element name="ReasonCode" minOccurs="0" type="ReasonCode"/>
<xsd:element name="OplAcctgDocItmCntrySpcfcRef1" minOccurs="0" type="OplAcctgDocItmCntrySpcfcRef1"/>
<xsd:element name="AssignmentReference" minOccurs="0" type="AssignmentReference"/>
<xsd:element name="FinancialTransactionType" minOccurs="0" type="FinancialTransactionTypeCode"/>
<xsd:element name="Tax" minOccurs="0" type="JournalEntryCreateRequestJournalEntryTaxDetails"/>
<xsd:element name="Plant" minOccurs="0" type="PlantID"/>
<xsd:element name="Material" minOccurs="0" type="ProductID"/>
<xsd:element name="QuantityInEntryUnit" minOccurs="0" type="Quantity"/>
<xsd:element name="IsNotCashDiscountLiable" minOccurs="0" type="Indicator"/>
<xsd:element name="TradingPartner" minOccurs="0" type="TradingPartnerID"/>
<xsd:element name="ValueDate" minOccurs="0" type="Date"/>
<xsd:element name="BusinessPlace" minOccurs="0" type="BusinessArea_GFN"/>
<xsd:element name="HouseBank" minOccurs="0" type="HouseBank_GFN"/>
<xsd:element name="HouseBankAccount" minOccurs="0" type="HouseBankAccountID"/>
<xsd:element name="FinancialServicesProductGroup" minOccurs="0" type="FinancialServicesProductGroup"/>
<xsd:element name="FinancialServicesBranch" minOccurs="0" type="FinancialServicesBranchID"/>
<xsd:element name="FinancialDataSource" minOccurs="0" type="FinancialServicesDataSource"/>
<xsd:element name="Reference1IDByBusinessPartner" minOccurs="0" type="ReferenceKey"/>
<xsd:element name="Reference2IDByBusinessPartner" minOccurs="0" type="ReferenceKey"/>
<xsd:element name="Reference3IDByBusinessPartner" minOccurs="0" type="ReferenceKey_3"/>
<xsd:element name="AccountAssignment" minOccurs="0" type="JournalEntryCreateRequestJournalEntryItemAccountAssignment"/>
<xsd:element name="ProfitabilitySupplement" minOccurs="0" type="JournalEntryCreateRequestJournalEntryItemProfitabilitySupplement"/>
<xsd:element name="AdditionalAttributes" minOccurs="0" type="JournalEntryCreateRequestJournalEntryItemAdditionalAttributes"/>
<xsd:element name="BillableControl" minOccurs="0" type="BillableControl_GFN"/>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryItemAccountAssignment">
  <xsd:sequence>
    <xsd:element name="AccountAssignmentType" minOccurs="0" type="AccountAssignmentType"/>
    <xsd:element name="OrderID" minOccurs="0" type="OrderID_GFN"/>
    <xsd:element name="ProfitCenter" minOccurs="0" type="ProfitCentreID"/>
    <xsd:element name="PartnerProfitCenter" minOccurs="0" type="ProfitCentreID"/>
    <xsd:element name="Segment" minOccurs="0" type="SegmentID"/>
    <xsd:element name="PartnerSegment" minOccurs="0" type="SegmentID"/>
    <xsd:element name="CostCenter" minOccurs="0" type="CostCentreID"/>
    <xsd:element name="CostCtrActivityType" minOccurs="0" type="ResourceClassID"/>
    <xsd:element name="WBSElement" minOccurs="0" type="WBSElement"/>
    <xsd:element name="MasterFixedAsset" minOccurs="0" type="MasterFixedAssetID"/>
    <xsd:element name="WorkItem" minOccurs="0" type="WorkItem_GFN"/>
    <xsd:element name="FixedAsset" minOccurs="0" type="FixedAssetID"/>
    <xsd:element name="SalesOrder" minOccurs="0" type="SalesOrder"/>
    <xsd:element name="SalesOrderItem" minOccurs="0" type="SalesOrderItem"/>
    <xsd:element name="FunctionalArea" minOccurs="0" type="FunctionalArea_GFN"/>
    <xsd:element name="ServiceDocType" minOccurs="0" type="ServiceDocType_GFN"/>
    <xsd:element name="ServiceDocID" minOccurs="0" type="ServiceDocID_GFN"/>
    <xsd:element name="ServiceDocItemID" minOccurs="0" type="ServiceDocItemID_GFN"/>
    <xsd:element name="JointVenture" minOccurs="0" type="JointVenture"/>
    <xsd:element name="JointVentureRecoveryCode" minOccurs="0" type="JointVentureRecoveryCode_GFN"/>
    <xsd:element name="JointVentureEquityGroup" minOccurs="0" type="JointVentureEquityGroup"/>
    <xsd:element name="Fund" minOccurs="0" type="Fund_GFN"/>
    <xsd:element name="Grant" minOccurs="0" type="Grant_GFN"/>
    <xsd:element name="CustomerGroup" minOccurs="0" type="CustomerGroupCode"/>
    <xsd:element name="CustomerCountry" minOccurs="0" type="CountryCode"/>
    <xsd:element name="CustomerIndustry" minOccurs="0" type="IndustrialSectorCode"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryItemAdditionalAttributes">
  <xsd:sequence>
    <xsd:element name="PersonnelNumber" minOccurs="0" type="PersonnelNumber_GFN"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryItemProfitabilitySupplement">
  <xsd:sequence>
    <xsd:element name="Customer" minOccurs="0" type="Customer"/>
    <xsd:element name="CustomerGroup" minOccurs="0" type="CustomerGroupCode"/>
    <xsd:element name="CustomerIndustry" minOccurs="0" type="IndustrialSectorCode"/>
    <xsd:element name="CustomerCountry" minOccurs="0" type="CountryCode"/>
    <xsd:element name="SalesDistrict" minOccurs="0" type="SalesDistrict"/>
    <xsd:element name="SoldMaterial" minOccurs="0" type="Material"/>
    <xsd:element name="SoldMaterialGroup" minOccurs="0" type="MaterialGroup"/>
    <xsd:element name="SalesOrganization" minOccurs="0" type="SalesOrganization"/>
    <xsd:element name="DistributionChannel" minOccurs="0" type="DistributionChannelCode"/>
    <xsd:element name="Division" minOccurs="0" type="DivisionCode"/>
    <xsd:element name="BillToParty" minOccurs="0" type="BusinessPartnerInternalID"/>
    <xsd:element name="ShipToParty" minOccurs="0" type="BusinessPartnerInternalID"/>
    <xsd:element name="PersonnelNumber" minOccurs="0" type="PersonnelNumber_GFN"/>
    <xsd:element name="WBSElement" minOccurs="0" type="WBSElement"/>
    <xsd:element name="FunctionalArea" minOccurs="0" type="FunctionalArea_GFN"/>
    <xsd:element name="ServiceDocType" minOccurs="0" type="ServiceDocType_GFN"/>
    <xsd:element name="ServiceDocID" minOccurs="0" type="ServiceDocID_GFN"/>
    <xsd:element name="ServiceDocItemID" minOccurs="0" type="ServiceDocItemID_GFN"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryOneTimeCustomer">
  <xsd:sequence>
    <xsd:element name="TitleCustomer" minOccurs="0" type="Title"/>
    <xsd:element name="LanguageISOCode" minOccurs="0" type="LanguageISOCode"/>
    <xsd:element name="Name" minOccurs="0" type="Name"/>
    <xsd:element name="Name2" minOccurs="0" type="Name"/>
    <xsd:element name="Name3" minOccurs="0" type="Name"/>
    <xsd:element name="Name4" minOccurs="0" type="Name"/>
    <xsd:element name="Email" minOccurs="0" type="Email"/>
    <xsd:element name="ShortStreetName" minOccurs="0" type="StreetName"/>
    <xsd:element name="CustomerPostOfficeBox" minOccurs="0" type="CustomerPostOfficeBox"/>
  </xsd:sequence>
</xsd:complexType>
```



```
<xsd:element name="PostOfficeBoxPostlCode" minOccurs="0" type="PostOfficeBoxPostalCode"/>
<xsd:element name="PostlCodeforCustomer" minOccurs="0" type="PostlCode"/>
<xsd:element name="BankDetailsReference" minOccurs="0" type="BankDetailReference"/>
<xsd:element name="DataMediumExchangeKey" minOccurs="0" type="DataMediumExchangeKey"/>
<xsd:element name="DataMediumExchangeIndicator" minOccurs="0" type="DataMediumExchangeIndicator"/>
<xsd:element name="IsNaturalPerson" minOccurs="0" type="IsNaturalPerson"/>
<xsd:element name="OneTmeAcctIsEqualizationTxSubj" minOccurs="0" type="OneTmeAcctIsEqualizationTxSubj"/>
<xsd:element name="BankAccount" minOccurs="0" type="BankAccount"/>
<xsd:element name="BankNumber" minOccurs="0" type="BankNumber"/>
<xsd:element name="BankControlKey" minOccurs="0" type="BankControlKey"/>
<xsd:element name="BankCountry" minOccurs="0" type="BankCountry"/>
<xsd:element name="CityName" minOccurs="0" type="CityName"/>
<xsd:element name="Country" minOccurs="0" type="CountryCode"/>
<xsd:element name="Region" minOccurs="0" type="Region"/>
<xsd:element name="TaxNumber1" minOccurs="0" type="TaxNumber1"/>
<xsd:element name="TaxNumber2" minOccurs="0" type="TaxNumber2"/>
<xsd:element name="TaxNumber3" minOccurs="0" type="TaxNumber3"/>
<xsd:element name="TaxNumber4" minOccurs="0" type="TaxNumber4"/>
<xsd:element name="TaxNumber5" minOccurs="0" type="TaxNumber5"/>
<xsd:element name="VATLiability" minOccurs="0" type="VATLiability"/>
<xsd:element name="TaxNumberType" minOccurs="0" type="TaxNumberType"/>
<xsd:element name="TaxType" minOccurs="0" type="TaxType"/>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryOneTimeVendor">
  <xsd:sequence>
    <xsd:element name="TitleVendor" minOccurs="0" type="Title"/>
    <xsd:element name="LanguageISOCode" minOccurs="0" type="LanguageISOCode"/>
    <xsd:element name="Name" minOccurs="0" type="Name"/>
    <xsd:element name="Name2" minOccurs="0" type="Name"/>
    <xsd:element name="Name3" minOccurs="0" type="Name"/>
    <xsd:element name="Name4" minOccurs="0" type="Name"/>
    <xsd:element name="Email" minOccurs="0" type="Email"/>
    <xsd:element name="ShortStreetName" minOccurs="0" type="StreetName"/>
    <xsd:element name="VendorPostOfficeBox" minOccurs="0" type="PostOfficeBox"/>
    <xsd:element name="PostOfficeBoxPostlCode" minOccurs="0" type="PostOfficeBoxPostalCode"/>
    <xsd:element name="PostlCodeforVendor" minOccurs="0" type="PostlCode"/>
    <xsd:element name="BankDetailsReference" minOccurs="0" type="BankDetailReference"/>
    <xsd:element name="DataMediumExchangeKey" minOccurs="0" type="DataMediumExchangeKey"/>
    <xsd:element name="DataMediumExchangeIndicator" minOccurs="0" type="DataMediumExchangeIndicator"/>
    <xsd:element name="IsNaturalPerson" minOccurs="0" type="IsNaturalPerson"/>
    <xsd:element name="OneTmeAcctIsEqualizationTxSubj" minOccurs="0" type="OneTmeAcctIsEqualizationTxSubj"/>
    <xsd:element name="BankAccount" minOccurs="0" type="BankAccount"/>
    <xsd:element name="BankNumber" minOccurs="0" type="BankNumber"/>
    <xsd:element name="BankControlKey" minOccurs="0" type="BankControlKey"/>
    <xsd:element name="BankCountry" minOccurs="0" type="BankCountry"/>
    <xsd:element name="CityName" minOccurs="0" type="CityName"/>
    <xsd:element name="Country" minOccurs="0" type="CountryCode"/>
    <xsd:element name="Region" minOccurs="0" type="Region"/>
    <xsd:element name="TaxNumber1" minOccurs="0" type="TaxNumber1"/>
    <xsd:element name="TaxNumber2" minOccurs="0" type="TaxNumber2"/>
    <xsd:element name="TaxNumber3" minOccurs="0" type="TaxNumber3"/>
    <xsd:element name="TaxNumber4" minOccurs="0" type="TaxNumber4"/>
    <xsd:element name="TaxNumber5" minOccurs="0" type="TaxNumber5"/>
    <xsd:element name="TaxNumberType" minOccurs="0" type="TaxNumberType"/>
    <xsd:element name="TaxType" minOccurs="0" type="TaxType"/>
    <xsd:element name="VATLiability" minOccurs="0" type="VATLiability"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryProductTaxItem">
  <xsd:sequence>
    <xsd:element name="ReferenceDocumentItem" minOccurs="0" type="BusinessTransactionDocumentItemID"/>
    <xsd:element name="TaxCode" type="ProductTaxationCharacteristicsCode"/>
    <xsd:element name="TaxItemClassification" minOccurs="0" type="TaxItemClassification"/>
    <xsd:element name="ConditionType" minOccurs="0" type="ConditionType_GFN"/>
    <xsd:element name="TaxJurisdiction" minOccurs="0" type="TaxJurisdictionCode"/>
    <xsd:element name="TaxJurisdictionLevel" minOccurs="0" type="TaxJurisdictionLevel"/>
    <xsd:element name="LowestLevelTaxJurisdiction" minOccurs="0" type="TaxJurisdictionCode"/>
    <xsd:element name="TaxItemGroup" minOccurs="0" type="TaxItemGroupID"/>
    <xsd:element name="TaxRate" minOccurs="0" type="Percent"/>
    <xsd:element name="TaxDeterminationDate" minOccurs="0" type="Date"/>
    <xsd:element name="IsDirectTaxPosting" minOccurs="0" type="Indicator"/>
    <xsd:element name="TaxCountry" minOccurs="0" type="CurrencyCode"/>
    <xsd:element name="AmountInTransactionCurrency" type="Amount"/>
    <xsd:element name="AmountInCompanyCodeCurrency" minOccurs="0" type="Amount"/>
    <xsd:element name="AmountInGroupCurrency" minOccurs="0" type="Amount"/>
    <xsd:element name="AmountInFreeDefinedCurrency1" minOccurs="0" type="Amount"/>
    <xsd:element name="DebitCreditCode" minOccurs="0" type="DebitCreditCode"/>
    <xsd:element name="ProductiveTaxText" minOccurs="0" type="DocumentItemText"/>
    <xsd:element name="TaxBaseAmountInTransCrcy" type="Amount"/>
    <xsd:element name="TaxBaseAmountInCoCodeCrcy" minOccurs="0" type="Amount"/>
    <xsd:element name="TaxBaseAmountInGroupCrcy" minOccurs="0" type="Amount"/>
    <xsd:element name="TaxBaseAmountInFreeDefinedCrcy1" minOccurs="0" type="Amount"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryTaxDetails">
  <xsd:sequence>
    <xsd:element name="TaxCode" type="ProductTaxationCharacteristicsCode"/>
    <xsd:element name="TaxJurisdiction" minOccurs="0" type="TaxJurisdictionCode"/>
    <xsd:element name="TaxItemGroup" minOccurs="0" type="TaxItemGroupID"/>
    <xsd:element name="TaxCountry" minOccurs="0" type="CountryCode"/>
    <xsd:element name="TaxExpenseAmountInTransacCrcy" minOccurs="0" type="Amount"/>
    <xsd:element name="TaxExpenseAmountInCoCodeCrcy" minOccurs="0" type="Amount"/>
    <xsd:element name="TaxExpenseAmountInGroupCrcy" minOccurs="0" type="Amount"/>
    <xsd:element name="TaxExpenseAmountInFreeDefinedCrcy1" minOccurs="0" type="Amount"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestJournalEntryWithholdingTaxItem">
```

```
<xsd:sequence>
  <xsd:element name="ReferenceDocumentItem" minOccurs="0" type="BusinessTransactionDocumentItemID"/>
  <xsd:element name="WithholdingTaxType" type="WithholdingTaxType"/>
  <xsd:element name="WithholdingTaxCode" type="WithholdingTaxCode"/>
  <xsd:element name="AmountInTransactionCurrency" minOccurs="0" type="Amount"/>
  <xsd:element name="AmountInCompanyCodeCurrency" minOccurs="0" type="Amount"/>
  <xsd:element name="AmountInGroupCurrency" minOccurs="0" type="Amount"/>
  <xsd:element name="AmountInFreeDefinedCurrency1" minOccurs="0" type="Amount"/>
  <xsd:element name="TaxBaseAmountInTransCrcy" minOccurs="0" type="Amount"/>
  <xsd:element name="TaxBaseAmountInCoCodeCrcy" minOccurs="0" type="Amount"/>
  <xsd:element name="TaxBaseAmountInGroupCrcy" minOccurs="0" type="Amount"/>
  <xsd:element name="TaxBaseAmountInFreeDefinedCrcy1" minOccurs="0" type="Amount"/>
  <xsd:element name="TaxIsToBeCalculated" minOccurs="0" type="Indicator"/>
</xsd:sequence>
</xsd:complexType>
<xsd:complexType name="JournalEntryCreateRequestMessage">
  <xsd:sequence>
    <xsd:element name="MessageHeader" type="BusinessDocumentMessageHeader"/>
    <xsd:element name="JournalEntry" type="JournalEntryCreateRequestJournalEntry"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:simpleType name="JrnlEntryCntrySpecificBp1">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="JrnlEntryCntrySpecificDate">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Date</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:date">
    <xsd:pattern value="[0-9]{4}-[0-9]{2}-[0-9]{2}"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="JrnlEntryCntrySpecificRef1">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="80"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="JrnlEntryCntrySpecificRef2">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="25"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="JrnlEntryCntrySpecificRef4">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="50"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="LANGUAGEINDEPENDENT_LONG_Name">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Name</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="80"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="LANGUAGEINDEPENDENT_MEDIUM_Name">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Name</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="40"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="LanguageCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:language">
```



```
<xsd:maxLength value="9"/>
<xsd:minLength value="2"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="LanguageISOCODE">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="MEDIUM_Name">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Name</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="MEDIUM_Name.Content">
      <xsd:attribute name="LanguageCode" type="LanguageCode"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="MEDIUM_Name.Content">
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="40"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="MasterFixedAssetID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="12"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Material">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="18"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="MaterialGroup">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="9"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="MeasureUnitCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="3"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Name">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Name</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="35"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="OneTimeAcctIsEqualizationTxSubj">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Op1AcctgDocItmCntrySpcfcRef1">
```

```
<xsd:annotation>
  <xsd:documentation xml:lang="EN">
    <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
  </xsd:documentation>
</xsd:annotation>
<xsd:restriction base="xsd:token">
  <xsd:maxLength value="50"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="OrderID_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="12"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="OrganisationalCentreID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="20"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="OriginalReferenceDocumentLogicalSystem">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="PartyInternalID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="PartyInternalID.Content">
      <xsd:attribute name="schemeID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="schemeAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="PartyInternalID.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="32"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="PartyStandardID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="PartyStandardID.Content">
      <xsd:attribute name="schemeAgencyID" use="required">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="3"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="PartyStandardID.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="13"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
```

```
</xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="PaymentBlockingReasonCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="PaymentBlockingReasonCode.Content">
      <xsd:attribute name="listID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listVersionID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="15"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="PaymentBlockingReasonCode.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PaymentByDigitalPaymentService">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="44"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PaymentByPaymentServicePrvdr">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="35"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PaymentMethod">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:length value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PaymentMethodSupplement">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PaymentReason">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="4"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PaymentReferenceID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
```

```
<ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
</xsd:documentation>
</xsd:annotation>
<xsd:restriction base="xsd:token">
  <xsd:maxLength value="30"/>
  <xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PaymentServiceProvider">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Percent">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Percent</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:decimal">
    <xsd:totalDigits value="16"/>
    <xsd:fractionDigits value="6"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PersonnelNumber_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="8"/>
    <xsd:minLength value="1"/>
    <xsd:pattern value="\d+"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="PhoneNumber">
  <xsd:sequence>
    <xsd:element name="AreaID" minOccurs="0" type="PhoneNumberAreaID"/>
    <xsd:element name="SubscriberID" minOccurs="0" type="PhoneNumberSubscriberID"/>
    <xsd:element name="ExtensionID" minOccurs="0" type="PhoneNumberExtensionID"/>
    <xsd:element name="CountryCode" minOccurs="0" type="CountryCode"/>
    <xsd:element name="CountryDiallingCode" minOccurs="0" type="CountryDiallingCode"/>
    <xsd:element name="CountryName" minOccurs="0" type="MEDIUM_Name"/>
  </xsd:sequence>
</xsd:complexType>
<xsd:simpleType name="PhoneNumberAreaID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PhoneNumberExtensionID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PhoneNumberSubscriberID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="30"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PlantID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PostOfficeBox">
  <xsd:annotation>
```

```
<xsd:documentation xml:lang="EN">
  <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
</xsd:documentation>
</xsd:annotation>
<xsd:restriction base="xsd:string">
  <xsd:maxLength value="10"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PostOfficeBoxPostalCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PostingFiscalPeriod">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="PostlCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ProductID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="60"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="ProductTaxationCharacteristicsCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="ProductTaxationCharacteristicsCode.Content">
      <xsd:attribute name="listID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listVersionID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="15"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="listAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="ProductTaxationCharacteristicsCode.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ProfitCentreID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
```

```
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="Quantity">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Quantity</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="Quantity.Content">
      <xsd:attribute name="unitCode" type="MeasureUnitCode"/>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="Quantity.Content">
  <xsd:restriction base="xsd:decimal">
    <xsd:totalDigits value="31"/>
    <xsd:fractionDigits value="14"/>
    <xsd:maxInclusive value="9999999999999999.9999999999999999"/>
    <xsd:minInclusive value="-9999999999999999.9999999999999999"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ReasonCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="3"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ReferenceDocumentID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="20"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ReferenceKey">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="12"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ReferenceKey_3">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="20"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Region">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="3"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ResourceClassID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="6"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ReversalReason">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
```



```
<xsd:simpleType name="ReversalReferenceDocument">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="20"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="SEPAMandate">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="35"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="SalesDistrict">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="6"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="SalesOrder">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="SalesOrderItem">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="6"/>
    <xsd:minLength value="1"/>
    <xsd:pattern value="\d+"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="SalesOrganization">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="4"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="SegmentID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ServiceDocID_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ServiceDocItemID_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="6"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="ServiceDocType_GFN">
```

```
<xsd:annotation>
  <xsd:documentation xml:lang="EN">
    <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
  </xsd:documentation>
</xsd:annotation>
<xsd:restriction base="xsd:token">
  <xsd:maxLength value="4"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="SpecialGLCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:length value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="StateCentralBankPaymentReason">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="3"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="StreetName">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="35"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxDeterminationDate_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Date</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:date">
    <xsd:pattern value="[0-9]{4}-[0-9]{2}-[0-9]{2}"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxFulfillmentDate">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Date</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:date">
    <xsd:pattern value="[0-9]{4}-[0-9]{2}-[0-9]{2}"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxItemClassification">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="3"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxItemGroupID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="6"/>
    <xsd:minLength value="1"/>
    <xsd:pattern value="\d+"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="TaxJurisdictionCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="TaxJurisdictionCode.Content">
      <xsd:attribute name="listID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>

```

```
</xsd:attribute>
<xsd:attribute name="listVersionID">
  <xsd:simpleType>
    <xsd:restriction base="xsd:token">
      <xsd:maxLength value="15"/>
      <xsd:minLength value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:attribute>
<xsd:attribute name="listAgencyID">
  <xsd:simpleType>
    <xsd:restriction base="xsd:token">
      <xsd:maxLength value="60"/>
      <xsd:minLength value="1"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:attribute>
</xsd:extension>
</xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="TaxJurisdictionCode.Content">
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="15"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxJurisdictionLevel">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:length value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxNumber1">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="16"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxNumber2">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="11"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxNumber3">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="18"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxNumber4">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="18"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxNumber5">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="60"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxNumberType">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
```

```
<xsd:maxLength value="2"/>
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TaxType">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="2"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="Title">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="15"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="TradingPartnerID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="6"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="UUID">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:simpleContent>
    <xsd:extension base="UUID.Content">
      <xsd:attribute name="schemeID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
      <xsd:attribute name="schemeAgencyID">
        <xsd:simpleType>
          <xsd:restriction base="xsd:token">
            <xsd:maxLength value="60"/>
            <xsd:minLength value="1"/>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:attribute>
    </xsd:extension>
  </xsd:simpleContent>
</xsd:complexType>
<xsd:simpleType name="UUID.Content">
  <xsd:restriction base="xsd:token">
    <xsd:length value="36"/>
    <xsd:pattern value="[0-9a-fA-F]{8}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{4}-[0-9a-fA-F]{12}"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="VATLiability">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Text</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="VATRegistration">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="20"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="WBSElement">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="24"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
```

```
</xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="WithholdingTaxCode">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="WithholdingTaxType">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Code</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="2"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:simpleType name="WorkItem_GFN">
  <xsd:annotation>
    <xsd:documentation xml:lang="EN">
      <ccts:RepresentationTerm>Identifier</ccts:RepresentationTerm>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:restriction base="xsd:token">
    <xsd:maxLength value="10"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:schema>
<xsd:schema xmlns="http://sap.com/xi/SAPGlobal/Global"
  xmlns:ccts="urn:un:unece:uncefact:documentation:standard:CoreComponentsTechnicalSpecification:3.0"
  xmlns:sprx="urn:sap.com:abap:proxy"
  xmlns:xi0="http://sap.com/xi/SAPGlobal/Global" targetNamespace="http://sap.com/xi/SAPGlobal/Global">
  <xsd:import namespace="http://sap.com/xi/SAPSCORE/SFIN"/>
  <xsd:annotation>
    <xsd:documentation>
      <sprx:documentation version="1" baseURL="https://vhanads4ci.ifrs.vivaaerobus.com:44300/sap/bc/esdt/docu/xsd_type?sap-client=150"/>
    </xsd:documentation>
  </xsd:annotation>
  <xsd:element name="StandardMessageFault">
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="standard" type="tns:ExchangeFaultData"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
</xsd:schema>
</wsdl:types>
<wsdl:message name="JournalEntryBulkCreateRequest">
  <wsdl:part name="JournalEntryBulkCreateRequest" element="tns:JournalEntryBulkCreateRequest"/>
</wsdl:message>
<wsdl:message name="StandardMessageFault">
  <wsdl:part name="StandardMessageFault" element="n1:StandardMessageFault"/>
</wsdl:message>
<wsdl:portType name="JournalEntryBulkCreationRequest_In">
  <wsdl:documentation>
    <sapdoc:sapdoc xmlns:sapdoc="urn:sap:esi:documentation">
      <sapdoc:docitem applicationComponent="AC-INT"/>
    </sapdoc:sapdoc>
  </wsdl:documentation>
  <wsp:Policy>
    <wsp:PolicyReference URI="#IF__JournalEntryBulkCreationRequest_In"/>
  </wsp:Policy>
  <wsdl:operation name="JournalEntryBulkCreationRequest_In">
    <wsp:Policy>
      <wsp:PolicyReference URI="#OP__JournalEntryBulkCreationRequest_In"/>
    </wsp:Policy>
    <wsdl:input message="tns:JournalEntryBulkCreateRequest"/>
  </wsdl:operation>
</wsdl:portType>
<wsdl:binding name="JE_BulkCreation_bind" type="tns:JournalEntryBulkCreationRequest_In">
  <wsp:Policy>
    <wsp:PolicyReference URI="#BN__JE_BulkCreation_bind"/>
  </wsp:Policy>
  <soap:binding transport="http://schemas.xmlsoap.org/soap/http" style="document"/>
  <wsdl:operation name="JournalEntryBulkCreationRequest_In">
    <soap:operation soapAction="http://sap.com/xi/SAPSCORE/SFIN/JournalEntryBulkCreationRequest_In/JournalEntryBulkCreationRequest_InRequest"
      style="document"/>
    <wsdl:input>
      <soap:body use="literal"/>
    </wsdl:input>
  </wsdl:operation>
</wsdl:binding>
<wsdl:binding name="JE_BulkCreation_bind_soap12" type="tns:JournalEntryBulkCreationRequest_In">
  <wsp:Policy>
    <wsp:PolicyReference URI="#BN__JE_BulkCreation_bind_soap12"/>
  </wsp:Policy>
  <soap12:binding transport="http://schemas.xmlsoap.org/soap/http" style="document"/>
  <wsdl:operation name="JournalEntryBulkCreationRequest_In">
    <soap12:operation soapAction="http://sap.com/xi/SAPSCORE/SFIN/JournalEntryBulkCreationRequest_In/JournalEntryBulkCreationRequest_InRequest"
      style="document"/>
    <wsdl:input>
```

```
<wssoap12:body use="literal"/>
</wsdl:input>
</wsdl:operation>
</wsdl:binding>
<wsdl:service name="JE_BulkCreation_bind">
  <wsdl:port name="JE_BulkCreation_bind" binding="tns:JE_BulkCreation_bind">
    <soap:address
      location="https://vhanads4ci.ifrs.vivaaerobus.com:44300/sap/bc/srt/xip/sap/journalentrybulkcreationreques/150/je_bulkcreation_bind/je_bulkcreation_!
    </wsdl:port>
  <wsdl:port name="JE_BulkCreation_bind_soap12" binding="tns:JE_BulkCreation_bind_soap12">
    <wssoap12:address
      location="https://vhanads4ci.ifrs.vivaaerobus.com:44300/sap/bc/srt/xip/sap/journalentrybulkcreationreques/150/je_bulkcreation_bind/je_bulkcreation_!
    </wsdl:port>
  </wsdl:service>
</wsdl:definitions>
```