Back to project

BB Brainy Barbies Workspace

Design systems
Slides templates

Account

Usage
Billing
Account seats
Advanced

User

Profile
Promotions & Referrals
Personalization
Notifications
Join the Community

huixin20070711

Usage

Oct 22 - Nov 21, 2026 UTC | Current period | Brainy Barbies Workspace

Per user | Per project | Per resource

Search resources...

Resource	Usage
AI	$3.67

Resource	Quantity	Unit price	Cost
Agent	—	—	$3.67
Conversations	—	Variable	$0
Projects	—	Variable	$3.67
Replit AI integrations	—	—	$0

Project hosting	$0
Project traffic and data	$0
Storage	$0

Back to project

Brainy Barbies Workspace

Design systems
Slides templates

Account
Usage
Billing
Account seats
Advanced

User
Profile
Promotions & Referrals
Personalization
Notifications
Join the Community

huixin20070711

Usage

Oct 22 - Nov 21, 2026 UTC | Current period | Brainy Barbies Workspace

Your usage

Your agent usage Oct 22 - Nov 21

$3.67

Your usage this period
$3.67

Your average daily spend
$1.22



Here, `skills` comes from Person B or the input form, and `roles` comes from the role catalogue.

If Person A uses a JavaScript frontend, she **cannot import your Python file directly into the browser**. She needs a backend API endpoint that runs this Python code and returns the results.

What you should do now

1. Ask your team to review and merge your PR and D1's dependencies.
2. Send Person A this message:

> *My D2 code is ready in my pull request. In the Python backend, call `get_weights("moderate")` or `get_weights("fast_disruption")`, then pass those weights to D1's `score_roles()`. You can return both the weights and role results to your frontend. The weights are scenario importance multipliers—not probabilities—and should be labelled "These are estimates, not certainties." Without `data/trends.csv`, both scenarios use neutral weights.*

You provide the weighting logic; Person A connects it to the backend and displays the output.

Worked for 19 seconds