

## Assumptions:


- Small groups must have one leader
- Students can be in multiple small groups at a time
- Redis can fetch a attribute of StudentEventStatus for all matching instances of either foreign key.
- A small group. is a group of students, and since small groups are recurring events and events are more of a one-off thing, small groups are not recognized as a 'type' of event

## Entities:

- Person
- Student (subtype of Person)
- Parent (subtype of Person)
- Registration (links to event and student)
- Event
- Small group
- Attendance
- Group membership
- ParentStudent to connect student and parent

## Relationships:

- student and parent are subtypes of Person supertype
- parentstudent entity related to events as a link to registration???
- Notes attach to meetings
- Small Group connects to Person



## Assumptions:


- Small groups must have one leader
- Students can be in multiple small groups at a time
- Redis can fetch a attribute of StudentEventStatus for all matching instances of either foreign key.
- A small group. is a group of students, and since small groups are recurring events and events are more of a one-off thing, small groups are not recognized as a 'type' of event
- Leaders church employees and volunteers are not

## Entities:

- Person
- Student (subtype of Person)
- Parent (subtype of Person)
- Registration (links to event and student)
- Event
- Small group
- Attendance
- Group membership
- ParentStudent to connect student and parent

## Relationships:

- student and parent are subtypes of Person supertype
- parentstudent entity related to events as a link to registration???
- Notes attach to meetings
- Small Group connects to Person



## Additional Assumptions

- Notes are only for SmallGroupMeetings, not for Events
- ParentChild can be created as needed and will only be used to actually connect parents and their children
- Registration is a separate object from Attendance
- Leader ID is not needed in smallgroup, we can locate them by searching their roles. -- changing this, leaderId should be in smallgroup (easier search)
- Small groups have one leader tracked via leaderId in SmallGroup
- Junction tables use composite primary keys (both FKs together)
- only students can be members of small groups
- SmallGroupMeetingAttendance tracks who attended specific small

