

Celebrity Tacos Installation Guide

Prerequisites

You will need the following things properly installed on your computer.

- [Git](#)
- [Node.js](#) (with npm)
- [Ember CLI](#)
- [Google Chrome](#)

How to use this repo

Replace instance of **[server name]** with appropriate server url.

Servers:

- Development: <https://hoth.sevencode.com:3000/CPSC-473/mike-celebrity-taco>
- Public: <https://github.com/mikeperalta1/celebrity-tacos>

1. Navigate to some arbitrary project directory, and clone the repository using the following commands
 - `git pull https://github.com/mikeperalta1/celebrity-tacos.git`
2. Perform a hard reset of your local repository to point to the remote.
 - `cd celebrity-tacos`
 - `git fetch origin`
 - `git branch --all`
 - (to make sure you have the remote branches)
 - `git reset --hard origin/master`
3. At this point you should have a detached head, and can create your own local master branch
 - `git checkout -b master`
 - `git branch --set-upstream-to=origin/master`
4. Do the same for the development branch
 - `git reset --hard origin/dev`
 - `git checkout -b dev`
 - `git branch --set-upstream-to=origin/dev`
5. You should hopefully be all setup to develop. Instructions in this list haven't been fully tested, so let me know if you need help.
6. Once you have cloned the repository, run the following commands to install the npm dependencies required for the project
 - `npm install`

Launching your project

Launching manually

1. Navigate to your project directory and execute "ember serve". For example per above:
 - `cd ~/my-projects/celebrity-tacos`
 - `ember-serve`