

TRYST

Private chemistry. Intelligent discretion.

Product Requirements Document & Business Plan — v0.1 draft, 4 October 2026

Classification: Confidential — internal

Contents

1. Executive summary
2. Market, audience and positioning
3. Relationship modes in scope
4. Product principles and policy boundaries
5. User journeys
6. AI agents and behavioural-learning architecture
7. Multi-person compatibility engine
8. Discretion and privacy controls
9. Functional requirements
10. System architecture, APIs and data model
11. Security
12. Trust, safety and moderation
13. Legal, regulatory and compliance
14. Business model and pricing
15. Unit economics
16. Go-to-market
17. MVP backlog
18. Delivery roadmap and launch gates
19. Competitor research
20. Risks, open questions and appendices

1. Executive summary

TRYST is a discreet, verified, AI-assisted platform for adults seeking intimate connection outside a conventional monogamous frame: one-off encounters, ongoing extramarital relationships, threesomes, and couple-to-couple connections. It is built for all genders and orientations and treats singles, individuals in relationships, and couples as first-class participants.

The category is proven but under-served. Incumbents either carry legacy trust damage (most notably the 2015 Ashley Madison breach), skew heavily male with poor experiences for women, or — in the case of newer ethical-non-monogamy apps — are designed around openly negotiated relationships and are less suited to members whose primary need is discretion. TRYST's thesis is that the winning product in this category is defined by three things competitors have not combined:

1. **Discretion as an engineering discipline, not a marketing claim.** Disguised app shells, panic exit, decoy PIN, ephemeral media, data minimisation, end-to-end encrypted messaging, and a breach-resilient architecture in which a full database compromise yields as little identifying data as possible.
2. **Verification and safety by default.** Every member is a liveness-verified adult. Couple profiles require each partner in the couple to verify and consent individually. Bots, scammers and sex-work solicitation are actively removed.
3. **Intelligent matching for one-to-one and multi-person configurations.** A compatibility engine that models individuals, couples and groups — including the asymmetric preferences that make threesome and couple-swap matching hard — supported by AI agents that learn from behaviour while respecting strict privacy boundaries.

Scope note on consent. TRYST does not require members to obtain approval from a spouse or partner who is *not* on the platform. Members are adults responsible for their own relationships. Consent requirements apply to everyone who *is* a participant: every person in a couple profile must individually verify and opt in, and every person in a group connection must individually accept it. TRYST will never permit one person to represent, photograph or arrange encounters on behalf of another person who has not consented on-platform.

Business model. Freemium with subscription tiers (individual and couple), consumable credits, and a high-touch Concierge tier. Base-case targets: 18-month path to 250k verified members across launch markets, blended paying conversion of 9–12%, and contribution-margin positive by month 15 (see §15).

MVP. Verified onboarding, discreet shell, one-to-one and couple matching, encrypted chat, ephemeral media, core safety tooling, subscriptions and credits — launching first in the UK, then selected EU markets, then the US (state-by-state age-assurance compliant). Group (3+) matching ships in Phase 2.

2. Market, audience and positioning

2.1 Market context

- **Non-monogamy is mainstreaming.** Survey work over the past decade (e.g., YouGov polling in the US and UK, Kinsey Institute research) consistently finds a significant minority of adults report interest in, or experience of, consensual non-monogamy, and a large share of adults in long-term relationships report some form of infidelity at some point. Precise figures vary widely by methodology; we treat them as directional, not as TAM inputs.
- **Category revenue is real.** Ruby Life (Ashley Madison) has publicly reported tens of millions of dollars in annual revenue and claims tens of millions of cumulative sign-ups; Feeld has reported rapid growth driven by younger, queer and ENM audiences. Gleeden, Illicit Encounters and Victoria Milan monetise regional audiences.
- **Mainstream apps are moving adjacent.** Mainstream dating apps have added group/"double date" and non-monogamy-friendly profile fields, which normalises the behaviour but does not deliver discretion.

Action: commission a sized TAM/SAM study (paid panel, n≥3,000 per launch market) before Series A materials. Figures in this document are planning assumptions.

2.2 Target segments

Segment	Core need	Primary pain with current options
Discreet individuals (all genders) — partnered, seeking one-off or ongoing connection	Secrecy, low friction, real people	Fake profiles, breach fear, app icon visibility, payment traces
Women and non-binary members seeking connection on their own terms	Safety, control, quality over volume	Unsolicited images, aggressive messaging, unverified men
Couples seeking a third, or another couple	Joint profile that both partners control; group logistics	Single-account couple profiles (one partner acting alone), "unicorn hunting" stigma, poor group chat
Singles open to partnered people	Clear expectations, no drama	Mismatched intent on mainstream apps
LGBTQ+ members across all of the above	Inclusive identity model, discretion around outness	Binary gender fields, outing risk

2.3 Positioning statement

For adults who want intimate connection beyond monogamy and value privacy above all, **TRYST** is the verified, discreet connection platform that pairs genuinely compatible people, couples and groups — unlike legacy affair sites, TRYST is engineered so your secret stays yours, and every person you meet is a real, verified adult who has chosen to be there.

2.4 Brand pillars

- **Private** — discretion is the default, never an upsell.
- **Real** — verified humans only; zero tolerance for bots and scams.
- **Intelligent** — matching that understands nuance and configurations beyond pairs.
- **Respectful** — clear intent, consent-forward, non-judgemental.

3. Relationship modes in scope

Every profile declares one or more **intents**. Intent drives matching eligibility, onboarding copy and safety rules.

Mode	Description	Participants	MVP?
One-off	A single encounter; no expectation of continuation	1:1	Yes
Ongoing	A recurring affair or extramarital relationship	1:1	Yes
Threesome (seeking a third)	A couple seeking one person	Couple + 1	Yes (couple-to-single)

Mode	Description	Participants	MVP?
Threesome (joining)	An individual seeking a couple	1 + Couple	Yes
Couple-to-couple	Two couples connecting (social, swap, full)	Couple + Couple	Yes
Group (3+ individuals)	Ad-hoc groups not anchored on a couple	3-4 individuals	Phase 2
Open / exploring	Undecided; wants to explore	Any	Yes

Relationship-status field (private by default, visible only to matches when the member chooses): single, partnered (discreet), partnered (open/ENM), married (discreet), married (open/ENM), separated, it's complicated. "Discreet" vs "open" status is a matching signal — e.g., some members only want others with equal discretion stakes.

Identity model. Gender is free-form with a curated list (woman, man, non-binary, trans woman, trans man, genderqueer, agender, two-spirit, and self-describe), plus separate fields for "show me to" and "interested in" so members can, e.g., be visible only to women and couples. Orientation and kinks are optional, private-by-default, and stored as special-category data (§13).

4. Product principles and policy boundaries

4.1 Principles

1. **Discretion is free.** All core privacy features ship on the free tier. We monetise reach, convenience and premium experience, not safety.
2. **Every participant consents on-platform.** No one is represented without their own verified account and explicit acceptance.
3. **Minimum data, maximum control.** Collect only what powers matching and safety; give members deletion that actually deletes.
4. **The member owns the pace.** Women and other members who receive disproportionate inbound volume get strong filtering and rate controls.
5. **AI serves the member, never surveils them.** Behavioural learning operates on in-app signals the member can inspect and reset.
6. **No judgement in tone; no compromise on safety.**

4.2 Hard boundaries (prohibited — enforced in ToS, moderation and product)

- Anyone under 18 (or the local age of majority if higher) — zero tolerance, immediate ban and reporting where required.
- Commercial sex, escorting, "sugar" arrangements involving payment for sex, or any solicitation of money — banned to mitigate trafficking risk and to comply with FOSTA-SESTA (US) and equivalent laws.
- Non-consensual intimate imagery, sharing others' images, "revenge" content, recording without consent.
- Profiles representing a person who has not verified (e.g., one partner operating a "couple" profile alone).
- Use of the platform to locate, monitor or expose another person, including a member's own spouse (anti-stalking, anti-outing).
- Harassment, hate speech, threats, extortion/sextortion.
- Unsolicited explicit media (gated by consent controls — §9.5).

4.3 Explicit non-goals

- TRYST is not a "catch a cheater" service and will never offer partner-search, reverse lookup or exposure features.
- TRYST is not an adult-content marketplace.
- TRYST does not provide relationship counselling, though it signposts support resources.

5. User journeys

5.1 Individual onboarding (target: < 6 minutes to first match card)

1. Install discreet app (shell name/icon chosen at first launch — e.g., "Notes+", "Calc", "Weather").
2. Create account with email **or** anonymous handle + passkey; phone number optional (used only for 2FA, stored hashed).
3. Age assurance + liveness selfie (via vetted provider; selfie template discarded after verification unless the member opts into "verified photo match" badge).
4. Intent, configurations, identity, preferences (≤ 12 taps).
5. Photos: upload with face-blur defaults on; "reveal on mutual match" toggled by default.
6. Discretion setup: lock PIN, decoy PIN, notification disguise, panic gesture.

7. First curated matches from the Matchmaker agent.

5.2 Couple onboarding

1. Partner A creates a **couple shell** and generates a one-time invite link/QR.
2. Partner B creates their own account and verifies individually (age + liveness).
3. Both partners independently confirm the couple link and agree the **Couple Charter** (shared boundaries: what's on/off the table, who can message, whether both must approve matches).
4. The couple profile becomes active only after both confirmations. Either partner can **dissolve** the link at any time; dissolution freezes the couple profile, notifies matches neutrally and preserves each partner's individual account.
5. Couple settings: *joint approval* (both must like before a match is created) or *delegated approval* (either partner can match within Charter limits).

5.3 Matching to meeting

Discover → like / super-like → mutual match → encrypted chat (ephemeral by default) → optional photo reveal → optional voice/video call (no number exchange) → **Plan** (date-safety check-in, safe-word to trusted contact, venue suggestions) → post-meet private feedback (feeds learning; never shown to the other party verbatim).

5.4 Group connection (couple + single / couple + couple)

Mutual interest across *all* participants is required. A **Group Room** is created only after every individual has accepted. Each individual can leave at any time, which closes the room for that person and notifies others neutrally. Group rooms support shared boundaries checklists, a poll-based scheduler, and per-person media permissions.

6. AI agents and behavioural-learning architecture

TRYST uses a set of narrowly scoped agents orchestrated by a policy layer. Agents act *for the member* and are subject to the same privacy guarantees as the rest of the platform.

6.1 Agent roster

Agent	Purpose	Inputs	Outputs	Guardrails
Matchmaker	Curates a daily slate of high-compatibility candidates	Profile, preferences, behavioural embeddings, compatibility scores	Ranked slate with plain-language "why" reasons	Never uses message content; explanations avoid sensitive inference
Profile Coach	Helps write a compelling, safe bio and choose photos	Draft bio, photo set	Suggestions; flags identifying details (workplace, street signs, kids, wedding ring)	Runs on-device where possible; suggestions only, never auto-publish
Conversation Copilot (opt-in)	Icebreakers, tone suggestions, boundary-setting phrasing	Local thread context (on-device)	Suggestions	On-device model; no server-side message reading; disabled in E2EE rooms unless member enables locally
Discretion Guardian	Proactive privacy hygiene	Device/app settings, upload metadata, location settings	Nudges: strip EXIF, blur faces, enable decoy PIN, warn on screenshots	Cannot be disabled for EXIF stripping
Safety Sentinel	Detects scams, bots, coercion, minors, solicitation, harassment	Account signals, reports, server-visible metadata, client-side classifier verdicts	Risk scores, friction, escalation to human review	Human review before bans except for high-confidence CSAM/age hashes; appealable
Group Coordinator	Logistics for 3+ person connections	Group availability, Charter overlaps	Shared boundaries summary, schedule polls	Only acts after all members accept
Concierge Assistant	Supports human concierges for premium members	Member brief (explicit), concierge notes	Shortlists, outreach drafts	Human-in-the-loop; member approves every introduction

6.2 Behavioural-learning architecture

Signals (implicit): dwell time on cards, profile-detail expansions, like/pass, reply latency, conversation depth (message counts, not content), match-to-meet conversion, post-meet ratings, block/report events, time-of-day activity.

Signals (explicit): stated preferences, dealbreakers, Charter, "more like this / less like this" feedback, post-meet private rating.

Learning layers:

1. **Two-tower retrieval model** — member tower (stated prefs + behavioural embedding) and candidate tower (profile features + engagement quality). Retrieves top-K from the eligible pool after hard filters.
2. **Re-ranker** — gradient-boosted model predicting *mutual* outcome ($P(A \text{ likes } B) \times P(B \text{ likes } A) \times P(\text{conversation} \geq N \text{ turns}) \times P(\text{meet})$), not just one-sided attraction. This counters the "attractiveness collapse" where a few profiles absorb all attention.
3. **Fairness and exposure controls** — exposure caps per profile per day, freshness boosts for new verified members, and demographic parity monitoring across gender/orientation cohorts to prevent systemic invisibility.
4. **Stated-vs-revealed reconciliation** — when behaviour persistently diverges from stated preferences, the member is *asked* ("You've been liking couples — want to add couples to your preferences?") rather than silently overridden. Members can view and reset their learned profile in **My Signals**.
5. **Bandit exploration** — a small exploration budget ($\approx 10\%$ of slate) using Thompson sampling to avoid filter bubbles and to cold-start new members.

Privacy constraints on learning:

- Message content is **never** used for server-side training. E2EE makes this structurally impossible for 1:1 chat.
- Sensitive attributes (orientation, kinks, relationship status) are used as *matching filters chosen by the member*, not as learned targets for inference.
- Training data is pseudonymised; member IDs are rotated in the feature store; models are retrained on rolling 90-day windows; deleted members are purged from the next training cycle and their features dropped from serving immediately.
- Differential-privacy noise on aggregate analytics; k-anonymity threshold ($k \geq 50$) on any cohort reporting.
- LLM components use providers under zero-data-retention terms, or self-hosted open-weight models; no member PII in prompts beyond what is strictly necessary.

6.3 Evaluation

Offline: NDCG@10 on mutual-like, calibration of mutual-outcome predictions, exposure Gini. Online: mutual-match rate, conversations ≥ 10 messages, meet-confirmation rate, 7/30-day retention, report rate per 1k matches, women's inbound-unwanted-message rate. Every model release passes a safety and fairness review gate.

7. Multi-person compatibility engine

7.1 Entities

- **Person** — a single verified individual.
- **Unit** — the matching entity: either a Person or a **Couple** (exactly two linked Persons).
- **Configuration** — the target shape a Unit is seeking: 1:1, couple+1, 1+couple, couple+couple, group($n \leq 4$).

7.2 Pairwise compatibility

For persons i and j : $C(i, j) = H(i, j) \cdot S(i, j)$ where

- $H(i, j) \in \{0, 1\}$ — hard constraints (age range, gender/orientation mutual interest, distance, intent overlap, dealbreakers, block lists, discretion requirements). Must be satisfied **in both directions**.
- $S(i, j) \in [0, 1]$ — soft score: learned mutual-outcome prediction blended with explicit preference similarity (schedules, discretion level, experience level, interests, chemistry indicators).

7.3 Unit-level compatibility

For a couple $U = \{a, b\}$ and a single x (threesome):

- **Every pairing that the configuration requires must pass hard constraints.** The Couple Charter declares which interactions are in scope (e.g., "both partners with the third", or "only partner a with the third"). Only required edges are evaluated.
- **Score aggregation uses a soft-minimum**, not an average, so one strong partner cannot mask a poor fit with the other: $S(U, x) = -\tau \cdot \log \sum_e \exp(-S_e / \tau)$ over required edges e , with temperature τ tuned (≈ 0.1).
- **Couple coherence bonus** — rewards candidates whom *both* partners have independently engaged with similar profiles.

For couple-to-couple $U1 \times U2$, required edges are defined by the intersection of both Charters (e.g., "swap only" vs "full"), and the same soft-min applies across up to four cross-edges.

7.4 Group (Phase 2) formation

Group formation for 3–4 individuals is framed as **constrained clique search** on the compatibility graph: find sets where all required edges pass hard constraints and the soft-min score exceeds threshold θ . Candidate generation uses seed expansion from a member's top pairwise matches, bounded to keep latency < 300 ms. Groups are *proposed*; every individual must accept.

7.5 Asymmetry and demand balancing

The single-to-couple market is famously imbalanced (many couples seek a third woman; far fewer single women seek couples). The engine:

- Applies exposure caps so in-demand singles are not flooded.
- Offers singles **inbound gating** (e.g., "show me only to couples with joint approval and verified both partners").
- Surfaces couples to single men and couple-to-couple matches transparently, instead of hiding the imbalance.
- Uses credit pricing (\$14) partially to ration high-demand inbound.

7.6 Cold start

New members receive a calibrated slate from stated preferences, a freshness boost (days 0–7), and exploration slots. Couples are cold-started using the union of each partner's onboarding signals.

8. Discretion and privacy controls

8.1 Device-level

Control	Detail	Tier
Disguised app shell	Alternate name and icon (iOS alternate icons; Android activity-alias). Note: app-store listing and purchase history still show "TRYST" — disclosed clearly at onboarding	Free
App lock	Biometric/PIN required on every open; configurable timeout	Free
Decoy PIN	Opens a plausible empty "notes" or "budget" view	Free
Panic exit	Shake / triple-tap / back-tap → instantly switch to decoy and clear recents thumbnail	Free
Notification disguise	Neutral text ("You have 1 new update") and neutral icon; or no notifications	Free
Screenshot protection	Android FLAG_SECURE; iOS screen-capture detection with blur + sender alert	Free
Web access	Private-browsing prompt, no persistent cookies beyond session, quick-exit button	Free

8.2 Identity and content

- **Photo privacy:** face-blur/veil by default; per-match reveal; revoke reveal at any time (images served via short-lived signed URLs, so revocation is effective for future views).
- **Ephemeral media:** view-once, timed, watermarked with recipient's handle (discourages leaks; aids takedown).
- **Location fuzzing:** distance shown in bands (e.g., " < 5 km"); location stored at coarse geohash precision server-side; travel mode for planned trips.
- **Incognito/Ghost mode:** visible only to profiles you've liked.
- **Hide from contacts:** optional private set intersection (PSI) against hashed contact list so that people in your address book are mutually hidden — the server never learns the contacts. Opt-in, on-device hashing.
- **Hide from neighbourhood/workplace:** exclusion zones (e.g., 2 km around a chosen point).

8.3 Payments discretion

- Neutral billing descriptor (e.g., "TRY*DIGITAL SVCS") — must still be accurate and recognisable to the cardholder to satisfy card-network rules and avoid chargebacks; agreed with acquirer.
- App-store billing shows the app name; members are told this explicitly. Web checkout offers alternative descriptors, prepaid cards, and (where permitted) privacy-preserving wallets.
- Receipts sent only to a member-chosen email; option for no email receipts.

8.4 Account lifecycle

- **Pause** (hidden instantly), **Delete** (hard-delete pipeline completes within 30 days, backups expire within 35), **Self-destruct timer** (auto-delete after N days of inactivity, member-configurable).
- **Data export** (GDPR Art. 15/20) delivered encrypted to the member.

8.5 Honest limits

TRYST must be explicit about what discretion cannot cover: app-store purchase history, shared Apple/Google family accounts, device backups, network-level monitoring, and the conduct of other members. The onboarding "Discretion Check" walks members through these.

9. Functional requirements

Priority: **P0** = MVP launch blocker, **P1** = MVP-desirable / fast follow, **P2** = later.

9.1 Accounts & onboarding

ID	Requirement	Pri
ACC-01	Sign up with email or anonymous handle + passkey; optional phone for 2FA	P0
ACC-02	Age assurance + liveness verification before any discovery	P0
ACC-03	Disguised shell selection at first launch	P0
ACC-04	Couple linking with independent verification and confirmation by both partners	P0
ACC-05	Couple Charter creation and joint/delegated approval modes	P0
ACC-06	Couple dissolution by either partner, preserving individual accounts	P0
ACC-07	Pause, delete, self-destruct timer, export	P0
ACC-08	Verified-photo-match badge (opt-in selfie re-match)	P1

9.2 Profiles

ID	Requirement	Pri
PRO-01	Intents, configurations, identity, interested-in, show-me-to	P0
PRO-02	Photo upload with automatic EXIF strip and face-blur default	P0
PRO-03	Per-match photo reveal / revoke	P0
PRO-04	Private profile sections (kinks, boundaries) visible only after match	P1
PRO-05	Profile Coach agent with identifying-detail detection	P1

9.3 Discovery & matching

ID	Requirement	Pri
MAT-01	Hard-filter eligibility (bidirectional)	P0
MAT-02	Daily curated slate + browse grid	P0
MAT-03	Like, pass, super-like; mutual match creation	P0
MAT-04	Couple joint-approval gating	P0
MAT-05	Couple+1 and couple+couple matching	P0
MAT-06	"Why this match" explanations	P1
MAT-07	My Signals: view/reset learned preferences	P1
MAT-08	Group (3-4 individuals) proposals	P2
MAT-09	Travel mode	P1

9.4 Messaging & calls

ID	Requirement	Pri
MSG-01	E2EE 1:1 messaging (MLS or Signal protocol)	P0
MSG-02	E2EE group rooms (MLS) for couple+1 / couple+couple	P0
MSG-03	Ephemeral messages default (24h), configurable	P0
MSG-04	View-once / timed media with recipient watermark	P0
MSG-05	In-app voice/video calls (no number exchange), E2EE	P1
MSG-06	Message requests gating (who can message first)	P0
MSG-07	Conversation Copilot (on-device, opt-in)	P2

9.5 Consent & safety in-product

ID	Requirement	Pri
SAF-01	Explicit-media consent toggle per conversation; unconsented explicit images auto-blurred via on-device classifier	P0
SAF-02	Report, block, unmatched from every surface; report includes optional evidence the reporter chooses to share (decrypts locally, re-uploads to T&S)	P0
SAF-03	Date Safety: share plan with trusted contact, timed check-in, emergency shortcut	P1
SAF-04	Scam/off-platform-payment warnings triggered by client-side heuristics	P0
SAF-05	Rate limits on outbound likes/messages for new accounts	P0
SAF-06	Support resources (sexual health, IPV, mental health) by locale	P0

9.6 Monetisation

ID	Requirement	Pri
PAY-01	Subscriptions (individual / couple) via app stores and web	P0
PAY-02	Credits wallet: boosts, super-likes, priority messages, reveals of "who liked you"	P0
PAY-03	Concierge application, intake, and billing	P1
PAY-04	Discreet descriptors and receipt controls	P0
PAY-05	Refunds/chargeback handling; regional pricing	P0

9.7 Non-functional requirements

Area	Target
Availability	99.9% monthly (P0 services)
Latency	Slate fetch p95 < 400 ms; message send p95 < 250 ms
Scale (MVP)	500k registered, 50k DAU, 5M messages/day
Accessibility	WCAG 2.2 AA
Localisation	EN-GB, EN-US, FR, DE, ES, NL, IT at launch of respective markets
Platforms	iOS 17+, Android 10+, responsive web (PWA)
Data residency	EU/UK member data in EU/UK regions

10. System architecture, APIs and data model

10.1 Architecture overview

- **Clients:** iOS (Swift/SwiftUI), Android (Kotlin/Compose), Web (Next.js PWA). Shared crypto core in Rust (MLS via OpenMLS) compiled to each platform.
- **Edge:** CDN + WAF + bot management; API gateway with mTLS to services; per-device attestation (App Attest / Play Integrity).
- **Core services (containerised, Kubernetes):** Identity, Profile, Verification adapter, Couple/Group, Discovery, Matching, Messaging relay (stores only ciphertext), Media (encrypted object storage, signed URLs), Payments, Trust & Safety, Notifications, Agents orchestrator.
- **Data:** PostgreSQL (primary OLTP, row-level encryption for sensitive columns), Redis (sessions, rate limits), vector store for embeddings, Kafka for events, object storage for encrypted media, analytics warehouse (pseudonymised only).
- **ML:** feature store (pseudonymised IDs), offline training pipeline, online inference service for retrieval/re-ranking; model registry with approval gates.
- **Secrets & keys:** cloud KMS + HSM-backed envelope encryption; per-member data keys for sensitive fields (crypto-shredding on delete).

10.2 Key APIs (REST/JSON over HTTPS; WebSocket for realtime)

Method	Endpoint	Description
POST	/v1/auth/register	Create account (email or handle + passkey)
POST	/v1/auth/passkey/assert	Passkey login
POST	/v1/verification/sessions	Start age + liveness session with provider; returns client token
POST	/v1/verification/webhook	Provider callback (signed); sets verified_at, discards biometric payload
GET/PATCH	/v1/me/profile	Read/update own profile
POST	/v1/media/upload-url	Get pre-signed upload URL; server strips EXIF, generates blurred variant
POST	/v1/couples	Create couple shell; returns invite token
POST	/v1/couples/{id}/accept	Partner accepts link (requires verified account)
PUT	/v1/couples/{id}/charter	Update Couple Charter (requires both partners' confirmation for material changes)
DELETE	/v1/couples/{id}	Dissolve couple (either partner)
GET	/v1/discovery/slate	Today's curated slate with reasons
POST	/v1/likes	Like / super-like / pass a Unit
GET	/v1/matches	List matches and group rooms
POST	/v1/matches/{id}/reveal	Grant photo reveal; DELETE to revoke
POST	/v1/groups/proposals/{id}/respond	Accept/decline group proposal
WS	/v1/realtime	Ciphertext message relay, typing, presence (presence optional/off by default)
POST	/v1/reports	Submit report with optional member-shared evidence
POST	/v1/billing/checkout	Web checkout session
POST	/v1/billing/store-receipts	Validate App Store / Play receipts
GET	/v1/me/signals	View learned preference summary; DELETE resets
POST	/v1/me/export	Request data export
DELETE	/v1/me	Delete account (crypto-shred)

All write endpoints are idempotent via Idempotency-Key; all responses avoid leaking existence of other accounts (uniform errors).

10.3 Core data model (simplified)

```
person(id, handle, email_hash, email_enc, passkey_creds, verified_at, verification_level,
      dob_year_enc, gender, pronouns, created_at, status, data_key_id, region)
profile(person_id, bio_enc, intents[], relationship_status_enc, interested_in[],
      show_me_to[], orientation_enc, discretion_level, geo_cell, travel_geo_cell,
      visibility_mode)
couple(id, person_a, person_b, status{pending,active,dissolved}, approval_mode,
      created_at, activated_at)
charter(couple_id, version, allowed_configs[], allowed_edges[], boundaries_enc,
      confirmed_by_a_at, confirmed_by_b_at)
unit(id, kind{person,couple}, ref_id)
preference(unit_id, age_min, age_max, distance_band, configs[], dealbreakers_enc)
photo(id, person_id, storage_key, blurred_key, is_primary, moderation_state)
like(id, from_unit, to_unit, kind{like,super,pass}, actor_person_id, created_at)
match(id, unit_a, unit_b, created_at, status)
group_room(id, config, created_at, status)
group_member(room_id, person_id, accepted_at, left_at)
reveal(match_id, granter_person_id, grantee_unit_id, granted_at, revoked_at)
conversation(id, match_or_room_id, mls_group_id) -- ciphertext only in relay store
report(id, reporter_person_id, subject_person_id, category, evidence_ref_enc, state)
enforcement(id, person_id, action, reason_code, reviewer_id, appeal_state)
subscription(id, unit_id, payer_person_id, tier, store, status, renews_at)
credit_ledger(id, person_id, delta, reason, balance_after, created_at)
signal_event(pseudo_id, event_type, target_pseudo_id, ts) -- feature store; rotating IDs
```

*_enc fields use per-member envelope encryption; deleting the member's data key renders them unrecoverable (crypto-shredding), including in backups.

11. Security

Threat model priorities: (1) mass data breach and extortion (the Ashley Madison scenario), (2) targeted de-anonymisation of a member by a spouse, colleague or stalker, (3) account takeover, (4) scraping and bot farms, (5) insider abuse, (6) sextortion by malicious members.

Controls:

- **Data minimisation:** no real names required; DOB stored as verified-adult flag + birth year only; precise location never stored; biometric data not retained after verification.
- **Encryption:** TLS 1.3 everywhere; E2EE for messages, calls and group rooms; field-level envelope encryption for sensitive attributes; encrypted media with per-object keys.
- **Breach resilience:** a database dump must not yield readable sensitive fields, message content, or a list of real identities. Email is stored as a salted hash for lookup plus encrypted copy for contact; payment data held only by PCI-DSS Level 1 processor (tokens only).
- **Authentication:** passkeys first; TOTP/WebAuthn 2FA; device binding; anomaly detection on new devices; session revocation UI.
- **Anti-scraping:** device attestation, rate limits, behavioural bot detection, no enumerable IDs, blurred-by-default photos, watermarking.
- **Insider controls:** least-privilege, just-in-time access with approval, all support-tool access logged and reviewed; support staff see redacted views; no staff access to message content (technically impossible under E2EE).
- **Secure SDLC:** threat modelling per feature, SAST/DAST, dependency scanning, signed builds, mobile app hardening, annual third-party pen test plus pre-launch test, public bug bounty from launch.
- **Certifications:** SOC 2 Type II within 12 months of launch; ISO 27001 within 24 months.
- **Incident response:** 24/7 on-call; GDPR 72-hour regulator notification playbook; pre-drafted member communications; extortion-response plan (law enforcement liaison, no-payment policy, member support).

12. Trust, safety and moderation

12.1 Layered model

1. **Prevention:** verification gate, device attestation, new-account rate limits, explicit-media consent gating, Discretion Guardian nudges.
2. **Detection:** Safety Sentinel scores (bot/scam/minor/solicitation/harassment), hash-matching for known CSAM (PhotoDNA / NCMEC hash lists, IWF in UK) and known NCII (StopNCII hashes), image classifiers for nudity/minors/violence on profile photos (profile photos are not E2EE and are moderated server-side), text classifiers on profile bios.
3. **Member reporting:** one tap from any surface; reporter may share decrypted evidence voluntarily — the only way T&S ever sees message content.
4. **Human review:** 24/7 follow-the-sun team; specialist queue for minors/trafficking/sextortion; reviewer wellness programme.
5. **Enforcement:** warn → restrict → suspend → ban; device and verification-based ban evasion detection; transparent appeals.
6. **Transparency:** semi-annual transparency report (DSA-aligned).

12.2 Service levels

Category	Target time to action
Suspected minor / CSAM	< 1 hour; mandatory reporting (NCMEC in US, relevant authorities elsewhere)
Credible threat of violence / sextortion	< 2 hours
Solicitation / scam	< 12 hours
Harassment / other	< 24 hours
Appeals	< 7 days

12.3 Specific risk playbooks

- **Sextortion:** in-chat warnings when off-platform migration or payment requests are detected client-side; rapid account takedown; StopNCII integration; member support guide.
- **Outing/exposure threats:** treat threats to expose a member to their spouse/employer as extortion — immediate action.
- **Coercion in couples:** either partner can privately signal concern to T&S; dissolution is always available unilaterally; group rooms allow private leave.
- **Romance/financial scams:** off-platform payment detection, crypto-scam pattern library, warning interstitials.

12.4 Staffing (launch)

~1 moderator per 15–20k MAU blended with automation, scaling down as classifiers mature; Head of Trust & Safety hired pre-MVP.

13. Legal, regulatory and compliance

This section summarises the landscape as understood at drafting (October 2026). It is not legal advice; external counsel must validate each launch market.

13.1 Data protection

- **GDPR / UK GDPR:** data about sex life and sexual orientation is *special category* (Art. 9) — processing requires explicit consent; DPIA mandatory; DPO appointment; data residency and transfer mechanisms (SCCs/IDTA, EU-US Data Privacy Framework). Regulators have fined dating platforms for special-category handling (e.g., Norway's Datatilsynet fine against Grindr, upheld on appeal).
- **US state privacy:** CCPA/CPRA (sensitive personal information; "limit use" right), plus state comprehensive privacy laws in many states (Virginia, Colorado, Connecticut, Texas, Oregon, etc.) treating sex life/orientation as sensitive data requiring opt-in. **Washington's My Health My Data Act** and similar consumer-health-data laws may capture sexual-health information.
- **Biometrics:** Illinois BIPA (private right of action), Texas CUBI, Washington biometric law — verification vendor must support written consent, retention schedules and deletion; TRYST discards biometric templates after verification by default.

13.2 Online safety and age assurance

- **UK Online Safety Act 2023:** user-to-user service duties (illegal content risk assessments, children's access assessment). Ofcom's age-assurance requirements for services allowing pornographic/harmful content have been enforced since July 2025 — "highly effective age assurance" is required. TRYST's verification gate is designed to meet this standard.
- **EU Digital Services Act:** notice-and-action, statements of reasons, transparency reporting, trusted flaggers; VLOP obligations would not apply at launch scale. Monitor EU-level age-verification initiatives (Commission age-verification blueprint/app).
- **US:** a growing number of states require age verification for sites with substantial adult content; the US Supreme Court upheld Texas's law (*Free Speech Coalition v. Paxton*, June 2025). TRYST does not host pornography, but universal age verification puts it ahead of these requirements regardless. Also monitor state app-store age-verification laws (e.g., Utah, Texas) affecting distribution.
- **Australia:** eSafety Commissioner codes and the online dating industry code; age-assurance developments. Phase 3+ market.

13.3 Trafficking and solicitation

- **FOSTA-SESTA (US):** removes Section 230 protection for platforms that knowingly facilitate prostitution/sex trafficking. TRYST's ban on commercial sex and payment solicitation, detection tooling and law-enforcement cooperation process are essential.
- UK Modern Slavery Act statement once thresholds are met; equivalent EU national laws.

13.4 Adultery and orientation laws — geo-restriction

- Adultery remains a criminal offence in a number of jurisdictions (including several Middle Eastern, South and South-East Asian countries — e.g., Indonesia's revised Criminal Code, in force from January 2026, criminalises sex outside marriage on complaint), and same-sex relations are criminalised in dozens of countries. A few US states still have rarely enforced adultery statutes (New York repealed its statute in 2024).
- **Policy:** TRYST will not operate in, market to, or permit registration from jurisdictions where adultery or same-sex relations carry criminal penalties, and will apply geo-blocking plus app-store territory restrictions. Members travelling into such jurisdictions see a warning and profiles are auto-hidden.

13.5 Consumer, payments and platform rules

- Auto-renewal laws (California ARL, FTC "click-to-cancel" considerations, EU consumer rights withdrawal rules) — easy cancellation, clear renewal disclosure.
- Card network rules on dating services and billing descriptors; acquirer underwriting for "high-risk" dating MCC (7273); chargeback ratio < 0.65%.

- Apple App Store and Google Play guidelines: dating apps permitted; no sexually explicit content in-app; robust UGC moderation, reporting and blocking required; 17+/18+ rating; in-app purchase rules for digital goods (with regional exceptions for web purchases, e.g., post-*Epic v. Apple* US anti-steering changes and EU DMA).
- Advertising restrictions: Meta/Google restrict dating and adult-oriented ads; affair-oriented messaging is frequently refused — informs GTM (§16).

13.6 Compliance deliverables before launch

DPIA; ROPA; Online Safety Act illegal-harms and children's-access risk assessments; age-assurance conformity evidence; ToS, Privacy Notice, Community Guidelines, Cookie policy; law-enforcement request policy (with warrant requirement and member notification where lawful); CSAM reporting registrations; vendor DPAs; PCI scope attestation.

14. Business model and pricing

14.1 Revenue streams

1. **Subscriptions** (primary): individual and couple tiers, monthly/quarterly/annual.
2. **Credits** (consumables): boosts, super-likes, priority messages, "who liked you" reveals, travel-mode activation, group-room boosts.
3. **Concierge** (premium high-touch): curated introductions by trained human matchmakers assisted by the Concierge agent.
4. **Later**: partner perks (discreet hotels, venues) on a referral basis — no member data shared with partners.

14.2 Tiers (UK pricing; USD/EUR set via purchasing-power adjustment)

Tier	Monthly	Quarterly (per mo)	Annual (per mo)	Key inclusions
Free	£0	—	—	Verification, full discretion suite, limited daily likes (15), match & chat with mutuals, ephemeral media, safety tools
Plus	£24.99	£18.99	£12.99	Unlimited likes, see who liked you, advanced filters, travel mode, 5 super-likes/week, incognito
Elite	£49.99	£37.99	£27.99	Plus + priority placement, read receipts control, monthly boost, verified-photo badge priority, profile review by Profile Coach Pro
Couple Plus	£34.99	£26.99	£19.99	Plus for a linked couple (covers both partners), group rooms, joint-approval tools, couple-to-couple filters
Concierge	£399 / 3 months	—	—	Dedicated matchmaker, curated introductions (target 3–6 per quarter), date planning support; includes Elite

Credits: packs of 10 (£9.99), 30 (£24.99), 75 (£49.99). Indicative costs: boost 30 min = 5 credits, super-like = 2, priority message (lands at top of a message-request queue) = 3, group-room boost = 6.

Women and non-binary members: Plus features free for verified women and non-binary members during the first 12 months in each launch market, to balance the marketplace (common category practice). Reviewed for legality under local equality law (UK Equality Act — counsel review required; alternative is a neutral "inbound-balance" programme offered to any under-represented cohort).

14.3 Pricing principles

- Safety and discretion are never paywalled.
- No dark patterns: clear renewal terms, one-tap cancellation, pro-rated refunds where required.
- Web checkout incentivised (lower price) where store rules permit, improving margin and payment discretion.

15. Unit economics (base case, UK launch market)

15.1 Key assumptions

Metric	Assumption	Notes
Blended paying conversion (of MAU)	10%	Category benchmarks typically 5–15%
Paying mix	Plus 60% / Elite 15% / Couple Plus 22% / Concierge 3%	
Billing mix	45% monthly / 30% quarterly / 25% annual	

Metric	Assumption	Notes
Blended ARPPU (net of VAT)	~£22 / month	Before platform fees
Credit spend	+£3.50 per paying member / month; +£0.40 per non-payer	
Platform/payment fees	22% blended	Store 15–30%, web ~4% incl. high-risk processing
Paid-member monthly churn	14%	Category typically 10–20%
Blended CAC (paid member)	£95	Mix of performance, influencer, PR, referral
Verification cost	£0.60 per verified sign-up	Vendor quote range £0.30–£1.20
Infra + AI cost	£0.18 per MAU / month	Incl. inference, media, E2EE relay
T&S cost	£0.22 per MAU / month	Human review + tooling

15.2 Per paying member

- Monthly net revenue: $(£22 + £3.50) \times (1 - 0.22) \approx \textbf{£19.90}$
- Variable cost (infra, T&S, support allocated to payer + share of free-user cost at 9:1 ratio): $\approx \textbf{£4.40}$
- Monthly contribution: $\approx \textbf{£15.50}$
- Expected lifetime $(1 / 0.14): \approx \textbf{7.1 months}$
- **LTV (contribution): $\approx \textbf{£110}$**
- **LTV:CAC: $\approx 1.16\times$** at launch — *insufficient*; target $\geq 3\times$ by month 18 via:
- Reduce churn to $\leq 10\%$ (lifetime 10 months $\rightarrow$ LTV $\approx$ £155) through better matching and couple tiers (couples churn less).
- Lift annual plan mix to 35%.
- Reduce CAC to $\leq$ £50 via referral, PR and organic/SEO as brand matures.
- At churn 10% and CAC £50: LTV:CAC $\approx \textbf{3.1\times}$.

15.3 Plan-level targets (base case)

	M6	M12	M18	M24
Verified members (cumulative)	40k	130k	250k	450k
MAU	22k	65k	120k	210k
Paying members	1.8k	6.5k	13k	24k
MRR (net)	£36k	£129k	£259k	£478k
Monthly contribution after CAC	negative	negative	~breakeven (M15–M18)	positive

Seed requirement (indicative): £3.5–4.5M to reach M18 including a 22-person team, security certifications, T&S operations and marketing. Sensitivity analysis and a full three-statement model to accompany this document.

16. Go-to-market

16.1 Market sequencing

1. **UK (London, Manchester, Birmingham)** — high category awareness, English-language, clear regulatory regime (OSA, UK GDPR), dense cities.
2. **EU wave 1 (Netherlands, Germany, France, Spain)** — strong ENM and swinger cultures; localised brand; EU data residency.
3. **US (state-sequenced)** — start with large states with favourable regulatory posture; age-verification compliance by state; BIPA-ready verification.
4. **Later:** Australia, Canada, selected LATAM markets — subject to legal review; never in criminalising jurisdictions (§13.4).

16.2 Liquidity strategy

- **City-by-city launch** with waitlist and invite codes to concentrate density; open a city only when $\geq 3k$ verified members within 25 km and gender/configuration ratios meet thresholds.
- **Supply-side seeding:** women, non-binary members and couples prioritised from waitlist; free Plus for these cohorts (subject to counsel review).
- **No fake profiles, ever** — a public pledge, contrasting with category history.

16.3 Channels

- **PR & narrative:** "the affair app built by security engineers" — data-privacy-first story; transparency report; third-party security audit published.
- **Content & SEO:** relationships, non-monogamy, discretion guides; anonymous member stories.
- **Creators & podcasts:** ENM, sex-positive and relationship creators where platform policies allow.
- **Out-of-home:** tasteful, provocative OOH in launch cities (subject to ASA/CAP code compliance).
- **Performance:** limited due to ad-platform restrictions; use networks that accept dating, with careful creative; app-store optimisation.
- **Referral:** credits for both parties when an invitee verifies; couples invite couples.
- **Partnerships:** ENM community events, lifestyle venues (no data sharing).

16.4 Launch messaging pillars

"Your secret stays yours." · "Every profile is a verified adult." · "Chemistry for two, three or four." · "No judgement. No fakes. No traces."

17. MVP backlog

MVP definition: a verified, discreet 1:1 and couple-based matching product with E2EE chat, safety core and monetisation, launched in London.

Epic	Stories (abridged)	Pri	Est. (pt)
E1 Identity & onboarding	Account creation; passkeys; 2FA; verification integration; disguised shell; discretion setup	P0	55
E2 Couples	Shell/invite; dual verification; Charter; approval modes; dissolution	P0	40
E3 Profiles & media	Profile CRUD; EXIF strip; blur variants; reveal/revoke; moderation pipeline	P0	45
E4 Discovery & matching v1	Hard filters; heuristic + light ML ranker; slate; likes; mutual match; couple+1; couple+couple	P0	70
E5 Messaging	MLS integration; 1:1 and group rooms; ephemeral; view-once media; watermarks; message requests	P0	80
E6 Trust & safety	Reporting; blocking; moderation console; CSAM/NCII hashing; classifiers; enforcement; appeals	P0	65
E7 Discretion suite	App lock; decoy PIN; panic exit; notification disguise; screenshot protection; location fuzzing; exclusion zones	P0	40
E8 Payments	Store subscriptions; web checkout; credits ledger; descriptors; refunds	P0	45
E9 Account lifecycle	Pause; delete/crypto-shred; self-destruct; export	P0	20
E10 Platform & security	Infra-as-code; KMS; observability; rate limits; attestation; pen test fixes	P0	60
E11 Analytics	Pseudonymised event pipeline; core dashboards; DP aggregates	P0	20
E12 Agents v1	Profile Coach (identifying-detail detection); Discretion Guardian; "why this match"	P1	30
E13 Date Safety	Trusted-contact check-ins	P1	15
E14 Calls	E2EE voice/video	P1	30

Total MVP (P0): ≈ 540 points ≈ 24–26 weeks for the team in \$18.3.

18. Delivery roadmap and launch gates

18.1 Phases

Phase	Window	Scope
0 — Foundations	Weeks 0–8	Team hires (Head of T&S, Security Lead), legal entity & counsel, DPIA, vendor selection (verification, hashing, payments), architecture, design system, brand
1 — MVP build	Weeks 6–30	Epics E1–E11; internal dogfood at week 22
2 — Closed beta (London)	Weeks 30–38	2–5k invited members; pen test; bug bounty; Ofcom/ICO-facing documentation finalised
3 — Public launch UK	Week ~40	Subscriptions live; PR launch; Concierge pilot

Phase	Window	Scope
4 — Group & intelligence	Months 10–15	Group (3–4) matching; Conversation Copilot; My Signals; calls; EU wave 1
5 — Scale	Months 15–24	US state-sequenced launch; SOC 2 Type II; Concierge scale-up; partner perks

18.2 Launch gates (all must pass)

Gate A — Closed beta entry - Verification live with false-accept rate for minors < 0.1% in vendor testing; manual review fallback. - E2EE verified by independent cryptographic review. - CSAM/NCII hash matching operational; NCMEC/appropriate authority reporting process tested. - DPIA signed off; Privacy Notice and ToS approved by counsel. - Discretion suite complete; data-breach tabletop exercise completed.

Gate B — Public launch - External pen test: zero critical/high findings open. - Report-to-action SLAs met for 4 consecutive weeks in beta. - Bot/fake rate < 1% of active profiles (sampled audit). - Women's unwanted-inbound rate below target threshold set in beta. - Payments: acquirer approval, descriptor confirmed, chargeback flow tested. - OSA risk assessments filed internally; age-assurance evidence pack complete. - Liquidity: ≥ 3k verified members in London with configuration-ratio thresholds met.

Gate C — New market entry - Local counsel review (adultery/orientation laws, privacy, age assurance, consumer law). - Localisation and local-language T&S coverage. - Data residency confirmed.

18.3 Team (MVP)

Founders (CEO, CPO), CTO, Security Lead, Head of T&S; 3 iOS/Android, 1 web, 4 backend, 1 crypto/platform, 2 ML/data, 2 product design, 1 QA/automation, 4 moderators (scaling), 1 marketing lead, 1 community/partnerships, part-time DPO and fractional GC. ≈ 22 FTE equivalents.

19. Competitor research (as of October 2026)

Competitive data is drawn from public sources and company statements; figures should be refreshed before external use.

Competitor	Positioning	Strengths	Weaknesses / openings for TRYST
Ashley Madison (Ruby Life, Canada)	The best-known affair site; global	Brand awareness; scale; women-free model; credits economy	2015 breach and fake-profile ("fembot") history and subsequent FTC settlement; dated UX; weak verification perception
Gleeden (France)	Affair site "designed by women"	Strong in FR/IT/ES; women free	Limited couple/multi-person features; Europe-centric; mixed verification
Illicit Encounters (UK)	UK affair site	UK market focus; long tenure	Legacy web UX; limited AI/matching sophistication
Victoria Milan (Norway origin)	Affair app with panic button	Early discretion features (panic button, blurred photos)	Fake-profile complaints; limited innovation
Feeld (UK)	Open-minded/ENM dating for individuals and couples	Strong brand with younger, queer and ENM users; linked couple profiles; rapid growth	Positioned around openly consensual non-monogamy; discretion not the core promise; verification optional
3Fun / #Open / Kasual	Threesome and ENM-focused apps	Niche focus on couples and thirds	Reported fake profiles and moderation issues; minimal discretion engineering
SDC / Kasidie / swinger communities	Lifestyle/swinger communities	Couple-to-couple focus, events	Dated; web-centric; older demographic
Mainstream apps (Tinder, Hinge, Bumble, Grindr)	Mass-market dating	Liquidity; mainstream adoption of group/"double date" and ENM-friendly fields	Not discreet; social-graph exposure; partnered users unwelcome on some

Differentiation summary: TRYST is the only offering planned to combine (1) mandatory verification of every participant, including each partner in a couple; (2) E2EE across 1:1 and group connections; (3) breach-resilient, crypto-shredding data design; (4) a multi-person compatibility engine; and (5) privacy-preserving behavioural AI with member-visible controls.

Lessons from category history: - The Ashley Madison breach (2015) exposed paid "full delete" that did not delete, and led to extortion campaigns and regulatory action (FTC, Canadian and Australian privacy commissioners). → TRYST: free, real deletion; crypto-shredding; minimal identity. - Fake-profile accusations have repeatedly damaged

incumbents. → TRYST: no-fakes pledge, verification for all, published audits. - Grindr's regulatory penalties over sharing sensitive data with ad partners. → TRYST: no ad-tech SDKs, no sale or sharing of data, no third-party advertising in-app.

20. Risks, open questions and appendices

20.1 Key risks and mitigations

Risk	Likelihood	Impact	Mitigation
Data breach / extortion	Medium	Severe	\$11 controls; crypto-shredding; E2EE; minimal identity; IR plan; cyber insurance
App-store removal or rejection	Medium	High	Strict content rules; strong moderation; PWA fallback; proactive store relations
Payments de-risking by acquirer	Medium	High	Two acquirers; low chargeback ratio; transparent descriptors
Marketplace imbalance (gender, couples vs singles)	High	High	Supply-side seeding; exposure caps; inbound gating; city density gates
Reputational / press backlash ("app for cheaters")	High	Medium	Lead with privacy, safety and inclusivity narrative; no shaming; responsible messaging
Regulatory change (age assurance, privacy)	High	Medium	Over-comply now; compliance roadmap; counsel on retainer
Misuse for trafficking/solicitation	Medium	Severe	Ban + detection + LE cooperation; FOSTA-SESTA compliance
AI bias / unfair exposure	Medium	Medium	Fairness monitoring; exposure caps; release gates
Verification friction hurts conversion	High	Medium	Fast vendor flow; explain "why"; verification as brand promise

20.2 Open questions

1. Legal viability of free Plus for women/non-binary members under UK and EU equality law vs a neutral balancing programme.
2. Build vs buy for MLS group messaging and E2EE calls (OpenMLS + LiveKit vs vendor).
3. Whether to allow *unverified browsing* of blurred profiles pre-verification (conversion vs safety).
4. Concierge staffing model: employed vs vetted contractors; background checks.
5. Self-hosted LLM vs zero-retention API for Profile Coach and Concierge agent.
6. Brand naming clearance: trademark search for "TRYST" in UK/EU/US classes 9, 42, 45; app-store name availability.

20.3 Glossary

- **Unit:** matching entity (person or couple).
- **Couple Charter:** couple's shared, mutually confirmed boundaries and approval rules.
- **E2EE / MLS:** end-to-end encryption / Messaging Layer Security (RFC 9420).
- **Crypto-shredding:** deleting the encryption key so encrypted data becomes unrecoverable.
- **PSI:** private set intersection — comparing contact lists without revealing them.
- **ENM:** ethical non-monogamy.
- **OSA:** UK Online Safety Act 2023. **DSA:** EU Digital Services Act.

20.4 Document control

Version	Date	Author	Change
0.1	4 Oct 2026	Founding team	Initial draft for review

Next steps: founding-team review → counsel review of §13 and §14.2 → refreshed competitor and TAM data → financial model → v0.2.