

Exercises Selection

Exercise 1

Write a program that allows the user to test whether a number is a triple.

```
Enter a number: 25
25 is not divisable by 3
```

```
Enter a number: 15
15 is a triple
```

Exercise 2

Write a program that reads the year of birth and then prints whether the user is an adult (at least 18 years old) or not. If someone turns 18 this year, you may also consider that person to be an adult.

```
Enter your year of birth: 1994

Your age = 25

So you're an adult.
```

```
Enter your year of birth: 2012
Your age = 8
You're not an adult yet.
```

Exercise 3

Write a program that allows the user to search for the smallest of 3 numbers.

```
Number 1: 14

Number 2: 98

Number 3: 2

The smallest number is 2
```

Exercise 4

Write a program that allows the user to test if it is possible that one of the three numbers he reads is the sum of the other two numbers.

```
Number 1: 20
Number 2: 15
Number 3: 5
This works
```

```
Number 1: 48

Number 2: 25

Number 3: 13

This won't work
```

Write a program that allows the user to test whether a positive number greater than 0 ends with a specified final digit.

When the entered number is negative, you will give a message that the test will not be performed.

```
Enter a number: -84523
Negative numbers will not be tested

Enter a number: 875
What final digit do you want to test with: 5
875 ends with 5

Enter a number: 123
What final digit do you want to test with: 6
123 does not end with 6
```

Exercise 6

Write a program in which you declare three boolean variables (is_morning, is_mother, is_asleep) that you also give a value.

Then write the code to decide if you need to answer your mobile phone, according to these rules:

- You normally answer your phone except in the morning, then you only answer if it's your mother.
- When you're asleep, you never answer the call.

Test your program by changing the three variables a number of times!

```
I'm not answering my phone
```

Exercise 7

Write a program that prints the larger of two numbers. If the numbers are negative, then you use the opposite number.

But: if both numbers are divisible by 5, then you have to print the smaller of both numbers. If both numbers are equal then the answer is just 0.

```
First number: 72
Second number: 13
The answer for the numbers 72 and 13 = 72
```

```
First number: -16
Second number: 8
The answer for the numbers 16 and 8 = 16
```

```
First number: 25
Second number: 15
The answer for the numbers 25 and 15 = 15
```

```
First number: 101
Second number: 101
The answer for the numbers 101 and 101 = 0
```

Write a program that allows you to judge whether a party is *stupid*, *good* or *fantastic*.

This depends on the number of bottles of wine and the number of pizzas.

- The party is good if there are at least 5 pizzas and 5 bottles of wine
- The party is fantastic if on top of that the number of pizzas is double the number of bottles of wine (or vice versa)
- Otherwise, it's a stupid party.

```
How many bottles of wine are there: 5
How many pizzas are there: 2
This is just a stupid party
```

```
How many bottles of wine are there: 6
How many pizzas are there: 13
This is a fantastic party
```

```
How many bottles of wine are there: 9 How many pizzas are there: 6 This is a good party
```

Read in three numbers a, b, and c, all equal to 0, 1, or 2.

Now determine the test result and print it out.

- If the three numbers are equal to 2, then the result is 10. If all three are equal but not equal to 2 then the result is 5.
- In the other case: if the numbers b and c are different from a then the result is 1. In all other cases the result is 0.

```
number 1 (0, 1 or 2): 2
number 2 (0, 1 or 2): 1
number 3 (0, 1 or 2): 1
```

```
number 1 (0, 1 or 2): 0
number 2 (0, 1 or 2): 2
number 3 (0, 1 or 2): 0
```

Exercise 10

Write a program to determine whether two integers are **both OK** or not. They are OK if

- they are both between 30 and 40 (inclusive)
- they are both equal to one of the following numbers: 65, 72, 83, 90.

First number: 30
Second number: 40
Both numbers are ok
First number: 72
Second number: 90
Both numbers are ok

First number: 33 Second number: 43 They are NOT ok

First number: 37 Second number: 83 They are NOT ok

Exercise 11

A person's BMI (body mass index) is calculated as follows:

$$\frac{weight}{length^2} * 10000$$

The value of the BMI is decisive to judge the weight of an (adult) person:

• BMI < 18 underweight • $18 \le BMI < 25$ normal weight • $25 \le BMI < 27$ slightly overweight • $27 \le BMI < 30$ moderate overweight • $30 \le BMI < 40$ obese • $40 \ge BMI$ sickly obese

Create a program that asks for your weight and height and shows the BMI and the conclusion.

```
Your weight in kilograms: 76
Your length in centimetres: 180
A person of 76.0 kg with a length of 180 cm has as BMI 23.456790123456788
This is a normal weight.
```

The scouts divide their members into groups they call sections. On the basis of age, the scouts are divided into 4 groups.

- Boys/girls from 6 to 7 (included) are Beavers
- Boys/girls from 8 to 10 (included) are Cubs.
- Boys/girls from 11 to 13 (included) are Scouts.
- Boys/girls from 14 to 18 (included) are Explorers.
- Boys/girls 18 older than 18 are assumed to be Leaders.

Create a program that asks for your age and uses it to determine the scouts section.

```
Your age = 5
You're too young!

Your age = 9
You'll be assigned to the Cubs

Your age = 19
You'll be assigned to the Leaders
```

Exercise 13

Rock Paper Scissors is a game for 2 players. Players simultaneously choose one of the options rock, paper or scissors.

Rock breaks scissors, scissors cuts paper, paper covers rock. If both players make the same choice, it's a tie.

Define the choice of the computer itself in your program. Let the player choose one of the three options Rock Paper Scissors and then decide who wins.

```
What do you choose: paper, rock or scissors? scissors
You chose scissors
I chose paper
You win :-)
```