

# DoctorPepper README

jnorthr

Version 1.1, Updated 17 Apr.2017

# Table of Contents

Status .....	1
Purpose .....	1
DropBox or Google Drive Enabled ? .....	1
Update from A Different System .....	1
Don't Allow Sleeping on The Job .....	2
Goal .....	2
Table of Contents / Summary Page .....	2
Even More .....	3
Walker Task in Gradle .....	3
PDF Generation .....	3

# Status

Travis C/I Project Health - [\[Build Status \(Travis CI\)\]](#) [\[Apache License\]](#)

## Purpose

This is an open-source tool to continuously translate any asciidoctor file that is changed within a defined folder.



## DropBox or Google Drive Enabled ?

This trick works nicely if you have a shared drive service like **Dropbox**, or **Google Drive** etc. and all your internal systems use the same **Dropbox**, etc. account.

I have six systems in my place. All of them hooked to same remote drive account. This way i can work on any of my internal systems and still use/keep documentation and code safely and visibly on **all** my systems.

On one of my least-used systems, did the following:

*Gradle Continuous Doctor Translation*

```
cd ~/Dropbox
git clone https://github.com/jnorthr/DoctorPepper.git
cd ~/Dropbox/DoctorPepper
gradlew -t asciidoctor
```

The **-t** option keeps gradle running in continuous mode so now any changes i make to any asciidoctor files are near-instantly translated for me.



If you don't have a **git** client [click here to install one](#)

## Update from A Different System

Went to a second system in my place. Updated this **Dropbox/DoctorPepper/src/docs/asciidoc/sample.adoc** file with:

More stuff here. Did this **sample.html** update from another machine show up on my **Dropbox** account?

Will a new **sample.html** show up on this machine too ?



NO ! Why not ? Because screen saver on my gradle system put it to sleep !

---

## Don't Allow Sleeping on The Job

If the server or desktop running your `gradlew -t asciidoctor` continuous process has it's screen saver turned on, then you will only have continuous doctor translation while it does not sleep.

With full-time running, my asciidoctor translation process will nicely convert any/every change i make to my `.adoc`,etc. documents within the `src/docs/asciidoc` folder.

---

## Goal

What does this achieve ? Well anywhere on any of my six systems, i can modify my documentation and the *kind-of* remote server will produce a new `.html` set of results. Then i can have one or several browsers viewing the results of files i'm editing, say in folder `DoctorPepper/build/docs` for my revised `sample.html`.

While doing this page, i had my text editor open, fixed some spelling mistakes and only did an editor save, like **Ctrl-S** and toggled over to my window with the browser open to this `sample.html` page and did a browser re-fresh! **Bang!**



Near-instant Translation

Then i only click browser refresh to see the new view and this saves me the bother of copying everything up to my CloudFoundry target. **Nice ;-)**



Just copying new `.adoc` files into `src/docs/asciidoc` will appear in the output folder too !

---

## Table of Contents / Summary Page

While working on this tool, decided to write some groovy to generate an asciidoctor file named `toc.adoc` and this is written into the same folder that the asciidoctor task is watching. The next time this task runs, the `toc.adoc` is magically turned into an `toc.html` page with links to every `*.html` within the watched folder or sub-folders.



Surprise !

Was **surprised** when i accidentally ran `groovydoc` task to produce some API doc.s for my `Walker.groovy` code, and low-and-behold the next cycle of our `asciidoctor` task included all my `groovydoc`, `javadoc`, and test reports in this `toc.adoc` summary !

## Even More

Since i've added **Jacoco** code coverage tool, to see a full-blown example of **walker** in action try this:

*Generate a Bunch of HTML, Writing Table of Contents for It and Convert to HTML*

```
gradlew build jacocoTestReport groovydoc test walker asciidoctor
```

After this, there should be a fully-loaded  
</Users/jimnorthrop/Dropbox/Projects/DoctorPepper/build/docs/toc.html>

## Walker Task in Gradle

Several ways can be used to execute **Walker**. To cause the automatic generation of a *table of contents*, have included a **walker** task. Run it using **gradle** like this:

*Generating a Table Of Contents as a One-Time Event*

```
gradlew walker
```

- or -

We can generate a *Table Of Contents* as a step after the **asciidoctor** task completes

*Continuous Running*

```
gradlew -t asciidoctor walker
```



Change gradle's **defaultTasks** to do both tasks in continuous mode.

In continuous mode, gradle notices the arrival of **toc.adoc** in the **DoctorPepper/src/docs/asciidoc** folder and converts it to **HTML**. This approach causes a tight-loop as each time **asciidoctor** ran followed by **walker**, then **walker** would produce a new **toc.adoc** which then caused **asciidoctor** to run, which caused ...

So added some timing logic in **walker** to only produce a new **toc.adoc** file if 1) it's missing or 2) it is older than about 50 seconds.

## PDF Generation

As it was so easy to do, have caused the **asciidoctor** task to produce a **PDF** file for each **.html** file generated. To improve performance or if **PDF** files are not needed, change the closure in **gradle** like this:

```
backends = ['html5','pdf']    // if you don't want PDFs delete 'pdf'
```



Enjoy ;-D

---