






MolProbity Ramachandran analysis

2ruo.H.pdb, all models









92.5% (259/280) of all residues were in favored (98%) regions.
100.0% (280/280) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 1









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 2









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 3









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 4









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 5









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 6









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 7









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 8









85.7% (12/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 9









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 10









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 11









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 12









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 13









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 14









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 15









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 16









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 17









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 18









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 19









92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.

MolProbity Ramachandran analysis

2ruo.H.pdb, model 20



92.9% (13/14) of all residues were in favored (98%) regions.
100.0% (14/14) of all residues were in allowed (>99.8%) regions.

There were no outliers.